

Bracing for Superbugs: Strengthening environmental action in the One Health response to antimicrobial resistance

PACCARB meeting
Thursday, 23 March 2023

Bracing for Superbugs: Strengthening environmental action in the One Health response to antimicrobial resistance

Released Feb. 7, 2023 at the Global Leaders Group Meeting in Barbados

Speaking today

- **Amy Pruden, USA**
- **Fatou Ndoye, USA UNEP Headquarters**

Report lead authors

- **Teresa M. Coque, Spain**
- **David W. Graham, U.K.**
- **Amy Pruden, USA**
- **Anthony D. So, USA**
- **Ed Topp, Canada**



Ecology of AMR Spread: Environmental Dimensions




Figure adapted from The Australian Centre for Genomic Epidemiological Microbiology (ausgem.net). Courtesy of Dr Branwyn Morgan.

Key Environmental Dimensions of AMR

Broadly, three-fold:

- The environmental 'microbial world' is the source of genetic material that confers resistance to antimicrobials, and the machinery that underlies genetic transmission.
- Various anthropogenic pressures (e.g., chemical and biological waste streams) are potentiating or aggravating the problem.
- The environmental dispersal of AMR via water, air, soil, wildlife, etc. is crucially important for the transmission and spread of AMR.

The environment plays a key role in development, transmission and spread of AMR

AMR and the Triple Planetary Crisis - Unsustainable Consumption and Production Patterns



Climate change

- Some pathogens are more persistent in the environment at higher T
- Extreme weather events can contribute to development and movement of AMR microorganisms
- Antimicrobial impacts on microbial biodiversity may affect carbon and methane cycles

Loss of biodiversity

- Loss of ecological resilience, more opportunity for pathogens to proliferate

Pollution and waste

- Chemicals (co)selecting for AMR
- AMR microorganisms enriched for in humans or animals, corresponding wastes contaminate the environment


The Environment and AMR

Waterborne transmission and spread in particular.

-Importance of waste, wastewater and water, sanitation, and hygiene (WASH).

But also:


- wildlife
- airborne
- soilborne




References

Managing Sectors and their Value Chains that drive AMR Development and Spread in the Environment

- Pharmaceuticals and other chemical manufacturing
- Agriculture and food production
- Healthcare systems



Pharmaceutical Manufacturing and Other Chemical Value Chains



Management options include:

- Embed waste management and a lifecycle approach into standard operating procedures in antimicrobial production.
- Promote waste treatment technologies that reduce AMR discharges to the environment.
- Develop and enforce targets/standards to minimize antimicrobial discharges.
- Improve supply chain transparency (e.g., data sharing on production sites, amounts produced, wastes emitted).
- Monitor antimicrobial residues, resistant microorganisms, ARGs and MGEs in the environment near production plants.

Agricultural and Food Value Chains – Antimicrobials and Manure in Crop Production and Waste and Other Releases from Animal Production



Management options include:

- Reduce antimicrobial use in food animals by improving animal health.
- Control of non-point sources chemical and biological releases to the environment
- Improve management of fertilizers of faecal origin; create barriers to AMR spread from operations.
- Increase targeted pre-treatment of waste across the farm to slaughterhouse continuum.
- Provide barriers or treatment of water entering and exiting aquaculture facilities.
- Also consider antimicrobial/fertilizer/chemical use in food crops, ornamentals, etc.





Food Production Environments: 'Hotspots' for AMR Development and Key Routes of Transmission to Humans

- Use of antibiotics and fungicides in terrestrial environments for production of plant-based foods.
- Use of antibiotics and parasiticides in aquatic environments for production of finfish and crustaceans.
- Role of the environment in contaminating food with AMR.

Healthcare Value Chains – Antimicrobial Use, Waste and Effluents from Health Care Facilities




Management options include:

- AMR-targeted, on-site treatment of hospital wastewater to prevent spread into the environment.
- Proper disposal and treatment of antimicrobial medicines and hazardous waste from facilities.
- Encourage sustainable procurement and sound management and disposal of antimicrobials by healthcare systems.
- Leverage hospital stewardship and infection prevention control programs to limit environmental contamination by AMR pollutants.

Evidence to Inform Policy

Evaluation of risk, and validation of risk reduction must be done on the basis of the best science and available data, which is evolving.

- Coordinated surveillance
 - E.g., QJS-AIS, NARMS
- New technologies e.g., Genomics
- Risk science
- Internationally accepted standards



Pruden et al. 2021

Current Opinion in Microbiology

Antimicrobial Resistance Monitoring of Water Environments: A Framework for Standardized Methods and Quality Control


Krista Liguori, Ishi Keenum, Benjamin C. Davis, Jeanette Calarco, Erin Milligan, Valerie J. Harwood, and Amy Pruden*

Cite This: *Environ. Sci. Technol.* 2022, 56, 9149–9160

Read Online

ACCESS | Metrics & More | Article Recommendations | Supporting Information

ABSTRACT: Antimicrobial resistance (AMR) is a grand societal challenge with important dimensions in the water environment that contribute to its evolution and spread. Environmental monitoring could provide vital information for mitigating the spread of AMR; this includes assessing antibiotic resistance genes (ARGs) circulating among human populations, identifying key hotspots for evolution and dissemination of resistance, informing epidemiological and human health risk assessment models, and quantifying removal efficiencies by domestic wastewater infrastructure. However, standardized methods for monitoring AMR in the water environment will be vital to producing the comparable data sets needed to address such questions. Here we sought to



Concerted Action: Global, Regional, National, Local




In planning and governance...

- The environment is being strengthened in the **global** governance structures e.g., GLG
- **Regional** level ministerial conferences offer a possibility for mobilizing and strengthening further action on the environmental dimensions of AMR
- AMR **National** Action Plans should feature the environmental aspects of One Health, e.g. multi-sectoral coordination committees/mechanisms, surveillance, innovation and research pillars.
- **Local** action can be extremely impactful, e.g. WASH


United Nations Environment Programme (UNEP)

authoritative advocate for the global environment

For People and Planet: UNEP Medium Term Strategy 2022-2025




Priority actions



- Enhance environmental governance, planning and regulatory frameworks
- Identify and target priority AMR relevant pollutants - PREVENTION
- Improve reporting, surveillance and monitoring
- Prioritize financing, innovation and capacity development

The Strategic Framework for Collaboration on AMR




The Strategic Framework was developed through a participatory process led by the Joint Secretariat involving staff engaged in AMR across all levels of the four organizations

- Presents the **background and context for the collaboration** between FAO, UNEP, WHO and WOAHA on AMR;
- Describes the **comparative advantage and catalytic role** of the four organizations in the One Health response to AMR in support of efforts by their Members, civil society, the private sector and other stakeholders.

AMR and Environment in the Context of the Sustainable Development Goals (SDGs)

AMR can undermine the achievement of several SDGs

Delivering on the SDG policy objectives can mitigate environmental AMR and vice versa



Thank you



Bracing for Superbugs: Strengthening environmental action in the One Health response to antimicrobial resistance

UN Environment Programme
United Nations Avenue, Gigiri
PO Box 30552, 00100, Nairobi, Kenya

www.unep.org