# Breastfeeding in the Reproductive Health Continuum

3:40 - 3:55 PM Wednesday July 9, 2014

### Miriam Labbok



CAROLINA GLOBAL
BREASTFEEDING INSTITUTE

DEPARTMENT OF
MATERNAL AND CHILD HEALTH

### Breastfeeding support is part of the continuum of care to reduce Maternal as well as Infant Mortality.

#### Preconcepti on MCH

Parental readiness

- Lifelong, K-12
- At least one year

#### Antenatal

- 9 Mo.
- BF exam and counselin g
- Prenatal prophylac tic education

#### <u>Perinatal</u>

- Reduce unnecessary interventi ons
- Delay cord clamping
- S2S
- Continue d BF support

#### <u>Im-</u> <u>mediate</u> Postp'm

- 0-5d.
- 0-42 d.
- Breastfee ding skilled support
- Preservati on of maternal calm

# Healthy BirthSpacing

- BF-Friendly Family Planning
- 2-2.5 years

#### Interconcepttion Care


- >6 more months for full maternal recovery
- healthy 2-3 years minimum interpreg nacy interval

**GBI** 





# Multi-country study of the impact of implementation of BFHI on rate of increase in exclusive breastfeeding: BFHI WORKS





Expansion of quality of care from Clinical Care into all levels of the Social Ecological Framework: From

Individual at home to Governmental Policy and

Support


















BFHI

Expansion to include the continuum
from Preconception to
Interbirth Interval










### Expanding the Evidence-based Ten Steps/Babyfriendly (BF) Hospital Initiative beyond the maternity



	Equity	Medical Home	Linkages	Commun- ication
<ul><li>Current Gaps</li><li>Continuum</li><li>Quality of Care</li></ul>	X	X	X	X
<ul><li>Overlap/Alignment</li><li>Federal/State initiatives</li><li>Private Partnerships</li></ul>				
<ul> <li>Maternal-child medical home linkages</li> <li>Holistic patient-centeredness: beyond strict clinical</li> </ul>	WIC Home visitors			
Specific concrete recommendations (HHS purview)				

### 12 Specific, Effective and "Do-able" Actions

- 1. Continue the work of the HHS <u>Working Group for Worksite Lactation</u> <u>Support</u>. (OWH, HRSA)
- 2. Continue the <u>National Breastfeeding Helpline</u> as part of the National Women's Health Information Center. (OWH)
- Support <u>curriculum updates</u>, as per USBC competencies, in all health professional training as a requirement for any federal subsidies. (HHS)
- 4. Sponsor research on how best to support breastfeeding success, especially among most vulnerable populations. (NICHD)
- 5. Work with the DoL to offer paid maternity leave of at least 18 weeks as part of disability insurance.
- 6. Expand funding and regulation enforcement for federal and state level breastfeeding initiatives in communities such as bf support in child care settings, faith based orgs, and in K-12. (ACF)
- 7. Sponsor a report on the current state-led initiatives (HRSA , CDC)

- 8. Support the development of additional <u>Donor Human Milk Banks</u> and methods to make human milk more available to achieve the Joint Commission goal (CDC, HRSA-MCHB)
- 9. <u>Complement the WIC BF support</u> with social marketing campaigns using PSAs and social media (OWH, USDA)
- 10. Include breastfeeding and support in all obesity, diabetes, SIDS, and breast cancer prevention projects (CDC, AHRQ, JRSA-MCHV, NICHD)
- 11. Issue additional guidance on ACA and CMS provisions related to breastfeeding support to included skilled – not currently licensed providers (DOL, OWH)
- 12. Strengthen <u>breastfeeding skills</u> of all practitioners in the Maternal, Infant, and Early Childhood Home Visiting (MIECHV) Program, designed to "strengthen Title V, improve coordination of services for at-risk communities, and identify and provide comprehensive services to improve outcomes for families who reside in at-risk communities." (HRSA, ACF. etc)