

Ryan White HIV/AIDS Program

Annual Client-Level Data Report

Ryan White HIV/AIDS Program Services Report

2017



The *Ryan White HIV/AIDS Program Annual Client-Level Data Report* is published by the Division of Policy and Data, HIV/AIDS Bureau (HAB), Health Resources and Services Administration (HRSA), Department of Health and Human Services, Rockville, Maryland.

Data are presented for clients reported to the HRSA HAB Ryan White Services Report (RSR; non-ADAP) data system for calendar years 2013 through 2017.

The *Ryan White HIV/AIDS Program Annual Client-Level Data Report* is not copyrighted and may be used and copied without permission. Citation of the source is, however, appreciated.

Suggested Citation

Health Resources and Services Administration. *Ryan White HIV/AIDS Program Annual Client-Level Data Report* 2017. <http://hab.hrsa.gov/data/data-reports>. Published December 2018. Accessed [date].

Health Resources and Services Administration

George Sigounas, MS, PhD Administrator

HIV/AIDS Bureau, Health Resources and Services Administration

Laura W. Cheever, MD, ScM..... Associate Administrator

Heather Hauck, MSW, LICSW..... Deputy Associate Administrator

Antigone Dempsey, MEd..... Director, Division of Policy and Data

Tracy Matthews, MHA, RN..... CAPT, USPHS; Deputy Director, Division of Policy and Data

Steven R. Young, MSPH..... Director, Division of Metropolitan HIV/AIDS Programs;
Acting Director, Division of State HIV/AIDS Programs

Mahyar Mofidi, DMD, PhD..... CAPT, USPHS; Director, Division of Community HIV/AIDS Programs

Harold J. Phillips, MRP..... Director, Office of HIV Training & Capacity Development Programs

April Stubbs-Smith, MPH Director, Division of Domestic HIV Programs, Office of HIV Training & Capacity Development Programs

Myat Htoo Razak, PhD, MBBS, MPH..... Director, Division of Global Programs, Office of HIV Training & Capacity Development Programs

Jeanean Willis Marsh, DPM..... CAPT, USPHS; Director, Office of Program Support

Information about the Ryan White HIV/AIDS Program: hab.hrsa.gov

Educational and technical assistance materials about HIV infection and the Ryan White HIV/AIDS Program: targetHIV.org

Acknowledgments

Publication of this report was made possible by the contributions of the Ryan White HIV/AIDS Program grant recipients and subrecipients that provided RSR data to HRSA.

Contents

Commentary	1
Technical Notes	10
Tables	18
Section 1. National-Level Data: Client Characteristics	18
1a. Ryan White HIV/AIDS Program clients (non-ADAP), by year and selected characteristics, 2013–2017—United States and 3 territories	19
1b. Ryan White HIV/AIDS Program clients living with HIV (non-ADAP), by year and selected characteristics, 2013–2017—United States and 3 territories	21
2. Ryan White HIV/AIDS Program clients (non-ADAP), by race/ethnicity and selected characteristics, 2017—United States and 3 territories	23
3. Ryan White HIV/AIDS Program clients (non-ADAP), by gender and selected characteristics, 2017—United States and 3 territories	24
4a. Male clients served by the Ryan White HIV/AIDS Program (non-ADAP), by transmission risk category and age group, 2017—United States and 3 territories	26
4b. Female clients served by the Ryan White HIV/AIDS Program (non-ADAP), by transmission risk category and age group, 2017—United States and 3 territories	26
4c. Transgender clients served by the Ryan White HIV/AIDS Program (non-ADAP), by transmission risk category and age group, 2017—United States and 3 territories	27
5. Ryan White HIV/AIDS Program clients (non-ADAP), by federal poverty level and selected characteristics, 2017—United States and 3 territories	28
6. Ryan White HIV/AIDS Program clients (non-ADAP), by housing status and selected characteristics, 2017—United States and 3 territories	30
7. Ryan White HIV/AIDS Program clients (non-ADAP), by health care coverage and selected characteristics, 2017—United States and 3 territories	32
8. Ryan White HIV/AIDS Program clients (non-ADAP), by HHS region and selected characteristics, 2017—United States and 3 territories	34
Section 2. National-Level Data: Retention in Care and Viral Suppression	36
9. Retention in care among Ryan White HIV/AIDS Program clients (non-ADAP), by year and selected characteristics, 2013–2017—United States and 3 territories	37
10. Viral suppression among Ryan White HIV/AIDS Program clients (non-ADAP), by year and selected characteristics, 2013–2017—United States and 3 territories	39
11a. Retention in care among women (aged 13 years and older) served by the Ryan White HIV/AIDS Program (non-ADAP), by race/ethnicity and selected characteristics, 2017—United States and 3 territories	41

11b.	Viral suppression among women (aged 13 years and older) served by the Ryan White HIV/AIDS Program (non-ADAP), by race/ethnicity and selected characteristics, 2017—United States and 3 territories	43
12a.	Retention in care among men (aged 13 years and older) served by the Ryan White HIV/AIDS Program (non-ADAP), by race/ethnicity and selected characteristics, 2017—United States and 3 territories	45
12b.	Viral suppression among men (aged 13 years and older) served by the Ryan White HIV/AIDS Program (non-ADAP), by race/ethnicity and selected characteristics, 2017—United States and 3 territories	47
13a.	Retention in care among transgender adults and adolescents (aged 13 years and older) served by the Ryan White HIV/AIDS Program (non-ADAP), by race/ethnicity and selected characteristics, 2017—United States and 3 territories	49
13b.	Viral suppression among transgender adults and adolescents (aged 13 years and older) served by the Ryan White HIV/AIDS Program (non-ADAP), by race/ethnicity and selected characteristics, 2017—United States and 3 territories	51
14a.	Retention in care among youth and young adults (aged 13–24 years), served by the Ryan White HIV/AIDS Program (non-ADAP), by race/ethnicity and selected characteristics, 2017—United States and 3 territories	53
14b.	Viral suppression among youth and young adults (aged 13–24 years), served by the Ryan White HIV/AIDS Program (non-ADAP), by race/ethnicity and selected characteristics, 2017—United States and 3 territories	55
15a.	Retention in care among young men who have sex with men (aged 13–24 years), served by the Ryan White HIV/AIDS Program (non-ADAP), by race/ethnicity and selected characteristics, 2017—United States and 3 territories	57
15b.	Viral suppression among young men who have sex with men (aged 13–24 years), served by the Ryan White HIV/AIDS Program (non-ADAP), by race/ethnicity and selected characteristics, 2017—United States and 3 territories	58
16a.	Retention in care among young women (aged 13–24 years), served by the Ryan White HIV/AIDS Program (non-ADAP), by race/ethnicity and selected characteristics, 2017—United States and 3 territories	59
16b.	Viral suppression among young women (aged 13–24 years), served by the Ryan White HIV/AIDS Program (non-ADAP), by race/ethnicity and selected characteristics, 2017—United States and 3 territories	60
17a.	Retention in care among people with HIV infection attributed to injection drug use (aged 13 years and older) served by the Ryan White HIV/AIDS Program (non-ADAP), by race/ethnicity and selected characteristics, 2017—United States and 3 territories	61
17b.	Viral suppression among people with HIV infection attributed to injection drug use (aged 13 years and older) served by the Ryan White HIV/AIDS Program (non-ADAP), by race/ethnicity and selected characteristics, 2017—United States and 3 territories	63

Section 3. State- and EMA/TGA-Level Data: Client Characteristics	66
18a. Ryan White HIV/AIDS Program Clients (non-ADAP), by year and state, 2013–2017—United States and 3 territories	67
18b. Ryan White HIV/AIDS Program Clients (non-ADAP), by year and eligible metropolitan area and transitional grant area, 2013–2017—United States and 3 territories	68
19a. Ryan White HIV/AIDS Program clients (non-ADAP), by age group and state, 2017—United States and 3 territories	69
19b. Ryan White HIV/AIDS Program clients (non-ADAP), by age group and eligible metropolitan area and transitional grant area, 2017—United States and 3 territories	71
20a. Ryan White HIV/AIDS Program clients (non-ADAP), by race/ethnicity and state, 2017—United States and 3 territories	73
20b. Ryan White HIV/AIDS Program clients, by race/ethnicity and eligible metropolitan area and transitional grant area, 2017—United States and 3 territories	75
21a. Ryan White HIV/AIDS Program clients (non-ADAP), by gender and state, 2017—United States and 3 territories	77
21b. Ryan White HIV/AIDS Program clients (non—ADAP), by gender and eligible metropolitan area and transitional grant area, 2017—United States and 3 territories	79
22a-i. Male clients served by the Ryan White HIV/AIDS Program (non-ADAP), by transmission risk category and state, 2017—United States and 3 territories	80
22a-ii. Female clients served by the Ryan White HIV/AIDS Program (non-ADAP), by transmission risk category and state, 2017—United States and 3 territories	82
22a-iii. Transgender clients served by the Ryan White HIV/AIDS Program (non-ADAP), by transmission risk category and state, 2017—United States and 3 territories	83
22b-i. Male clients served by the Ryan White HIV/AIDS Program (non-ADAP), by transmission risk category and eligible metropolitan area and transitional grant area, 2017—United States and 3 territories	84
22b-ii. Female clients served by the Ryan White HIV/AIDS Program (non-ADAP), by transmission risk category and eligible metropolitan area and transitional grant area, 2017—United States and 3 territories	86
22b-iii. Transgender clients served by the Ryan White HIV/AIDS Program (non-ADAP), by transmission risk category and eligible metropolitan area and transitional grant area, 2017—United States and 3 territories	87
23a. Ryan White HIV/AIDS Program clients (non-ADAP), by federal poverty level and state, 2017—United States and 3 territories	89
23b. Ryan White HIV/AIDS Program clients (non-ADAP), by federal poverty level and eligible metropolitan area and transitional grant area, 2017—United States and 3 territories	90

24a.	Ryan White HIV/AIDS Program clients (non-ADAP), by housing status and state, 2017—United States and 3 territories	92
24b.	Ryan White HIV/AIDS Program clients (non-ADAP), by housing status and eligible metropolitan area and transitional grant area, 2017—United States and 3 territories	93
Section 4. State- and EMA/TGA-Level Data: Retention in Care and Viral Suppression		94
25a.	Retention in care among Ryan White HIV/AIDS Program clients (non-ADAP), by year and state, 2013–2017—United States and 3 territories	95
25b.	Retention in care among Ryan White HIV/AIDS Program clients, by year and eligible metropolitan area and transitional grant area, 2013–2017—United States and 3 territories	97
26a.	Viral suppression among Ryan White HIV/AIDS Program clients (non-ADAP), by year and state, 2013–2017—United States and 3 territories	99
26b.	Viral suppression among Ryan White HIV/AIDS Program clients, by year and eligible metropolitan area and transitional grant area, 2013–2017—United States and 3 territories	101
27a.	Retention in care among Ryan White HIV/AIDS Program clients (non-ADAP), by age group and state, 2017—United States and 3 territories	103
27b.	Retention in care among Ryan White HIV/AIDS Program clients (non-ADAP), by age group and eligible metropolitan area and transitional grant area, 2017—United States and 3 territories	105
28a.	Viral suppression among Ryan White HIV/AIDS Program clients (non-ADAP), by age group and state, 2017—United States and 3 territories	107
28b.	Viral suppression among Ryan White HIV/AIDS Program clients (non-ADAP), by age group and eligible metropolitan area and transitional grant area, 2017—United States and 3 territories	109
29a.	Retention in care among Ryan White HIV/AIDS Program clients (non-ADAP), by race/ethnicity and state, 2017—United States and 3 territories	111
29b.	Retention in care among Ryan White HIV/AIDS Program clients (non-ADAP), by race/ethnicity and eligible metropolitan area and transitional grant area, 2017—United States and 3 territories	113
30a.	Viral suppression among Ryan White HIV/AIDS Program clients (non-ADAP), by race/ethnicity and state, 2017—United States and 3 territories	115
30b.	Viral suppression among Ryan White HIV/AIDS Program clients (non-ADAP), by race/ethnicity and eligible metropolitan area and transitional grant area, 2017—United States and 3 territories	117
31a.	Retention in care among Ryan White HIV/AIDS Program clients (non-ADAP), by federal poverty level and state, 2017—United States and 3 territories	119
31b.	Retention in care among Ryan White HIV/AIDS Program clients (non-ADAP), by federal poverty level and eligible metropolitan area and transitional grant area, 2017—United States and 3 territories	121

32a.	Viral suppression among Ryan White HIV/AIDS Program clients (non-ADAP), by federal poverty level and state, 2017—United States and 3 territories	123
32b.	Viral suppression among Ryan White HIV/AIDS Program clients (non-ADAP), by federal poverty level and eligible metropolitan area and transitional grant area, 2017—United States and 3 territories	125
33a.	Retention in care among Ryan White HIV/AIDS Program clients (non-ADAP), by housing status and state, 2017—United States and 3 territories	127
33b.	Retention in care among Ryan White HIV/AIDS Program clients (non-ADAP), by housing status and eligible metropolitan area and transitional grant area, 2017—United States and 3 territories	128
34a.	Viral suppression among Ryan White HIV/AIDS Program clients (non-ADAP), by housing status and state, 2017—United States and 3 territories	129
34b.	Viral suppression among Ryan White HIV/AIDS Program clients (non-ADAP), by housing status and eligible metropolitan area and transitional grant area, 2017—United States and 3 territories	130

COMMENTARY

The Ryan White HIV/AIDS Program (RWHAP) supports direct health care and support services for over half a million people living with HIV (PLWH)—more than half of all people living with diagnosed HIV in the United States [1]. The RWHAP has successfully created effective patient-centered services to support strong provider-patient relationships. The RWHAP funds and coordinates with cities, states, and local community-based organizations to deliver efficient and effective HIV care, treatment, and support services for low-income PLWH. Since it was established, the RWHAP has developed a comprehensive system of safety net providers who deliver high-quality, direct health care and support services. The RWHAP is critical to ensuring that individuals with HIV are linked to and retained in care, are able to adhere to medication regimens, and remain virally suppressed. PLWH who achieve and maintain an undetectable viral load have effectively no risk of sexually transmitting the virus to an HIV-negative partner. RWHAP services are crucial for attaining optimal HIV health outcomes among PLWH, preventing further transmission of the virus, and, ultimately, ending the HIV epidemic.

The Legislation

The RWHAP is administered by the U.S. Department of Health and Human Services (HHS), Health Resources and Services Administration (HRSA), HIV/AIDS Bureau (HAB). In 1990, Congress passed the Ryan White Comprehensive AIDS Resources Emergency (CARE) Act to address the crisis of the HIV epidemic in the United States. This legislation has been amended and reauthorized four times: in 1996, 2000, 2006, and most recently in 2009, as the Ryan White HIV/AIDS Treatment Extension Act of 2009.

The RWHAP was funded at \$2.3 billion in fiscal year 2017. It is the largest federal program focused exclusively on HIV care, treatment, and support services. The RWHAP leverages other funding sources and health care coverage opportunities for PLWH.

The RWHAP has five statutorily defined Parts that provide funding for medical and support services, technical assistance, clinical training, and the development of innovative models of care to meet the needs of different communities and populations affected by HIV:

- **Part A** provides funding to Eligible Metropolitan Areas (EMAs) and Transitional Grant Areas (TGAs) that are most severely affected by the HIV epidemic to support HIV care and treatment services. To qualify for EMA status, an area must have reported more than 2,000 AIDS cases in the most recent 5 years and have a population of at least 50,000. To be eligible for TGA status, an area must have reported 1,000 to 1,999 AIDS cases in the most recent 5 years and have a population of at least 50,000. EMAs and TGAs range in size from one city or county to more than 26 different geographic entities; 11 contain portions of more than one state. The boundaries of EMAs and TGAs are based on the U.S. Census Bureau delineation of the metropolitan statistical area at the time of first eligibility.
- **Part B** provides funding to all 50 states, the District of Columbia, Puerto Rico, the U.S. Virgin Islands, and six U.S. Pacific jurisdictions to support HIV care and treatment services.
 - The RWHAP Part B grants include funding for the AIDS Drug Assistance Program (ADAP) to fund medication and insurance assistance, as well as other statutory components.
- **Part C** provides funding to local community-based organizations, community health centers, health departments, academic medical centers, and hospitals in 49 states, the District of Columbia, Puerto Rico, and the U.S. Virgin Islands to provide comprehensive primary healthcare and support services in an outpatient setting for low-income PLWH. Part C funds may also support capacity development grants to strengthen organizational infrastructure and capacity to develop, enhance, or expand access to high-quality primary care for PLWH.

- **Part D** provides funding to local community-based organizations, community health centers, health departments, academic medical centers, and hospitals in 39 states and Puerto Rico to support family-centered HIV primary care and support services in an outpatient setting for low-income women, infants, children, and youth living with HIV and their affected family members.
- **Part F** provides funds for the following programs:
 - The Special Projects of National Significance (SPNS) Program supports the development of evidence-informed and evidence-based models of HIV care and effective service delivery systems for PLWH. The SPNS program also supports the dissemination of successful models and supports replication and integration of these models by RWHAP-funded recipients.
 - The AIDS Education and Training Centers Program works to increase the number of healthcare providers who are competent and willing to counsel, diagnose, treat, and medically manage individuals with HIV infection by providing education, training, consultation, and clinical decision support to healthcare professionals at the local and regional levels.
 - The Dental Programs provide funding for oral healthcare for PLWH and support training dental and dental hygiene providers.
 - The Minority AIDS Initiative provides funding to evaluate and address the disproportionate impact of HIV on African Americans and other minorities.

Together, the Parts of the RWHAP provide the public health infrastructure needed to ensure access to a wide range of core medical services (e.g., Outpatient/Ambulatory Health Services, Medical Case Management, Mental Health Services) and support services (e.g., Non-Medical Case Management, Housing, Medical Transportation, Food Bank/Home Delivered Meals) aimed at early diagnosis of HIV, linkage to care, retention in care, medically appropriate treatment, and sustained viral suppression.

2017 RWHAP Client-Level Data Report Overview

This report is the fourth annual publication of national RWHAP client-level data from the Ryan White HIV/AIDS Program Services Report (RSR). The RSR data set is HRSA HAB's primary source of annual, client-level data reported by more than 2,000 funded grant recipients and subrecipients.

Client-level RSR data have been available since 2010 and are used to assess the numbers and demographics of clients receiving services, as well as their HIV-related outcomes. Project Officers at HRSA HAB can share and discuss the data with recipients to monitor and support their progress to improve HIV care and treatment for PLWH. It is through the hard work of these providers and the RWHAP community that clients are helped every day.

This report includes data reported to the RSR for all clients served by Parts A, B, C, and D during calendar years 2013 through 2017, regardless of the source of RWHAP funding. That is, the data presented are not specific to any one Part, regardless of geographic area being presented. RSR data do not include information about ADAP; all ADAP-related information is reported through another data system, the ADAP Data Report. Although data presented in this report are "non-ADAP," many clients also receive ADAP services.

The data presented highlight the state of the RWHAP and include the demographic composition of clients served; socioeconomic factors, such as federal poverty level (FPL), health care coverage, and housing status; and the results of focused analyses to measure progress toward achieving selected HIV-related clinical outcome indicators [2,3]. The data are inclusive of the overall RWHAP client population and key priority populations served by the RWHAP. This report does not include the specific services provided to individuals. All tables include all clients served, regardless of the RWHAP services rendered (unless otherwise noted; e.g., viral suppression tables) or source of RWHAP funding (i.e., data from Parts A, B, C, and D are included in all tables).

Tables displaying sociodemographic data (Table 1a, Tables 2 through 8, and Tables 18a through 24b) include all RWHAP clients, regardless of HIV serostatus; that is, data include PLWH, as well as clients who are missing HIV serostatus information (e.g., clients who receive services that don't require serostatus to be reported; e.g., Food Bank services) and clients who do not have HIV (i.e., the families of PLWH are able to receive certain RWHAP services). In 2017, PLWH (with known serostatus) represented 94.4% of all clients. Table 1b and tables displaying retention in care and viral suppression data (Tables 9 through 17b and Tables 25a through 34b) include only PLWH who meet the criteria for the specified analysis (see Technical Notes). All tables include data reported from 50 states, the District of Columbia, Guam, Puerto Rico, and the U.S. Virgin Islands. Tables 18a through 34b display data by state and EMA/TGA. Readers are encouraged to read carefully all table titles and footnotes to ensure a complete understanding of the data presented.

Retention in care and viral suppression data for the RWHAP should be interpreted carefully. RSR client-level data are reported on an annual basis and are de-identified when reported. As a result, client-level data cannot be linked across years, which affects how HIV-related outcomes are calculated for this report. Retention in care is specifically measured among RWHAP clients living with HIV who received at least one outpatient ambulatory health services (OAHS) visit during the first 8 months of the calendar year; that is, retention in care is among PLWH who received medical care by RWHAP providers during January 1 through September 1 of the specified year. Viral suppression is calculated for the full calendar year and is specifically measured among RWHAP clients who received at least one OAHS visit during the calendar year and who had at least one viral load test result reported; that is, viral suppression is among PLWH who received medical care by RWHAP providers during the year and had at least one viral load test.

As a result of the above specifications, the numbers of PLWH included in retention in care and viral suppression calculations are not equal to the total number of people served by the RWHAP; the subset of clients for retention in care is approximately 64% of the total RWHAP client population, and the subset for viral suppression is approximately 67%. Clients who are not included in retention in care or viral suppression calculations may have received any other RWHAP service (e.g., Non-Medical Case Management, Housing, Medical Transportation, Food Bank/Home Delivered Meals). It is also important to note that clients not included in calculations for retention in care and viral suppression (i.e., those who did not receive OAHS services) may receive medical care from providers outside the RWHAP system or from RWHAP providers whose services are paid through other funding sources; these clients should not be presumed to be "out of care."

Ending the HIV Epidemic

HRSA HAB has focused on four goals to inform programmatic efforts and funding to end the HIV epidemic: (1) reduce the number of people who become infected with HIV, (2) increase access to care and improve health outcomes for people living with HIV, (3) reduce HIV-related health disparities, and (4) achieve a more coordinated national response to the HIV epidemic [2,3].

RWHAP recipients and subrecipients report data to HRSA HAB to monitor progress toward achieving select HIV-related health outcomes [3], including retention in HIV medical care and viral suppression among RWHAP clients. These data are displayed for the overall RWHAP client population of PLWH receiving OAHS by demographics, state, and EMA or TGA (Tables 9, 10, and 25a through 34b).

Due to notable disparities, HRSA HAB has enhanced its efforts to improve HIV-related health outcomes among several key populations: women; transgender individuals; gay, bisexual, and other men who have sex with men (MSM); blacks/African Americans; Hispanics/Latinos; youth; young black/African American MSM; young black/African American women; and people with injection drug use reported as a transmission risk. Tables 11a through 17b display retention in care ("a" tables) and viral suppression ("b" tables) for these key populations.

Report Changes

Table organization

In this report, data tables were organized into defined sections for easier navigation:

- Section 1. National-Level Data: Client Characteristics
- Section 2. National-Level Data: Retention in Care and Viral Suppression
- Section 3. State- and EMA/TGA-Level Data: Client Characteristics
- Section 4. State- and EMA/TGA-Level Data: Retention in Care and Viral Suppression

Additional data tables

This report includes the addition of 20 new data tables displaying state- and EMA/TGA-level data:

- Client characteristics by
 - Year (2013–2017)
 - Age group
 - Gender
 - Housing status
- Retention in care and viral suppression by
 - Age group
 - Race/ethnicity
 - Housing status

The state- and EMA/TGA-level data tables displaying FPL are unchanged from the 2016 report.

Modifications to existing tables

Several tables were updated:

- Tables 1a and 1b, demographics by year: The gender category now displays Transgender Male-to-Female (MTF), Female-to-Male (FTM), and unknown categories separately.
- Table 3, gender by selected characteristics. FPL and housing status have been added.
- Tables 15a and 15b, retention in care and viral suppression among young MSM. Previous reports included both MSM and MSM who also injected drugs in this table. In this report, only MSM risk is included in order to align with other analyses throughout the report.

Algorithm for determining current gender

HRSA HAB remains committed to implementing the best methodologies for accurately capturing and reporting data for transgender clients. As described in previous reports, HRSA HAB implemented and began using a “two step method” for determining current gender identity beginning with 2015 RSR data. This method takes into account sex assigned at birth and current gender identity (e.g., male, female, transgender), plus additional transgender identity details (e.g., MTF, FTM, or transgender unknown). Please see Technical Notes for additional information.

During national data processing and de-duplication, merged clients may result in multiple current gender values within client records. In previous reports, discordant current gender values were set to the most frequently selected current gender value. For example, a client with three records showing current gender as male, male, and transgender female-to-male was previously coded as male due to the higher frequency of male values. For the 2017 data, the algorithm used to determine current

gender was modified to select transgender when any record for a client indicates a transgender identity. In the previous example, the client would now be coded as transgender female-to-male. The changed algorithm has resulted in a marked increase in the number of transgender clients receiving services through the RWHAP in 2017 (9,475) compared with 2016 (7,165). However, the percentage of transgender clients was only slightly higher in 2017 (1.8%) compared with 2016 (1.3%). HRSA HAB will continue to refine the methodology for data collection and analysis to best represent transgender clients.

HIGHLIGHTS OF ANALYSES

Ryan White HIV/AIDS Program Clients

The RWHAP serves more than half a million people each year. In 2017, 534,903 clients received services from RWHAP-funded providers (Table 1a). Among all clients served in 2017, 94.4% (504,721) were reported to be living with HIV (Table 1b), a slight decrease from 96.4% (505,887 out of 524,675) in 2013.

The RWHAP client population is aging. In 2017, people aged 50 years and older accounted for 45.2% of all RWHAP clients, an increase from 37.9% of clients in 2013. In total, this amounts to an increase of more than 42,000 clients aged 50 years and older during this time (Table 1a).

Nearly three-quarters of RWHAP clients are from racial/ethnic minority populations. In 2017, 47.1% of clients self-identified as black/African American, 23.1% Hispanic/Latino, and less than 2% each American Indian/Alaska Native, Asian, Native Hawaiian/Pacific Islander, and persons of multiple races (Table 1a). Whites accounted for 26.4% of clients. The percentage distribution has remained consistent since 2013.

The majority of RWHAP clients are male. In 2017, 71.1% of clients were male, 27.1% were female, and 1.8% were transgender (Table 1a). The gender distribution of RWHAP clients has remained largely consistent since 2013.

Socioeconomic Factors and Health Care Coverage

Nearly two-thirds of RWHAP clients are living at or below 100% of the FPL. In 2017, 62.8% of clients were living at or below 100% FPL (Table 1a), a decrease since 2013 (67.6%).

Higher percentages of female and transgender clients are living below poverty than male clients. Among the 132,957 females with FPL information in 2017, 72.1% (95,828) were living at or below 100% FPL. Among the 7,641 transgender women and 824 transgender men with poverty level information in 2017, 77.3% (5,909) and 65.5% (540), respectively, were living at or below 100% FPL. Comparatively, 58.9% of males with poverty level information (207,752 of 352,453) were living at or below 100% FPL (Table 3).

Approximately 80% of RWHAP clients have some form of health care coverage. Among all RWHAP clients in 2017, 32.6% were covered by Medicaid, 10.7% were covered by Medicare, and 9.6% had multiple forms of coverage (Table 1a). (Multiple coverages include any combination of health care coverage types, except those who had Medicaid and Medicare [dual eligibility], which is displayed separately [7.7% of clients]). See Technical Notes for additional information. One-fifth (20.2%) of RWHAP clients had no health care coverage in 2017 (Table 1a), a decrease from 27.8% in 2013.

Approximately 8% of RWHAP clients have temporary housing, and 5% have unstable housing (Table 1a). Within each age group, the highest percentages of temporary or unstable housing were among those aged 20–24 (11.8%, 6.6% respectively), 25–29 (11.1%, 6.7%), and 30–34 (10.4%, 6.5%) years (Table 6; percentages presented in the table are column percentages and those presented here and below are row percentages).

- Among males, 8.1% had temporary housing and 5.4% had unstable housing. The highest percentages of temporary or unstable housing for males were among those with the following transmission risk categories: HIV infection attributed to injection drug use (11.6%, 9.7%, respectively) and male-to-male sexual contact *and* injection drug use (12.5%, 11.3%).
- Among females, 6.9% had temporary housing and 4.0% had unstable housing. The highest percentages of temporary or unstable housing were among females with HIV infection attributed to injection drug use (9.6%, 7.6%, respectively).
- Among transgender individuals, 12.6 percent had temporary housing and 10.8 percent had unstable housing. The highest percentages of temporary or unstable housing were among transgender individuals who reported sexual contact *and* injection drug use (17.9 percent and 18.7 percent, respectively). Caution should be used when interpreting percentages for transmission risk category subgroups among transgender clients in Table 6 due to low numbers.

RETENTION IN CARE AND VIRAL SUPPRESSION HIGHLIGHTS

Retention in HIV Medical Care

Retention in HIV medical care was defined as PLWH who had at least one OAHS visit by September 1 of the measurement year, with a second visit at least 90 days after.

The percentages of people retained in care were consistent across years from 2013 through 2017. In 2017, 80.9% of 341,570 OAHS patients were retained in HIV care (Table 9).

Across subpopulations, retention in care was generally consistent with the overall average (Table 9). However, a few subpopulations had lower retention percentages (by at least 5 percentage points), most notably: clients aged 20–24 years (74.8%), 25–29 years (73.9%), and 30–34 (75.5%); American Indian/Alaska Natives (75.3%); clients with Veterans Administration (71.6%) and Indian Health Service (58.0%) health care coverage; and clients with unstable housing (73.7%).

Viral Suppression

Viral suppression was calculated among PLWH who had at least one OAHS visit and at least one viral load test during the measurement year. Viral suppression was defined as a most recent viral load test result of <200 copies/mL.

Approximately 86% of RWHAP OAHS patients achieved viral suppression in 2017. During 2017, 85.9% of 356,377 patients had a suppressed viral load at their most recent test (Table 10). From 2013 through 2017, the number of patients receiving OAHS who also received a viral load test increased by over 70,000. Despite significant increases in OAHS patients, the overall percentage of patients with viral suppression also increased, from 78.6% in 2013 to 85.9% in 2017.

Young people aged 15–24 years made great progress in improving viral suppression from 2013 through 2017. In 2017, viral suppression was 74.1% among OAHS patients aged 15–19 years and 73.8% among those aged 20–24 years (Table 10). Although these percentages are the lowest by age group, they reflect a 14 percentage point increase for clients aged 15–19 and for those aged 20–24 years from 2013 through 2017.

The percentage of transgender women (transgender MTF clients) achieving viral suppression continues to increase. In 2017, 80.5% of transgender women had achieved viral suppression, which reflects an 8 percentage point increase from 2013 (72.0%; Table 10).

Viral suppression has improved for clients with temporary and unstable housing, but more work is needed. In 2017, 71.2% of clients with unstable housing achieved viral suppression, compared with 64.3% of clients with unstable housing in 2013; however the percentage in 2017 was slightly lower than that for 2016 (72.0%). Similarly, gains in viral suppression for clients with temporary

housing were seen from 2013 through 2017 (73.5% in 2013 to 79.0% in 2017), but were minimal between 2016 (78.9%) and 2017 (79.0%). By comparison, clients with stable housing saw continued, steady improvements in viral suppression (80.1% in 2013 to 86.1% in 2016 and 87.2% in 2017). Clients with unstable housing continue to have disparately lower levels of viral suppression compared with those with stable and temporary housing (Table 10).

Retention in Care and Viral Suppression among Key Populations

This section reviews overall retention in care and viral suppression for each key population and highlights the subpopulations with the lowest percentages. Generally, this includes subpopulations with outcomes at least 5 percentage points lower than that of the overall key population. Data for subpopulations with numbers less than 100 are not included in the highlights due to the variability in percentages resulting from small numbers.

Black/African American women (Tables 11a/b): Overall, the percentages of black/African American women who were retained in care (82.3%) and virally suppressed (84.1%) were relatively consistent with the national RWHAP averages (80.9% and 85.9%, respectively).

Among black/African American women, retention in care was lower within certain demographic subgroups, including those aged 25–29 years (75.1%) and 30–34 years (76.4%); and those in HHS Region 6 (77.1%; see Technical Notes for states/territories included in each region).

Percentages of viral suppression among black/African American women were lower for certain demographic subgroups, notably among those in each 5-year age group from 15–34 years (range: 66.7%–76.3%); those with perinatally acquired infection (69.0%); and those with temporary (77.7%) or unstable housing (72.2%).

Black/African American men (Tables 12a/b): The overall percentage of black/African American men who were retained in care (79.1%) was relatively consistent with the national RWHAP average (80.9%), but the percentage who achieved viral suppression was slightly lower (81.9%) than the average (85.9%).

Among black/African American men, retention in care was lowest among those aged 20–24 years (74.1%), 25–29 years (72.9%), and 30–34 years (74.1%); those in HHS Region 6 (74.0%); and those with unstable housing (72.4%).

Viral suppression was lowest among those in each 5-year age group from 15–34 years (range: 71.2%–76.2%); those with perinatally acquired infection (69.9%); those with no health care coverage (73.9%); and those with temporary (75.0%) or unstable (69.1%) housing.

Hispanic/Latina women (Tables 11a/b): Overall, Hispanic/Latina women had a higher retention in care percentage (85.9%) than the national RWHAP average (80.9%); viral suppression (87.4%) was slightly higher than the national RWHAP average (85.9%).

Among Hispanic/Latino women, retention in care was lowest among those aged 20–24 years (79.4%), 25–29 years (78.8%), and 30–34 years (80.2%); those in HHS Region 10 (77.5%); and those with unstable (77.7%) housing.

The lowest percentages of viral suppression were among clients in each 5-year age group from 15–34 years (range: 70.5%–81.7%); those with perinatally acquired infection (68.7%), and those with temporary (81.7%) or unstable housing (70.8%).

Hispanic/Latino men (Tables 12a/b): Overall, for Hispanic/Latino men, retention in care (83.0%) and viral suppression (88.1%) were higher than the national RWHAP averages (80.9% and 85.9%, respectively).

Retention in care was lowest among Hispanic/Latino men aged 20–24 years (74.4%) and 25–29 years (76.3%); those with private individual insurance (77.1%); and those with unstable housing (73.3%).

Viral suppression was lowest among Hispanic/Latino men aged 15–19 years (75.5%), 20–24 years (76.7%), 25–29 years (82.2%); those with perinatally acquired infection (69.7%); and those with unstable housing (72.7%).

Transgender adults and adolescents (Tables 13a/b): Overall, retention in care (78.4%) for transgender adults and adolescents was consistent with the national RWHAP average (80.9%), but viral suppression (80.9%) was lower than the average (85.9%).

Among transgender clients, retention in care was lowest among those aged 20–24 years (71.4%) and 25–29 years (72.2%); those living >400% FPL (72.6%); those in HHS Region 5 (72.2%); and those with unstable (71.8%) housing.

Viral suppression was lowest among clients aged 20–24 years (70.9%) and 25–29 years (74.0%); those with no health care coverage (75.2%); and those with temporary (73.3%) or unstable housing (65.0%). Generally, transgender blacks/African Americans had lower percentages of viral suppression across demographic subgroups compared to transgender Hispanic/Latinos and whites.

Given the low numbers within the various subpopulations for transgender adults and adolescents, caution should be used in interpreting the percentages in Tables 13a/b.

Gay, bisexual, and other men who have sex with men (MSM; Tables 12a/b): Overall, retention in care for males with infection attributed to male-to-male sexual contact (MSM; 80.2%) and for MSM with infection attributed to sexual contact *and* injection drug use (78.7%) was consistent with the national RWHAP average (80.9%); viral suppression was also consistent with the national RWHAP average (85.9%) for both subpopulations (87.0% and 84.1%, respectively).

For MSM, by race/ethnicity, retention in care was lowest among American Indian/Alaska Natives (75.2%).

For MSM, the lowest percentage of viral suppression was among blacks/African Americans (81.0%).

Youth aged 13–24 years (Tables 14a/b): Among youth overall, retention in care (75.8%) was lower than the national RWHAP average (80.9%), and viral suppression (74.1%) was much lower than the average (85.9%).

Among youth, the lowest percentages of retention in care were among young males with HIV infection attributed to heterosexual contact (69.3%); youth living in HHS Regions 5 (68.9%); and youth with unstable housing (67.5%).

Viral suppression was lowest among youth with no health care coverage (68.2%) and youth with unstable housing (62.7%).

Given the low numbers within the various subpopulations for youth, especially transgender youth, caution should be used in interpreting the percentages in Tables 14a/b.

Young black/African American MSM (YBMSM), aged 13–24 years (YBMSM; Tables 15a/b):

Overall, retention in care for YBMSM (74.7%) was lower than the national RWHAP average (80.9%) but consistent with the average for young MSM overall (74.6%). Viral suppression for YBMSM (73.5%) was lower than the national RWHAP average (85.9%) and slightly lower than the average for young MSM overall (75.8%).

For YBMSM, the lowest percentages of retention in care were among those in HHS Region 9 (60.5%) and among those with unstable housing (65.9%).

Viral suppression for YBMSM was lowest among those with no health care coverage (65.6%) and those with unstable (62.5%) housing.

Given the low numbers within the various subpopulations of young MSM and YBMSM, caution should be used in interpreting the percentages in Tables 15a/b.

Young black/African American women, aged 13–24 years (Tables 16a/b): Overall, retention in care for young black/African American women (79.4%) was consistent with the national RWHAP average (80.9%) and with the average for young women overall (79.6%). Viral suppression for young black/African American women (69.4%) was lower than the national RWHAP average (85.9%) and slightly lower than the average for young women overall (71.3%).

The lowest percentages of retention in care for young black/African American women were among those in HHS Regions 5 (71.9%) and 6 (72.1%); among those with no health care coverage (72.3%); and among those with unstable housing (73.3%).

Viral suppression for young black/African American women was lowest among those with no health care coverage (63.2%) and those with unstable housing (55.6%).

Given the low numbers within the various subpopulations of young women and young black/African American women, caution should be used in interpreting the percentages in Tables 16a/b.

Clients with HIV infection attributed to injection drug use (Tables 17a/b): Overall, for clients with HIV attributed to injection drug use, retention in care (81.6%) and viral suppression (85.8%) were consistent with the national RWHAP averages (80.9% and 85.9%, respectively).

Across all race and ethnicity groups, retention in care was generally lower among younger age groups and increased as age increased. Clients with HIV attributed to injection drug use with the lowest percentages of retention in care were those in HHS Region 6 (74.1%) and 7 (68.1%); those with no health care coverage (71.3%); and those with temporary (75.0%) or unstable (71.9%) housing.

Viral suppression among clients with HIV attributed to injection drug use followed similar patterns to retention in care, with the lowest percentages among the younger age groups, and increased as age increased. In addition, the lowest percentages of viral suppression were among those in HHS Region 6 (78.8%); those with no health care coverage (77.0%); and those with temporary housing (78.3%) or unstable housing (71.7%).

Data for clients with HIV infection attributed to injection drug use are based on clients who reported “injection drug use” as their transmission risk category and may not be reflective of current behavior.

TECHNICAL NOTES

RYAN WHITE HIV/AIDS PROGRAM DATA

The Ryan White HIV/AIDS Program Services Report (RSR) is the U.S. Department of Health and Human Services (HHS), Health Resources and Services Administration (HRSA), HIV/AIDS Bureau's (HAB) primary source of annual, client-level data reported by more than 2,000 grant recipients and subrecipients. These data are used to assess the numbers and demographics of clients receiving services and the quality of the care. Client-level RSR data have been used since 2010. Each year, grant recipients and subrecipients that use Ryan White HIV/AIDS Program (RWHAP) funds to provide core medical or support services during the reporting period are required to submit data to HRSA HAB in a specified format [4].

This report includes data reported to the RSR for all clients served by the RWHAP Parts A–D during calendar years 2013 through 2017. Beginning with the 2015 calendar year data collection period, recipients and subrecipients reported data for all clients who met the recipient's eligibility requirements for RWHAP participation (varies by recipient based on criteria such as HIV status, income, and residency) and received at least one of the core medical or support services for which the recipient or subrecipient received RWHAP funding, regardless of the actual funding used to pay for the services (i.e., some services may have been paid for by sources other than the RWHAP). RSR data do not include information about the AIDS Drug Assistance Program (ADAP); this information is reported through another data system. Although data presented in this report are "non-ADAP," many clients included in the RSR data also receive ADAP services.

After removal of personally identifying information, recipients and subrecipients submit data to HRSA HAB. Data are reported by RWHAP grant recipients and subrecipients in 50 states, the District of Columbia, and three territories: Guam, Puerto Rico, and the U.S. Virgin Islands. Five of the six U.S. Pacific jurisdictions (i.e., excludes Guam) do not submit client-level data and are therefore not included in this report.

RSR data include de-identified client-level information about people who received services from a RWHAP-funded provider. RWHAP clients include PLWH as well as people who are affected by HIV (e.g., families of PLWH served by the RWHAP). Families of PLWH are able to receive certain services through the RWHAP Part D program. The data presented in Table 1a, Tables 2 through 8, and Tables 18a through 24b include all RWHAP clients, regardless of HIV serostatus. Table 1b and tables displaying retention in care and viral suppression (Tables 9 through 17b and Tables 25a through 34b) include only PLWH.

PRESENTATION OF DATA

The data in this report include information received by HRSA HAB for clients served during calendar years 2013 through 2017. Data are organized into four sections:

- Section 1 (Tables 1–8): National-level numbers and percentages of clients served by the RWHAP (non-ADAP), presented by selected demographic stratifications
- Section 2 (Tables 9–17b): National-level retention in care and viral suppression among clients receiving OAHS, presented by selected demographics and priority population
- Section 3 (Tables 18a–24b): State- and EMA/TGA-level numbers and percentages of clients served by the RWHAP (non-ADAP), presented by selected demographic stratifications
- Section 4 (Tables 25a–34b): State- and EMA/TGA-level retention in care and viral suppression among clients receiving OAHS, presented by selected demographic stratifications

Tables 1–3 and 5–8 display subtotals for each subpopulation, as well as the overall total. Subtotals are displayed to reflect the denominator used for the percentage calculation of each subpopulation. Due to missing data, the values in each column may not sum to the column total.

Age Group

RWHAP grant recipients and subrecipients report client birth year. This information is then used to calculate the client's age during the designated year as a discrete variable. For tables displaying age groups (Tables 1–13b and 17a/b), client ages were categorized to align with the Centers for Disease Control and Prevention's (CDC) National HIV Surveillance System (NHSS) age group delineations: <13 years (if applicable), 13–14, 15–19, 20–24, 25–29, 30–34, 35–39, 40–44, 45–49, 50–54, 55–59, 60–64, and ≥65 years.

In Tables 19a/b (State and EMA/TGA by age group), data are displayed using 10-year age group delineations: <13 years, 13–24, 25–34, 35–44, 45–54, 55–64, and ≥65 years.

Tables displaying retention in care and viral suppression for key populations (Tables 16a–22b) include only clients aged 13 years and older (i.e., adults and adolescents). Tables 14a–16b focus more narrowly on youth and young adults aged 13–24 years.

Race/Ethnicity

Recipients and subrecipients report race/ethnicity information for RWHAP clients according to Office of Management and Budget standards. Race and ethnicity are submitted as separate variables and combined for analysis. The race/ethnicity variable is categorized as American Indian or Alaska Native, Asian, black or African American, Hispanic or Latino, Native Hawaiian or other Pacific Islander, white, and multiple races (two or more categories of race reported).

In this report, clients categorized by race were not Hispanic or Latino; the number of clients reported in each race category may, however, include clients whose ethnicity was not reported.

RWHAP grant recipients and subrecipients are expected to make every effort to obtain and report race and ethnicity, based on each client's self-report. Self-identification is the preferred means of obtaining this information.

Gender

Gender designations in this report are male, female, or transgender. Transgender is an umbrella term used to identify persons whose sex assigned at birth does not match their current gender identity or expression. Transgender clients are subsequently reported as MTF, FTM, or transgender unknown, which may include transgender people who do not identify with these transgender variable options. Gender-related data are based on client self-report.

During 2010 through 2013, the RSR required reporting of *current gender*, with the options of male, female, and transgender; as well as subsequent reporting of *transgender identity* (this variable captured FTM, MTF, or transgender unknown). In 2014, the RSR began requiring that gender be reported using a two-step method: *sex assigned at birth* (male or female) was added, and the *current gender* variable was replaced with *current gender identity* (male, female, transgender); the *transgender identity* variable remained intact.

Gender data displayed for 2013 and 2014 reflect only the *current gender* and *transgender identity* variables. The additional information gleaned from *sex assigned at birth* was not incorporated for 2014 analyses in order for HRSA HAB to evaluate the quality of the data for that variable and to determine the methodology for data analysis. The 2015–2017 data included in this report use the two-step method for determining gender identity, which takes into account *sex assigned at birth*, *current gender identity*, and *transgender identity*.

Transmission Risk Category

Transmission risk category is the term for the classification that summarizes a client's possible HIV risk factors; the summary classification results from selecting, from a presumed hierarchical order of probability, the single risk factor most likely to have been responsible for transmission.

For tables displaying data for all clients served by the RWHAP (Table 1a, Tables 2 through 8, and Tables 18a through 24b), transmission risk category data include clients who are known to be living with HIV and those who have unknown HIV serostatus (i.e., children with indeterminate serostatus and other clients with transmission risk factors for HIV but missing HIV serostatus data).

Transmission risk categories are presented separately by gender (i.e., male, female, transgender).

- For male clients, transmission risk categories include male-to-male sexual contact, injection drug use, male-to-male sexual contact *and* injection drug use, heterosexual contact, perinatal infection, and other.
- For female clients, transmission risk categories include heterosexual contact, injection drug use, perinatal infection, and other.
- For transgender clients, transmission risk categories have been modified to be more reflective of the transgender experience of transmission risk, while continuing to follow a relative hierarchy of likelihood for transmission. That is, transmission risk category data for transgender clients are presented as sexual contact, injection drug use, sexual contact *and* injection drug use, perinatal infection, and other.

The definitions of transmission risk categories are adapted from the CDC's NHSS definitions for transmission categories [1]. Clients with more than one reported risk factor are classified in the transmission risk category listed first in the hierarchy. The only exceptions are (1) men who had sexual contact with other men and who injected drugs and (2) perinatal infection; these groups make up separate transmission risk categories. The risk categories are defined, in order of the hierarchy, as follows:

- *Male-to-male sexual contact*: Male clients who report sexual contact with other men (i.e., homosexual contact) and males who report sexual contact with both men and women (i.e., bisexual contact).
- *Injection drug use*: Clients who report use of drugs intravenously or through skin-popping.
- *Male-to-male sexual contact and injection drug use*: Male clients who report sexual contact with other men, or sexual contact with both men and women, *and* report the use of drugs intravenously or through skin-popping.
- *Heterosexual contact*: Clients who report specific heterosexual contact with an individual with, or at increased risk for, HIV infection (e.g., a person who injects drugs).
- *Perinatal infection*: This category is exclusively for infants and children with infection attributed to perinatal transmission/mother-to-child transmission. This category includes clients born after 1980 who are known to be living with HIV and whose infection is attributed to perinatal transmission, as well as infants with indeterminate serostatus.
- *Other*: Clients who report transmission from the receipt of transfusion of blood, blood components, or tissue and clients who report hemophilia/coagulation disorder. Beginning with 2014 data collection, unknown risk factor was no longer included in the classification of *other* transmission risk, nor was it collected as a separate category for the RSR. All analyses in this report have been adjusted for consistency during 2013 through 2017 to include only blood transfusion or hemophilia/coagulation disorder.

For transgender clients, the following transmission risk category hierarchy is used:

- *Sexual contact*: Transgender clients who report any sexual transmission risk.
- *Injection drug use*: Transgender clients who report use of drugs intravenously or through skin-popping.
- *Sexual contact and injection drug use*: Transgender clients who report sexual contact *and* report the use of drugs intravenously or through skin-popping.
- *Perinatal infection*: As above.
- *Other*: As above.

Tables 15a/b display retention in care and viral suppression among young MSM. These tables include only those clients with infection attributed to male-to-male sexual contact and exclude male-to-male sexual contact *and* injection drug use. Tables 17a/b display retention in care and viral suppression among people with HIV infection attributed to injection drug use. These tables include only those clients whose reported transmission risk category is injection drug use; male clients with male-to-male sexual contact *and* injection drug use, and transgender clients with sexual contact *and* injection drug use as their transmission risk category, are not included.

It is important to note that data by transmission risk category presented in this report are based on the reported risk factor *most likely to have been responsible for the original transmission of HIV*; data *may not be reflective of current behavior* (e.g., *injection drug use*).

Poverty Level

Poverty level characterizes the client's income in terms of the percent of the FPL at the end of the reporting period [5,6]. For 2013, poverty levels were categorized as 0–100% FPL, 101–200% FPL, 201–300% FPL, and >300% FPL. For 2014 through 2017, poverty levels were categorized as 0–100% FPL, 101–138% FPL, 139–250% FPL, 251–400% FPL, and >400% FPL.

Health Care Coverage

RWHAP grant recipients and subrecipients report all sources of health care coverage that each client had for any part of the reporting period. These data are further categorized for analysis. In 2013, health care coverage was categorized as private only, Medicare only, Medicaid only, other public, other private, multiple coverages, and no coverage (uninsured).

The categorization schema changed in the 2014 RSR to include a more granular classification of health care coverage. For 2014 through 2017, health care coverage was categorized as private employer, private individual, Medicare, Medicaid, Medicare and Medicaid (dual eligibility), Veterans Administration, Indian Health Service, other plan, multiple coverages, and no coverage. The Medicaid classification also includes the Children's Health Insurance Program (CHIP) and other public state health care coverage programs.

Housing Status

The housing status variable captures the client's housing status at the end of the reporting period and is categorized as stable permanent housing, temporary housing, or unstable housing. The definitions for each of these categories are based on the Housing Opportunities for Persons with AIDS Program Annual Progress Report Measuring Performance Outcomes: form HUD-40110-C and the McKinney-Vento Act, Title 42 US Code, Sec. 11302, General definition of homeless individual [7,8].

Region

The U.S. Department of Health and Human Services (HHS) uses 10 geographic designations for classifying regions of the United States, which encompass all states and territories. The classification of states and territories within these regions is as follows:

- **Region 1:** Connecticut, Maine, Massachusetts, New Hampshire, Rhode Island, Vermont
- **Region 2:** New Jersey, New York, Puerto Rico, U.S. Virgin Islands
- **Region 3:** Delaware, District of Columbia, Maryland, Pennsylvania, Virginia, West Virginia
- **Region 4:** Alabama, Florida, Georgia, Kentucky, Mississippi, North Carolina, South Carolina, Tennessee
- **Region 5:** Illinois, Indiana, Michigan, Minnesota, Ohio, Wisconsin
- **Region 6:** Arkansas, Louisiana, New Mexico, Oklahoma, Texas
- **Region 7:** Iowa, Kansas, Missouri, Nebraska
- **Region 8:** Colorado, Montana, North Dakota, South Dakota, Utah, Wyoming
- **Region 9:** Arizona, California, Guam, Hawaii, Nevada
- **Region 10:** Alaska, Idaho, Oregon, Washington

The six U.S. Pacific jurisdictions are included in HHS Region 9; however, only Guam submits client-level data. The other jurisdictions are therefore not included in this report.

State

State data are displayed in “a” tables from 18a through 34a. State-level analyses include data submitted for all Parts of the RWHAP. In addition, state delineation of data is based on provider location, rather than client location. Clients receiving services in multiple states are not included in state-specific totals; these clients make up less than 2% of the total RWHAP population.

In addition, data presented by state are not limited to entities receiving RWHAP Part B funding; all tables include data for all clients served by RWHAP providers in the state, regardless of the source of RWHAP funding (i.e., data from Parts A, B, C, and D are included).

Eligible Metropolitan Areas (EMAs) and Transitional Grant Areas (TGAs)

Part A of the RWHAP provides emergency assistance to EMAs and TGAs that are most severely affected by the HIV epidemic. To qualify for EMA status, an area must have reported at least 2,000 AIDS cases in the most recent 5 years and have a population of at least 50,000. To be eligible for TGA status, an area must have reported 1,000–1,999 AIDS cases in the most recent 5 years and have a population of at least 50,000.

EMAs and TGAs range in size from one city or county to more than 26 different geographic entities; 11 include parts of more than one state.

The boundaries of EMAs and TGAs are based on the U.S. Census Bureau delineation of the metropolitan statistical area at the time of first eligibility. Client-level data are reported based on provider location, rather than client location.

EMA and TGA data are displayed in “b” tables from 18b through 34b. It is important to note that data shown for EMAs and TGAs are not mutually exclusive; clients may have received services from providers in multiple EMAs and TGAs. In addition, data presented for EMAs and TGAs are not limited to entities receiving RWHAP Part A funding; all tables include data for all clients served by RWHAP providers in the EMA or TGA, regardless of the source of RWHAP funding (i.e., Parts A, B, C, and D data are included).

Tables 20b, 29b, and 30b display EMA and TGA data by race/ethnicity. To protect the confidentiality of clients, all values less than 5 were suppressed. In addition, to ensure values less than 5 cannot be calculated, all data on clients of multiple races have been suppressed. In Table 20b, the “Total” column, on which percentages were based, includes all clients with reported race/ethnicity information.

Similarly, Table 21b displays data by gender. To protect the confidentiality of clients, all values less than 5 were suppressed and all data on clients whose gender is “transgender unknown” have been suppressed. The Total column on which percentages were based includes all clients with reported gender information.

Retention in Care and Viral Suppression

Retention in HIV medical care was defined as PLWH who had at least two medical visit dates that were at least 90 days apart in the measurement year. Because the data sets are restricted to one calendar year of data each, the first of these HIV medical care visits in the year must have occurred before September 1 of the measurement year, thus giving the client an opportunity to meet the retention criteria by December 31.

Viral suppression was based on data for PLWH who had at least one OAHS visit and at least one viral load test during the measurement year. Viral suppression was defined as the most recently reported HIV RNA test result of <200 copies/mL.

Key Populations

Although anyone can become infected with HIV, all people and communities are not impacted equally. HRSA HAB has enhanced its efforts to focus on communities where HIV is most concentrated.

The key populations include women; transgender individuals with a focus on women; gay, bisexual, and other MSM; blacks/African Americans; Hispanics/Latinos; youth; young, black/African American MSM; young, black/African American women; and people with HIV infection attributed to injection drug use. Tables 11a through 17b display retention in care (“a” tables) and viral suppression (“b” tables) for these key populations.

REFERENCES

1. Centers for Disease Control and Prevention. *HIV Surveillance Report, 2017; vol. 29*. Published November 2018. Available from www.cdc.gov/hiv/library/reports/hiv-surveillance.html.
2. *National HIV/AIDS Strategy for the United States, Updated to 2020*. Available from www.hiv.gov/federal-response/national-hiv-aids-strategy/nhas-update.
3. *National HIV/AIDS Strategy for the United States, Updated to 2020: Indicator Supplement—December 2016*. Available from www.whitehouse.gov/sites/whitehouse.gov/files/images/nhas-indicators-supplement-dec-2016.pdf.
4. Health Resources and Services Administration. Data Reporting Requirements and Technical Assistance. Available from hab.hrsa.gov/manageyourgrant/reportingrequirements.html.
5. *Federal Register*, Annual Update of the HHS Poverty Guidelines. Available from www.federal-register.gov/documents/2016/01/25/2016-01450/annual-update-of-the-hhs-poverty-guidelines.
6. U.S. Department of Health and Human Services, Office of the Assistant Secretary for Planning and Evaluation. Prior HHS Poverty Guidelines and *Federal Register* References. Available from aspe.hhs.gov/prior-hhs-poverty-guidelines-and-federal-register-references.
7. McKinney-Vento Act, Title 42 US Code, Sec. 11302, General definition of homeless individual. Available from www.gpo.gov/fdsys/pkg/USCODE-2010-title42/pdf/USCODE-2010-title42-chap119-subchapI-sec11302.pdf.
8. Housing Opportunities for Persons with AIDS Program, Annual Progress Report, Measuring Performance Outcomes, form HUD-40110-C. Available from www.hudexchange.info/resource/1012/hopwa-annual-progress-report-apr-form-hud-40110-c/.

ADDITIONAL RESOURCES

Centers for Disease Control and Prevention, HIV prevention resources: www.cdc.gov/hiv

Health Resources and Services Administration, HIV/AIDS programs: hab.hrsa.gov

HIV.gov, the nation's source for timely and relevant federal HIV policies, programs, and resources

TARGET HIV, tools for the Ryan White HIV/AIDS Program Community: targethiv.org

This page intentionally left blank

Section 1.

National-Level Data: Client Characteristics

Table 1a. Ryan White HIV/AIDS Program clients (non-ADAP), by year and selected characteristics, 2013–2017—United States and 3 territories

	2013		2014		2015		2016		2017	
	No.	%								
Age group (yr)										
<13	6,515	1.2	6,571	1.3	6,088	1.1	4,800	0.9	4,973	0.9
13–14	1,035	0.2	863	0.2	735	0.1	553	0.1	541	0.1
15–19	5,853	1.1	5,443	1.1	4,511	0.8	3,855	0.7	3,607	0.7
20–24	24,701	4.7	23,260	4.5	21,991	4.1	20,665	3.8	19,397	3.6
25–29	39,014	7.4	39,761	7.8	42,698	8.0	45,039	8.2	44,684	8.4
30–34	45,498	8.7	43,915	8.6	46,003	8.6	48,387	8.8	49,148	9.2
35–39	49,327	9.4	47,682	9.3	50,459	9.5	52,819	9.6	51,427	9.6
40–44	65,287	12.4	58,589	11.4	56,228	10.6	54,885	10.0	51,546	9.6
45–49	88,035	16.8	79,175	15.5	77,778	14.6	75,370	13.7	67,622	12.6
50–54	87,265	16.6	86,807	17.0	90,442	17.0	91,961	16.7	84,736	15.8
55–59	59,501	11.3	61,645	12.0	68,082	12.8	74,264	13.5	73,824	13.8
60–64	31,948	6.1	34,944	6.8	39,676	7.4	45,149	8.2	46,864	8.8
≥65	20,693	3.9	23,361	4.6	28,258	5.3	33,231	6.0	36,433	6.8
Subtotal	524,672	100.0	512,016	100.0	532,949	100.0	550,978	100.0	534,802	100.0
Race/ethnicity										
American Indian/Alaska Native	2,629	0.5	2,375	0.5	2,461	0.5	2,768	0.5	2,911	0.5
Asian	5,868	1.1	5,873	1.2	6,738	1.3	7,366	1.3	7,383	1.4
Black/African American	242,593	46.8	239,537	47.2	248,886	47.1	257,617	47.1	250,168	47.1
Hispanic/Latino ^a	116,862	22.6	112,833	22.2	120,254	22.7	126,254	23.1	122,956	23.1
Native Hawaiian/Pacific Islander	935	0.2	852	0.2	856	0.2	962	0.2	957	0.2
White	140,810	27.2	136,949	27.0	142,349	26.9	145,812	26.7	140,471	26.4
Multiple races	8,211	1.6	9,143	1.8	7,303	1.4	6,142	1.1	6,503	1.2
Subtotal	517,908	100.0	507,562	100.0	528,847	100.0	546,921	100.0	531,349	100.0
Gender										
Male	370,140	70.6	361,323	70.6	379,224	71.3	392,845	71.4	380,229	71.1
Female	149,152	28.4	144,982	28.3	146,660	27.6	150,451	27.3	145,046	27.1
Transgender MTF	4,666	0.9	4,906	1.0	5,551	1.0	6,664	1.2	8,345	1.6
Transgender FTM	148	0.0	209	0.0	327	0.1	430	0.1	944	0.2
Transgender unknown	358	0.1	352	0.1	140	0.0	71	0.0	186	0.0
Subtotal	524,464	100.0	511,772	100.0	531,902	100.0	550,461	100.0	534,750	100.0
Transmission risk category										
Male client										
Male-to-male sexual contact	203,044	61.7	202,802	62.2	217,380	63.2	227,288	64.1	219,732	64.7
Injection drug use	26,620	8.1	24,034	7.4	23,570	6.8	22,773	6.4	20,755	6.1
Male-to-male sexual contact and injection drug use	10,843	3.3	11,004	3.4	10,321	3.0	10,329	2.9	11,059	3.3
Heterosexual contact ^b	80,992	24.6	80,882	24.8	85,610	24.9	87,007	24.5	81,356	24.0
Perinatal infection	5,147	1.6	5,002	1.5	4,875	1.4	4,702	1.3	4,432	1.3
Other ^c	2,667	0.8	2,340	0.7	2,454	0.7	2,407	0.7	2,163	0.6
Subtotal^d	329,313	100.0	326,064	100.0	344,210	100.0	354,506	100.0	339,497	100.0
Female client										
Injection drug use	13,596	10.6	12,310	9.8	11,993	9.2	11,510	8.7	10,790	8.5
Heterosexual contact ^b	107,262	83.3	106,271	84.3	110,744	85.0	113,601	85.7	109,301	86.0
Perinatal infection	5,864	4.6	5,755	4.6	5,777	4.4	5,649	4.3	5,425	4.3
Other ^c	1,975	1.5	1,734	1.4	1,734	1.3	1,794	1.4	1,564	1.2
Subtotal^d	128,697	100.0	126,070	100.0	130,248	100.0	132,554	100.0	127,080	100.0
Transgender client										
Sexual contact ^e	4,115	92.1	4,403	92.3	4,816	92.6	5,498	92.4	7,027	91.7
Injection drug use	66	1.5	74	1.6	100	1.9	114	1.9	138	1.8
Sexual contact ^e and injection drug use	258	5.8	256	5.4	248	4.8	286	4.8	387	5.1
Perinatal infection	9	0.2	17	0.4	16	0.3	26	0.4	68	0.9
Other ^c	20	0.4	20	0.4	23	0.4	24	0.4	41	0.5
Subtotal^d	4,468	100.0	4,770	100.0	5,203	100.0	5,948	100.0	7,661	100.0

Table 1a. Ryan White HIV/AIDS Program clients (non-ADAP), by year and selected characteristics, 2013–2017—United States and 3 territories (cont.)

	2013		2014		2015		2016		2017	
	No.	%								
Federal poverty level^f										
0–100%	332,247	67.6	—	—	—	—	—	—	—	—
101–200%	107,631	21.9	—	—	—	—	—	—	—	—
201–300%	33,183	6.7	—	—	—	—	—	—	—	—
>300%	18,738	3.8	—	—	—	—	—	—	—	—
Subtotal	491,799	100.0	—	—	—	—	—	—	—	—
0–100%	—	—	304,168	64.2	333,580	65.4	327,192	62.8	310,127	62.8
101–138%	—	—	57,396	12.1	60,745	11.9	62,527	12.0	57,483	11.6
139–250%	—	—	69,999	14.8	76,444	15.0	85,237	16.4	81,950	16.6
251–400%	—	—	26,420	5.6	29,061	5.7	34,114	6.5	31,937	6.5
>400%	—	—	15,500	3.3	10,388	2.0	11,782	2.3	12,504	2.5
Subtotal	—	—	473,483	100.0	510,218	100.0	520,852	100.0	494,001	100.0
Health care coverage^f										
Private only	61,934	12.4	—	—	—	—	—	—	—	—
Medicare only	44,341	8.9	—	—	—	—	—	—	—	—
Medicaid only	127,096	25.5	—	—	—	—	—	—	—	—
Other public	41,473	8.3	—	—	—	—	—	—	—	—
Other private	6,609	1.3	—	—	—	—	—	—	—	—
No coverage	138,447	27.8	—	—	—	—	—	—	—	—
Multiple coverages	78,346	15.7	—	—	—	—	—	—	—	—
Subtotal	498,246	100.0	—	—	—	—	—	—	—	—
Private employer	—	—	30,410	6.3	43,464	8.4	46,191	8.7	48,582	9.5
Private individual	—	—	25,762	5.3	37,177	7.2	41,157	7.7	39,130	7.7
Medicare	—	—	48,750	10.0	53,734	10.4	55,780	10.5	54,424	10.7
Medicaid	—	—	162,372	33.4	169,425	32.7	173,770	32.7	166,439	32.6
Medicare and Medicaid	—	—	37,617	7.7	39,709	7.7	40,060	7.5	39,303	7.7
Veterans Administration	—	—	1,302	0.3	1,475	0.3	1,518	0.3	1,342	0.3
Indian Health Service	—	—	115	0.0	214	0.0	181	0.0	229	0.0
Other plan	—	—	19,425	4.0	11,231	2.2	10,277	1.9	8,976	1.8
No coverage	—	—	123,273	25.4	107,188	20.7	109,247	20.6	103,008	20.2
Multiple coverages	—	—	37,036	7.6	53,751	10.4	53,255	10.0	48,755	9.6
Subtotal	—	—	486,062	100.0	517,368	100.0	531,436	100.0	510,188	100.0
Housing status										
Stable	404,743	83.3	402,175	83.5	434,180	85.2	449,267	86.1	436,036	87.1
Temporary	60,233	12.4	56,868	11.8	49,696	9.8	45,764	8.8	39,203	7.8
Unstable	21,001	4.3	22,702	4.7	25,633	5.0	26,907	5.2	25,629	5.1
Subtotal	485,977	100.0	481,745	100.0	509,509	100.0	521,938	100.0	500,868	100.0
Total^g	524,675	—	512,214	—	533,036	—	551,564	—	534,903	—

Abbreviations: FTM, female-to-male; MTF, male-to-female.

Note. Percentages that are less than (<) 0.1 display as 0.0 due to rounding.

^a Hispanics/Latinos can be of any race.

^b Heterosexual contact with a person known to have, or to be at high risk for, HIV infection.

^c Includes hemophilia and blood transfusion.

^d Subtotals are reflective of available gender and transmission risk category information. The values may not sum to the subtotals for gender overall.

^e Includes any sexual transmission risk category reported by transgender clients.

^f Data collected in 2014–2017 used different categories than previous years. See Technical Notes for additional details.

^g Subtotals for each subpopulation are displayed to reflect the denominator used for the percentage calculation of each subpopulation; due to missing data, the values in each column may not sum to the column total.

Table 1b. Ryan White HIV/AIDS Program clients living with HIV (non-ADAP), by year and selected characteristics, 2013–2017—United States and 3 territories

	2013		2014		2015		2016		2017	
	No.	%								
Age group (yr)										
<13	1,778	0.4	1,658	0.3	1,614	0.3	1,432	0.3	1,194	0.2
13–14	566	0.1	503	0.1	478	0.1	416	0.1	370	0.1
15–19	4,035	0.8	3,596	0.7	3,352	0.6	3,099	0.6	2,792	0.6
20–24	22,737	4.5	21,163	4.3	20,531	4.0	19,626	3.7	17,764	3.5
25–29	37,499	7.4	37,967	7.7	41,245	8.0	43,726	8.2	42,359	8.4
30–34	44,044	8.7	42,435	8.6	44,873	8.7	47,270	8.8	46,642	9.2
35–39	48,097	9.5	46,364	9.4	49,284	9.5	51,588	9.6	48,887	9.7
40–44	64,041	12.7	57,378	11.7	55,373	10.7	53,887	10.1	49,316	9.8
45–49	86,829	17.2	77,894	15.8	76,692	14.8	74,082	13.8	64,626	12.8
50–54	85,957	17.0	85,374	17.4	89,368	17.3	90,437	16.9	81,131	16.1
55–59	58,619	11.6	60,645	12.3	67,240	13.0	72,936	13.6	70,485	14.0
60–64	31,422	6.2	34,328	7.0	39,146	7.6	44,296	8.3	44,616	8.8
≥65	20,260	4.0	22,762	4.6	27,784	5.4	32,358	6.0	34,444	6.8
Subtotal	505,884	100.0	492,067	100.0	516,980	100.0	535,153	100.0	504,626	100.0
Race/ethnicity										
American Indian/Alaska Native	2,586	0.5	2,329	0.5	2,413	0.5	2,711	0.5	2,655	0.5
Asian	5,703	1.1	5,700	1.2	6,588	1.3	7,174	1.3	7,081	1.4
Black/African American	232,554	46.5	227,298	46.6	239,203	46.6	249,302	46.9	234,658	46.7
Hispanic/Latino ^a	112,232	22.4	109,175	22.4	117,697	22.9	123,439	23.2	118,247	23.5
Native Hawaiian/Pacific Islander	918	0.2	829	0.2	829	0.2	943	0.2	893	0.2
White	138,130	27.6	133,933	27.4	139,801	27.2	142,793	26.8	133,706	26.6
Multiple races	8,065	1.6	8,976	1.8	7,011	1.4	5,707	1.1	5,333	1.1
Subtotal	500,188	100.0	488,240	100.0	513,542	100.0	532,069	100.0	502,573	100.0
Gender										
Male	360,102	71.2	351,077	71.4	370,478	71.8	383,242	71.7	360,987	71.5
Female	140,549	27.8	135,352	27.5	139,609	27.1	143,950	26.9	134,905	26.7
Transgender MTF	4,594	0.9	4,862	1.0	5,473	1.1	6,533	1.2	7,837	1.6
Transgender FTM	145	0.0	201	0.0	311	0.1	419	0.1	853	0.2
Transgender unknown	336	0.1	342	0.1	136	0.0	65	0.0	121	0.0
Subtotal	505,726	100.0	491,834	100.0	516,007	100.0	534,209	100.0	504,703	100.0
Transmission risk category										
Male client										
Male-to-male sexual contact	202,712	61.9	202,553	62.5	217,061	63.4	226,897	64.4	219,732	64.9
Injection drug use	26,559	8.1	23,974	7.4	23,502	6.9	22,763	6.5	20,755	6.1
Male-to-male sexual contact and injection drug use	10,819	3.3	10,986	3.4	10,310	3.0	10,327	2.9	11,059	3.3
Heterosexual contact ^b	80,636	24.6	80,304	24.8	85,061	24.9	86,404	24.5	81,356	24.0
Perinatal infection	3,885	1.2	3,721	1.1	3,720	1.1	3,702	1.1	3,456	1.0
Other ^c	2,660	0.8	2,336	0.7	2,450	0.7	2,406	0.7	2,163	0.6
Subtotal^d	327,271	100.0	323,874	100.0	342,104	100.0	352,499	100.0	338,521	100.0
Female client										
Injection drug use	13,571	10.7	12,253	9.9	11,870	9.2	11,486	8.8	10,790	8.6
Heterosexual contact ^b	106,541	84.1	105,095	85.0	110,125	85.8	113,104	86.3	109,301	86.7
Perinatal infection	4,625	3.7	4,560	3.7	4,660	3.6	4,672	3.6	4,420	3.5
Other ^c	1,974	1.6	1,729	1.4	1,734	1.4	1,793	1.4	1,564	1.2
Subtotal^d	126,711	100.0	123,637	100.0	128,389	100.0	131,055	100.0	126,075	100.0
Transgender client										
Sexual contact ^e	4,091	92.1	4,390	92.3	4,804	92.6	5,483	92.4	7,027	92.0
Injection drug use	65	1.5	74	1.6	99	1.9	113	1.9	138	1.8
Sexual contact ^e and injection drug use	258	5.8	256	5.4	248	4.8	286	4.8	387	5.1
Perinatal infection	9	0.2	17	0.4	16	0.3	26	0.4	47	0.6
Other ^c	20	0.5	20	0.4	23	0.4	24	0.4	41	0.5
Subtotal^d	4,443	100.0	4,757	100.0	5,190	100.0	5,932	100.0	7,640	100.0

Table 1b. Ryan White HIV/AIDS Program clients living with HIV (non-ADAP), by year and selected characteristics, 2013–2017—United States and 3 territories (cont.)

	2013		2014		2015		2016		2017	
	No.	%								
Federal poverty level^f										
0–100%	321,772	67.1	—	—	—	—	—	—	—	—
101–200%	106,595	22.2	—	—	—	—	—	—	—	—
201–300%	32,936	6.9	—	—	—	—	—	—	—	—
>300%	18,583	3.9	—	—	—	—	—	—	—	—
Subtotal	479,886	100.0	—	—	—	—	—	—	—	—
0–100%	—	—	293,882	63.6	325,417	65.0	323,185	62.7	306,571	62.6
101–138%	—	—	56,740	12.3	60,195	12.0	62,120	12.0	57,136	11.7
139–250%	—	—	69,521	15.1	75,912	15.2	84,810	16.4	81,470	16.6
251–400%	—	—	26,230	5.7	28,878	5.8	33,983	6.6	31,743	6.5
>400%	—	—	15,411	3.3	10,290	2.1	11,732	2.3	12,462	2.5
Subtotal	—	—	461,784	100.0	500,692	100.0	515,830	100.0	489,382	100.0
Health care coverage^f										
Private only	60,979	12.5	—	—	—	—	—	—	—	—
Medicare only	43,878	9.0	—	—	—	—	—	—	—	—
Medicaid only	119,545	24.6	—	—	—	—	—	—	—	—
Other public	41,254	8.5	—	—	—	—	—	—	—	—
Other private	6,338	1.3	—	—	—	—	—	—	—	—
No coverage	136,399	28.0	—	—	—	—	—	—	—	—
Multiple coverages	78,028	16.0	—	—	—	—	—	—	—	—
Subtotal	486,421	100.0	—	—	—	—	—	—	—	—
Private employer	—	—	29,970	6.3	42,942	8.5	45,714	8.7	47,803	9.6
Private individual	—	—	25,468	5.4	36,981	7.3	41,006	7.8	38,667	7.8
Medicare	—	—	48,403	10.2	53,434	10.6	55,458	10.6	53,252	10.7
Medicaid	—	—	154,972	32.7	162,568	32.1	169,476	32.4	160,394	32.3
Medicare and Medicaid	—	—	37,549	7.9	39,664	7.8	39,958	7.6	38,945	7.8
Veterans Administration	—	—	1,291	0.3	1,444	0.3	1,477	0.3	1,251	0.3
Indian Health Service	—	—	115	0.0	206	0.0	178	0.0	226	0.0
Other plan	—	—	19,065	4.0	10,625	2.1	9,703	1.9	8,639	1.7
No coverage	—	—	120,624	25.4	104,232	20.6	107,014	20.5	99,720	20.1
Multiple coverages	—	—	36,891	7.8	53,612	10.6	53,036	10.1	48,185	9.7
Subtotal	—	—	474,348	100.0	505,708	100.0	523,020	100.0	497,082	100.0
Housing status										
Stable	394,354	83.1	392,325	83.4	426,269	85.1	444,750	86.0	430,143	87.0
Temporary	59,484	12.5	55,981	11.9	49,071	9.8	45,435	8.8	38,693	7.8
Unstable	20,793	4.4	22,368	4.8	25,397	5.1	26,728	5.2	25,413	5.1
Subtotal	474,631	100.0	470,674	100.0	500,737	100.0	516,913	100.0	494,249	100.0
Total^g	505,887	—	492,240	—	516,980	—	535,154	—	504,721	—

Abbreviations: FTM, female-to-male; MTF, male-to-female.

Note. Percentages that are less than (<) 0.1 display as 0.0 due to rounding.

^a Hispanics/Latinos can be of any race.

^b Heterosexual contact with a person known to have, or to be at high risk for, HIV infection.

^c Includes hemophilia and blood transfusion.

^d Subtotals are reflective of available gender and transmission risk category information. The values may not sum to the subtotals for gender overall.

^e Includes any sexual transmission risk category reported by transgender clients.

^f Data collected in 2014–2017 used different categories than previous years. See Technical Notes for additional details.

^g Subtotals for each subpopulation are displayed to reflect the denominator used for the percentage calculation of each subpopulation; due to missing data, the values in each column may not sum to the column total.

Table 2. Ryan White HIV/AIDS Program clients (non-ADAP), by race/ethnicity and selected characteristics, 2017—United States and 3 territories

	American Indian/ Alaska Native		Asian		Black/ African American		Hispanic/Latino ^a		Native Hawaiian/ Pacific Islander		White		Multiple races	
	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%
Age group (yr)														
<13	16	0.5	101	1.4	3,369	1.3	943	0.8	7	0.7	401	0.3	82	1.3
13–14	1	0.0	25	0.3	383	0.2	71	0.1	1	0.1	46	0.0	9	0.1
15–19	7	0.2	54	0.7	2,440	1.0	680	0.6	8	0.8	338	0.2	55	0.8
20–24	91	3.1	310	4.2	11,560	4.6	4,142	3.4	27	2.8	2,748	2.0	358	5.5
25–29	252	8.7	715	9.7	25,075	10.0	9,685	7.9	96	10.0	7,740	5.5	766	11.8
30–34	275	9.5	862	11.7	24,498	9.8	12,132	9.9	117	12.2	10,103	7.2	778	12.0
35–39	316	10.9	962	13.0	23,297	9.3	13,887	11.3	112	11.7	11,784	8.4	676	10.4
40–44	293	10.1	1,036	14.0	22,367	8.9	14,698	12.0	106	11.1	12,100	8.6	599	9.2
45–49	408	14.0	1,117	15.1	28,844	11.5	17,048	13.9	121	12.7	18,907	13.5	779	12.0
50–54	507	17.4	875	11.9	36,707	14.7	18,911	15.4	150	15.7	26,244	18.7	852	13.1
55–59	404	13.9	566	7.7	33,268	13.3	14,720	12.0	105	11.0	23,587	16.8	768	11.8
60–64	200	6.9	379	5.1	22,068	8.8	8,874	7.2	66	6.9	14,510	10.3	479	7.4
≥65	140	4.8	377	5.1	16,271	6.5	7,136	5.8	40	4.2	11,919	8.5	302	4.6
Subtotal	2,910	100.0	7,379	100.0	250,147	100.0	122,927	100.0	956	100.0	140,427	100.0	6,503	100.0
Gender														
Male	2,115	72.7	5,722	77.5	156,071	62.4	92,344	75.1	726	75.9	116,139	82.7	4,604	71.8
Female	716	24.6	1,508	20.4	89,004	35.6	27,985	22.8	189	19.7	23,133	16.5	1,624	25.3
Transgender	79	2.7	153	2.1	5,081	2.0	2,619	2.1	42	4.4	1,194	0.9	186	2.9
Subtotal	2,910	100.0	7,383	100.0	250,156	100.0	122,948	100.0	957	100.0	140,466	100.0	6,414	100.0
Transmission risk category														
Male client														
Male-to-male sexual contact	1,220	67.6	3,487	69.3	76,276	55.1	54,062	64.3	484	76.7	80,933	77.1	2,650	70.3
Injection drug use	125	6.9	172	3.4	8,226	5.9	6,053	7.2	25	4.0	5,925	5.6	188	5.0
Male-to-male sexual contact and injection drug use	162	9.0	85	1.7	2,289	1.7	2,099	2.5	26	4.1	6,130	5.8	237	6.3
Heterosexual contact ^b	265	14.7	1,122	22.3	47,954	34.7	20,481	24.4	80	12.7	10,696	10.2	605	16.0
Perinatal infection	11	0.6	63	1.3	2,880	2.1	939	1.1	12	1.9	444	0.4	63	1.7
Other ^c	22	1.2	103	2.0	686	0.5	464	0.6	4	0.6	849	0.8	29	0.8
Subtotal^d	1,805	100.0	5,032	100.0	138,311	100.0	84,098	100.0	631	100.0	104,977	100.0	3,772	100.0
Female client														
Injection drug use	131	21.0	31	2.4	4,686	6.0	1,979	7.9	12	8.2	3,759	18.4	171	13.8
Heterosexual contact ^b	478	76.6	1,121	86.8	68,864	88.4	21,673	86.3	129	88.4	15,904	77.7	937	75.6
Perinatal infection	7	1.1	81	6.3	3,556	4.6	1,113	4.4	5	3.4	526	2.6	108	8.7
Other ^c	8	1.3	58	4.5	829	1.1	361	1.4	0	0.0	283	1.4	23	1.9
Subtotal^d	624	100.0	1,291	100.0	77,935	100.0	25,126	100.0	146	100.0	20,472	100.0	1,239	100.0
Transgender client														
Sexual contact ^e	49	73.1	119	92.2	3,871	93.7	2,016	92.6	26	86.7	792	84.1	116	81.7
Injection drug use	3	4.5	1	0.8	65	1.6	25	1.1	2	6.7	38	4.0	3	2.1
Sexual contact ^e and injection drug use	14	20.9	8	6.2	142	3.4	111	5.1	2	6.7	86	9.1	22	15.5
Perinatal infection	0	0.0	1	0.8	36	0.9	14	0.6	0	0.0	17	1.8	0	0.0
Other ^c	1	1.5	0	0.0	17	0.4	11	0.5	0	0.0	9	1.0	1	0.7
Subtotal^d	67	100.0	129	100.0	4,131	100.0	2,177	100.0	30	100.0	942	100.0	142	100.0
Total^f	2,911	—	7,383	—	250,168	—	122,956	—	957	—	140,471	—	6,503	—

Note. Percentages that are less than (<) 0.1 display as 0.0 due to rounding.

^a Hispanics/Latinos can be of any race.^b Heterosexual contact with a person known to have, or to be at high risk for, HIV infection.^c Includes hemophilia and blood transfusion.^d Subtotals are reflective of available gender and transmission risk category information. The values may not sum to the subtotals for gender overall.^e Includes any sexual transmission risk category reported by transgender clients.^f Subtotals for each subpopulation are displayed to reflect the denominator used for the percentage calculation of each subpopulation; due to missing data, the values in each column may not sum to the column total.

Table 3. Ryan White HIV/AIDS Program clients (non-ADAP), by gender and selected characteristics, 2017—United States and 3 territories

	Male		Female		Transgender MTF		Transgender FTM		Transgender unknown		Total ^a	
	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%
Age group (yr)												
<13	2,405	0.6	2,510	1.7	*	*	*	*	*	*	4,915	0.9
13–14	230	0.1	306	0.2	*	*	*	*	*	*	536	0.1
15–19	2,144	0.6	1,383	1.0	56	0.7	17	1.8	4	2.2	3,604	0.7
20–24	14,847	3.9	3,938	2.7	530	6.4	69	7.5	11	5.9	19,395	3.6
25–29	35,557	9.4	7,652	5.3	1,326	16.0	113	12.3	33	17.8	44,681	8.4
30–34	37,199	9.8	10,367	7.1	1,383	16.7	116	12.6	26	14.1	49,091	9.2
35–39	35,846	9.4	14,259	9.8	1,133	13.6	108	11.7	22	11.9	51,368	9.6
40–44	33,979	8.9	16,512	11.4	961	11.6	76	8.2	16	8.6	51,544	9.6
45–49	46,077	12.1	20,428	14.1	988	11.9	97	10.5	22	11.9	67,612	12.6
50–54	60,420	15.9	23,250	16.0	924	11.1	116	12.6	22	11.9	84,732	15.8
55–59	52,574	13.8	20,565	14.2	565	6.8	102	11.1	13	7.0	73,819	13.8
60–64	33,229	8.7	13,278	9.2	284	3.4	59	6.4	9	4.9	46,859	8.8
≥65	25,644	6.7	10,575	7.3	156	1.9	49	5.3	7	3.8	36,431	6.8
Subtotal	380,151	100.0	145,023	100.0	8,306	100.0	922	100.0	185	100.0	534,587	100.0
Race/ethnicity												
American Indian/Alaska Native	2,115	0.6	716	0.5	71	0.9	7	0.8	1	0.6	2,910	0.5
Asian	5,722	1.5	1,508	1.0	144	1.7	7	0.8	2	1.1	7,383	1.4
Black/African American	156,071	41.3	89,004	61.7	4,473	54.2	506	54.5	102	57.0	250,156	47.1
Hispanic/Latino ^b	92,344	24.4	27,985	19.4	2,397	29.1	183	19.7	39	21.8	122,948	23.1
Native Hawaiian/Pacific Islander	726	0.2	189	0.1	37	0.4	5	0.5	0	0.0	957	0.2
White	116,139	30.7	23,133	16.0	956	11.6	208	22.4	30	16.8	140,466	26.4
Multiple races	4,604	1.2	1,624	1.1	169	2.0	12	1.3	5	2.8	6,414	1.2
Subtotal	377,721	100.0	144,159	100.0	8,247	100.0	928	100.0	179	100.0	531,234	100.0
Transmission risk category												
Male-to-male sexual contact	219,732	64.7	—	—	—	—	—	—	—	—	219,732	46.3
Injection drug use	20,755	6.1	10,790	8.5	106	1.5	30	4.2	2	2.1	31,683	6.7
Male-to-male sexual contact and injection drug use	11,059	3.3	—	—	—	—	—	—	—	—	11,059	2.3
Heterosexual contact ^c	81,356	24.0	109,301	86.0	—	—	—	—	—	—	190,657	40.2
Perinatal infection	4,432	1.3	5,425	4.3	32	0.5	36	5.0	0	0.0	9,925	2.1
Other ^d	2,163	0.6	1,564	1.2	34	0.5	7	1.0	0	0.0	3,768	0.8
Sexual contact ^e	—	—	—	—	6,319	92.3	615	85.5	93	97.9	7,027	1.5
Sexual contact ^e and injection drug use	—	—	—	—	356	5.2	31	4.3	0	0.0	387	0.1
Subtotal	339,497	100.0	127,080	100.0	6,847	100.0	719	100.0	95	100.0	474,238	100.0
Federal poverty level												
0–100%	207,752	58.9	95,828	72.1	5,909	77.3	540	65.5	87	76.3	310,116	62.8
101–138%	42,906	12.2	13,836	10.4	642	8.4	92	11.2	6	5.3	57,482	11.6
139–250%	64,391	18.3	16,671	12.5	738	9.7	144	17.5	6	5.3	81,950	16.6
251–400%	26,528	7.5	5,176	3.9	195	2.6	33	4.0	5	4.4	31,937	6.5
>400%	10,876	3.1	1,446	1.1	157	2.1	15	1.8	10	8.8	12,504	2.5
Subtotal	352,453	100.0	132,957	100.0	7,641	100.0	824	100.0	114	100.0	493,989	100.0

Table 3. Ryan White HIV/AIDS Program clients (non-ADAP), by gender and selected characteristics, 2017—United States and 3 territories (cont.)

	Male		Female		Transgender MTF		Transgender FTM		Transgender unknown		Total ^a	
	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%
Housing status												
Stable	309,293	86.5	120,028	89.1	5,912	76.1	714	82.4	80	67.8	436,027	87.1
Temporary	28,826	8.1	9,270	6.9	981	12.6	94	10.8	27	22.9	39,198	7.8
Unstable	19,252	5.4	5,429	4.0	877	11.3	59	6.8	11	9.3	25,628	5.1
Subtotal	357,371	100.0	134,727	100.0	7,770	100.0	867	100.0	118	100.0	500,853	100.0
Total^f	380,229	—	145,046	—	8,345	—	944	—	186	—	534,750	—

Abbreviations: FTM, female-to-male; MTF, male-to-female.

* To ensure confidentiality, data have been suppressed.

^a Row totals include clients in the specified subpopulation with reported gender information.

^b Hispanics/Latinos can be of any race.

^c Heterosexual contact with a person known to have, or to be at high risk for, HIV infection.

^d Includes hemophilia and blood transfusion.

^e Includes any sexual transmission risk category reported by transgender clients.

^f Subtotals for each subpopulation are displayed to reflect the denominator used for the percentage calculation of each subpopulation; due to missing data, the values in each column may not sum to the column total.

Table 4a. Male clients served by the Ryan White HIV/AIDS Program (non-ADAP), by transmission risk category and age group, 2017—United States and 3 territories

	Male-to-male sexual contact		Injection drug use		Male-to-male sexual contact and injection drug use		Heterosexual contact ^a		Perinatal infection		Other ^b	
	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%
Age group (yr)												
<13	—	—	—	—	—	—	—	—	1,480	33.4	4	0.2
13–14	1	0.0	—	—	—	—	—	—	141	3.2	1	0.0
15–19	962	0.4	9	0.0	6	0.1	113	0.1	558	12.6	4	0.2
20–24	10,837	4.9	87	0.4	198	1.8	1,003	1.2	985	22.2	25	1.2
25–29	27,031	12.3	321	1.5	692	6.3	2,926	3.6	922	20.8	67	3.1
30–34	26,769	12.2	603	2.9	1,062	9.6	4,434	5.5	307	6.9	84	3.9
35–39	23,268	10.6	933	4.5	1,202	10.9	6,528	8.0	39	0.9	156	7.2
40–44	19,812	9.0	1,202	5.8	1,112	10.1	8,223	10.1	—	—	170	7.9
45–49	25,871	11.8	2,035	9.8	1,540	13.9	11,675	14.4	—	—	237	11.0
50–54	33,123	15.1	3,799	18.3	2,018	18.2	15,117	18.6	—	—	403	18.7
55–59	25,827	11.8	4,872	23.5	1,699	15.4	14,343	17.6	—	—	417	19.3
60–64	14,922	6.8	4,202	20.2	1,008	9.1	9,279	11.4	—	—	300	13.9
≥65	11,309	5.1	2,692	13.0	522	4.7	7,715	9.5	—	—	290	13.4
Total	219,732	100.0	20,755	100.0	11,059	100.0	81,356	100.0	4,432	100.0	2,158	100.0

Note. Percentages that are less than (<) 0.1 display as 0.0 due to rounding.

^a Heterosexual contact with a person known to have, or to be at high risk for, HIV infection.^b Includes hemophilia and blood transfusion.

Table 4b. Female clients served by the Ryan White HIV/AIDS Program (non-ADAP), by transmission risk category and age group, 2017—United States and 3 territories

	Injection drug use		Heterosexual contact ^a		Perinatal infection		Other ^b	
	No.	%	No.	%	No.	%	No.	%
Age group (yr)								
<13	—	—	—	—	1,604	29.6	3	0.2
13–14	—	—	7	0.0	198	3.6	3	0.2
15–19	6	0.1	260	0.2	690	12.7	4	0.3
20–24	58	0.5	1,895	1.7	1,274	23.5	21	1.3
25–29	261	2.4	5,178	4.7	1,195	22.0	42	2.7
30–34	416	3.9	8,155	7.5	436	8.0	62	4.0
35–39	680	6.3	11,702	10.7	28	0.5	112	7.2
40–44	782	7.2	13,871	12.7	—	0.0	127	8.1
45–49	1,409	13.1	16,579	15.2	—	0.0	186	11.9
50–54	2,239	20.8	18,174	16.6	—	0.0	241	15.4
55–59	2,390	22.2	15,607	14.3	—	0.0	262	16.8
60–64	1,657	15.4	9,782	8.9	—	0.0	235	15.0
≥65	892	8.3	8,091	7.4	—	0.0	265	17.0
Total	10,790	100.0	109,301	100.0	5,425	100.0	1,563	100.0

Note. Percentages that are less than (<) 0.1 display as 0.0 due to rounding.

^a Heterosexual contact with a person known to have, or to be at high risk for, HIV infection.^b Includes hemophilia and blood transfusion.

Table 4c. Transgender clients served by the Ryan White HIV/AIDS Program (non-ADAP), by transmission risk category and age group, 2017—United States and 3 territories

	Sexual contact ^a		Injection drug use		Sexual contact ^a and injection drug use		Perinatal infection		Other ^b	
	No.	%	No.	%	No.	%	No.	%	No.	%
Age group (yr)										
<13	—	—	—	—	—	—	—	—	—	—
13–14	—	—	—	—	—	—	—	—	—	—
15–19	51	0.7	—	—	—	—	6	15.0	—	—
20–24	430	6.1	2	1.4	19	4.9	11	27.5	—	—
25–29	1,119	15.9	9	6.5	28	7.2	20	50.0	2	4.9
30–34	1,159	16.5	9	6.5	43	11.1	3	7.5	1	2.4
35–39	971	13.8	10	7.2	40	10.3	—	—	8	19.5
40–44	832	11.8	13	9.4	26	6.7	—	—	4	9.8
45–49	822	11.7	18	13.0	52	13.4	—	—	4	9.8
50–54	771	11.0	31	22.5	75	19.4	—	—	6	14.6
55–59	466	6.6	22	15.9	66	17.1	—	—	7	17.1
60–64	255	3.6	19	13.8	21	5.4	—	—	5	12.2
≥65	151	2.1	5	3.6	17	4.4	—	—	4	9.8
Total	7,027	100.0	138	100.0	387	100.0	40	100.0	41	100.0

^a Includes any reported sexual transmission risk category reported by transgender clients.^b Includes hemophilia and blood transfusion.

Table 5. Ryan White HIV/AIDS Program clients (non-ADAP), by federal poverty level and selected characteristics, 2017—United States and 3 territories

	0–100% FPL		101–138% FPL		139–250% FPL		251–400% FPL		>400% FPL	
	No.	%	No.	%	No.	%	No.	%	No.	%
Age group (yr)										
<13	3,111	1.0	378	0.7	480	0.6	154	0.5	83	0.7
13–14	300	0.1	48	0.1	67	0.1	34	0.1	23	0.2
15–19	2,182	0.7	241	0.4	371	0.5	99	0.3	52	0.4
20–24	12,283	4.0	1,588	2.8	2,592	3.2	711	2.2	238	1.9
25–29	26,250	8.5	3,854	6.7	7,362	9.0	2,835	8.9	844	6.8
30–34	28,636	9.2	4,170	7.3	7,701	9.4	3,511	11.0	1,138	9.1
35–39	30,275	9.8	4,668	8.1	7,777	9.5	3,375	10.6	1,296	10.4
40–44	30,652	9.9	5,076	8.8	7,610	9.3	3,341	10.5	1,261	10.1
45–49	39,809	12.8	6,958	12.1	9,981	12.2	4,343	13.6	1,694	13.5
50–54	49,596	16.0	9,572	16.7	12,423	15.2	5,114	16.0	2,204	17.6
55–59	42,764	13.8	8,902	15.5	11,152	13.6	4,019	12.6	1,775	14.2
60–64	25,992	8.4	6,377	11.1	7,601	9.3	2,445	7.7	1,027	8.2
≥65	18,244	5.9	5,640	9.8	6,794	8.3	1,949	6.1	867	6.9
Subtotal	310,094	100.0	57,472	100.0	81,911	100.0	31,930	100.0	12,502	100.0
Race/ethnicity										
American Indian/Alaska Native	1,816	0.6	252	0.4	343	0.4	132	0.4	47	0.4
Asian	3,695	1.2	800	1.4	1,475	1.8	631	2.0	326	2.6
Black/African American	157,171	50.9	24,900	43.5	32,770	40.1	11,901	37.4	3,643	29.3
Hispanic/Latino ^a	76,904	24.9	12,845	22.4	18,620	22.8	6,521	20.5	1,990	16.0
Native Hawaiian/Pacific Islander	496	0.2	93	0.2	173	0.2	66	0.2	29	0.2
White	65,426	21.2	17,762	31.0	27,431	33.6	12,249	38.5	6,293	50.6
Multiple races	3,301	1.1	640	1.1	888	1.1	320	1.0	98	0.8
Subtotal	308,809	100.0	57,292	100.0	81,700	100.0	31,820	100.0	12,426	100.0
Gender										
Male	207,752	67.0	42,906	74.6	64,391	78.6	26,528	83.1	10,876	87.0
Female	95,828	30.9	13,836	24.1	16,671	20.3	5,176	16.2	1,446	11.6
Transgender	6,536	2.1	740	1.3	888	1.1	233	0.7	182	1.5
Subtotal	310,116	100.0	57,482	100.0	81,950	100.0	31,937	100.0	12,504	100.0
Transmission risk category										
Male client										
Male-to-male sexual contact	113,444	58.5	27,393	67.6	45,605	74.1	19,518	77.5	7,547	81.7
Injection drug use	15,705	8.1	2,021	5.0	1,739	2.8	561	2.2	177	1.9
Male-to-male sexual contact and injection drug use	7,295	3.8	1,268	3.1	1,461	2.4	543	2.2	162	1.8
Heterosexual contact ^b	53,311	27.5	9,093	22.4	11,713	19.0	4,260	16.9	1,200	13.0
Perinatal infection	3,057	1.6	431	1.1	585	1.0	163	0.6	78	0.8
Other ^c	1,183	0.6	299	0.7	403	0.7	152	0.6	70	0.8
Subtotal^d	193,995	100.0	40,505	100.0	61,506	100.0	25,197	100.0	9,234	100.0
Female client										
Injection drug use	8,712	9.8	808	6.2	698	4.4	214	4.5	50	4.0
Heterosexual contact ^b	75,731	85.0	11,392	88.1	14,025	89.3	4,310	89.9	1,105	87.4
Perinatal infection	3,681	4.1	526	4.1	758	4.8	213	4.4	91	7.2
Other ^c	1,015	1.1	203	1.6	229	1.5	59	1.2	19	1.5
Subtotal^d	89,139	100.0	12,929	100.0	15,710	100.0	4,796	100.0	1,265	100.0

Table 5. Ryan White HIV/AIDS Program clients (non-ADAP), by federal poverty level and selected characteristics, 2017—United States and 3 territories (cont.)

	0–100% FPL		101–138% FPL		139–250% FPL		251–400% FPL		>400% FPL	
	No.	%	No.	%	No.	%	No.	%	No.	%
Transgender client										
Sexual contact ^e	5,233	91.0	595	92.4	728	95.0	199	98.0	81	95.3
Injection drug use	116	2.0	11	1.7	3	0.4	—	0.0	—	0.0
Sexual contact ^e and injection drug use	320	5.6	30	4.7	22	2.9	4	2.0	3	3.5
Perinatal infection	49	0.9	4	0.6	9	1.2	—	0.0	—	0.0
Other ^c	31	0.5	4	0.6	4	0.5	—	0.0	1	1.2
Subtotal^d	5,749	100.0	644	100.0	766	100.0	203	100.0	85	100.0
Housing status										
Stable	254,543	82.8	52,736	92.4	76,802	94.5	30,577	96.5	11,950	96.0
Temporary	30,944	10.1	2,910	5.1	3,204	3.9	815	2.6	367	2.9
Unstable	21,993	7.2	1,412	2.5	1,233	1.5	289	0.9	125	1.0
Subtotal	307,480	100.0	57,058	100.0	81,239	100.0	31,681	100.0	12,442	100.0
Health care coverage										
Private employer	10,790	3.5	3,706	6.5	14,054	17.3	11,506	36.3	6,016	48.3
Private individual	15,417	5.0	4,055	7.1	10,737	13.2	5,196	16.4	1,966	15.8
Medicare	25,237	8.2	12,270	21.5	11,836	14.6	2,042	6.5	749	6.0
Medicaid	131,559	42.8	12,451	21.9	11,876	14.6	2,331	7.4	1,312	10.5
Medicare and Medicaid	27,347	8.9	6,850	12.0	3,576	4.4	388	1.2	138	1.1
Veterans Administration	462	0.2	269	0.5	316	0.4	147	0.5	45	0.4
Indian Health Service	186	0.1	7	0.0	20	0.0	13	0.0	1	0.0
Other plan	4,994	1.6	853	1.5	1,637	2.0	735	2.3	349	2.8
No coverage	67,459	21.9	9,929	17.4	16,215	19.9	4,753	15.0	690	5.5
Multiple coverages	24,236	7.9	6,559	11.5	11,026	13.6	4,546	14.4	1,180	9.5
Subtotal	307,687	100.0	56,949	100.0	81,293	100.0	31,657	100.0	12,446	100.0
Total^f	310,127	—	57,483	—	81,950	—	31,937	—	12,504	—

Abbreviation: FPL, federal poverty level.

Note. Percentages that are less than (<) 0.1 display as 0.0 due to rounding.

^a Hispanics/Latinos can be of any race.^b Heterosexual contact with a person known to have, or to be at high risk for, HIV infection.^c Includes hemophilia and blood transfusion.^d Subtotals are reflective of available gender and transmission risk category information. The values may not sum to the subtotals for gender overall.^e Includes any sexual transmission risk category reported by transgender clients.^f Subtotals for each subpopulation are displayed to reflect the denominator used for the percentage calculation of each subpopulation; due to missing data, the values in each column may not sum to the column total.

Table 6. Ryan White HIV/AIDS Program clients (non-ADAP), by housing status and selected characteristics, 2017—United States and 3 territories

	Stable		Temporary		Unstable	
	No.	%	No.	%	No.	%
Age group (yr)						
<13	3,973	0.9	182	0.5	38	0.1
13–14	444	0.1	22	0.1	4	0.0
15–19	2,624	0.6	257	0.7	101	0.4
20–24	14,409	3.3	2,080	5.3	1,162	4.5
25–29	34,282	7.9	4,631	11.8	2,778	10.8
30–34	38,090	8.7	4,770	12.2	2,995	11.7
35–39	40,654	9.3	4,523	11.5	2,992	11.7
40–44	41,732	9.6	4,129	10.5	2,740	10.7
45–49	55,301	12.7	4,947	12.6	3,464	13.5
50–54	70,309	16.1	5,655	14.4	4,065	15.9
55–59	61,974	14.2	4,399	11.2	3,145	12.3
60–64	40,242	9.2	2,319	5.9	1,451	5.7
≥65	31,919	7.3	1,285	3.3	694	2.7
Subtotal	435,953	100.0	39,199	100.0	25,629	100.0
Race/ethnicity						
American Indian/Alaska Native	2,128	0.5	258	0.7	242	0.9
Asian	6,295	1.4	519	1.3	206	0.8
Black/African American	200,544	46.2	19,343	49.6	13,335	52.3
Hispanic/Latino ^a	103,607	23.9	9,225	23.7	5,078	19.9
Native Hawaiian/Pacific Islander	740	0.2	93	0.2	41	0.2
White	116,410	26.8	8,988	23.1	6,142	24.1
Multiple races	4,501	1.0	550	1.4	460	1.8
Subtotal	434,225	100.0	38,976	100.0	25,504	100.0
Gender						
Male	309,293	70.9	28,826	73.5	19,252	75.1
Female	120,028	27.5	9,270	23.6	5,429	21.2
Transgender	6,706	1.5	1,102	2.8	947	3.7
Subtotal	436,027	100.0	39,198	100.0	25,628	100.0
Transmission risk category						
Male client						
Male-to-male sexual contact	190,416	65.9	15,755	59.7	9,385	52.8
Injection drug use	16,083	5.6	2,360	8.9	1,973	11.1
Male-to-male sexual contact and injection drug use	8,225	2.8	1,349	5.1	1,221	6.9
Heterosexual contact ^b	68,646	23.7	6,488	24.6	4,895	27.5
Perinatal infection	3,819	1.3	319	1.2	178	1.0
Other ^c	1,875	0.6	136	0.5	123	0.7
Subtotal^d	289,064	100.0	26,407	100.0	17,775	100.0
Female client						
Injection drug use	8,763	7.9	1,011	12.0	802	16.3
Heterosexual contact ^b	96,326	86.6	6,960	82.6	3,935	80.0
Perinatal infection	4,764	4.3	379	4.5	128	2.6
Other ^c	1,398	1.3	81	1.0	55	1.1
Subtotal^d	111,251	100.0	8,431	100.0	4,920	100.0
Transgender client						
Sexual contact ^b	5,404	92.8	800	88.1	706	87.9
Injection drug use	90	1.5	26	2.9	18	2.2
Sexual contact ^b and injection drug use	241	4.1	68	7.5	71	8.8
Perinatal infection	54	0.9	10	1.1	3	0.4
Other ^c	32	0.5	4	0.4	5	0.6
Subtotal^d	5,821	100.0	908	100.0	803	100.0

Table 6. Ryan White HIV/AIDS Program clients (non-ADAP), by housing status and selected characteristics, 2017—United States and 3 territories (cont.)

	Stable		Temporary		Unstable	
	No.	%	No.	%	No.	%
Health care coverage						
Private employer	45,192	10.5	1,403	3.6	437	1.7
Private individual	35,455	8.2	2,072	5.4	706	2.8
Medicare	48,517	11.3	2,416	6.3	1,505	6.0
Medicaid	133,655	31.0	15,406	40.0	12,476	49.4
Medicare and Medicaid	34,129	7.9	2,480	6.4	2,042	8.1
Veterans Administration	1,134	0.3	72	0.2	49	0.2
Indian Health Service	191	0.0	13	0.0	23	0.1
Other plan	7,107	1.6	859	2.2	567	2.2
No coverage	83,077	19.3	10,541	27.4	5,049	20.0
Multiple coverages	42,375	9.8	3,205	8.3	2,411	9.5
Subtotal	430,832	100.0	38,467	100.0	25,265	100.0
Total^f	436,036	—	39,203	—	25,629	—

Note. Percentages that are less than (<) 0.1 display as 0.0 due to rounding.

^a Hispanics/Latinos can be of any race.

^b Heterosexual contact with a person known to have, or to be at high risk for, HIV infection.

^c Includes hemophilia and blood transfusion.

^d Subtotals are reflective of available gender and transmission risk category information. The values may not sum to the subtotals for gender overall.

^e Includes any sexual transmission risk category reported by transgender clients.

^f Subtotals for each subpopulation are displayed to reflect the denominator used for the percentage calculation of each subpopulation; due to missing data, the values in each column may not sum to the column total.

Table 7. Ryan White HIV/AIDS Program clients (non-ADAP), by health care coverage and selected characteristics, 2017—United States and 3 territories

	Private employer		Private individual		Medicare		Medicaid		Medicare & Medicaid		Veterans Administration		Indian Health Service		Other plan		No coverage		Multiple coverages	
	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%
Age group (yr)																				
<13	343	0.7	103	0.3	34	0.1	3,375	2.0	9	0.0	7	0.5	3	1.3	59	0.7	276	0.3	113	0.2
13–14	61	0.1	14	0.0	1	0.0	348	0.2	0	0.0	2	0.1	0	0.0	3	0.0	33	0.0	21	0.0
15–19	255	0.5	139	0.4	24	0.0	1,923	1.2	10	0.0	11	0.8	3	1.3	46	0.5	490	0.5	172	0.4
20–24	1,843	3.8	1,527	3.9	151	0.3	6,878	4.1	221	0.6	36	2.7	5	2.2	378	4.2	5,665	5.5	1,364	2.8
25–29	4,941	10.2	3,750	9.6	641	1.2	14,411	8.7	697	1.8	64	4.8	29	12.7	792	8.8	13,653	13.3	3,505	7.2
30–34	5,223	10.8	4,174	10.7	1,249	2.3	15,742	9.5	1,188	3.0	61	4.5	29	12.7	944	10.5	14,279	13.9	3,808	7.8
35–39	5,347	11.0	4,264	10.9	2,097	3.9	16,223	9.7	1,737	4.4	71	5.3	31	13.5	1,029	11.5	13,953	13.5	4,276	8.8
40–44	5,272	10.9	4,235	10.8	3,061	5.6	16,028	9.6	2,439	6.2	63	4.7	21	9.2	1,051	11.7	12,621	12.3	4,568	9.4
45–49	6,865	14.1	5,487	14.0	5,620	10.3	21,165	12.7	4,546	11.6	122	9.1	28	12.2	1,183	13.2	13,629	13.2	6,122	12.6
50–54	7,904	16.3	6,478	16.6	9,572	17.6	27,257	16.4	7,824	19.9	194	14.5	34	14.8	1,371	15.3	12,751	12.4	7,999	16.4
55–59	6,024	12.4	5,116	13.1	10,626	19.5	23,911	14.4	7,784	19.8	266	19.8	24	10.5	1,068	11.9	8,738	8.5	7,303	15.0
60–64	3,427	7.1	3,034	7.8	7,995	14.7	14,499	8.7	5,457	13.9	256	19.1	15	6.6	644	7.2	4,737	4.6	4,804	9.9
≥65	1,077	2.2	809	2.1	13,345	24.5	4,675	2.8	7,390	18.8	189	14.1	7	3.1	407	4.5	2,183	2.1	4,694	9.6
Subtotal	48,582	100.0	39,130	100.0	54,416	100.0	166,435	100.0	39,302	100.0	1,342	100.0	229	100.0	8,975	100.0	103,008	100.0	48,749	100.0
Race/ethnicity																				
American Indian/Alaska Native	180	0.4	194	0.5	250	0.5	851	0.5	228	0.6	7	0.5	162	71.1	36	0.4	408	0.4	455	0.9
Asian	891	1.8	863	2.2	322	0.6	2,180	1.3	301	0.8	17	1.3	1	0.4	230	2.6	1,453	1.4	877	1.8
Black/African American	21,430	44.3	16,087	41.3	24,829	45.8	85,403	51.6	18,809	47.9	647	48.3	27	11.8	3,248	36.5	48,128	46.9	19,910	40.9
Hispanic/Latino ^a	7,803	16.1	6,989	17.9	7,503	13.8	42,813	25.9	6,932	17.7	98	7.3	19	8.3	2,926	32.9	34,507	33.6	9,174	18.9
Native Hawaiian/Pacific Islander	112	0.2	55	0.1	61	0.1	308	0.2	69	0.2	1	0.1	0	0.0	29	0.3	135	0.1	121	0.2
White	17,576	36.3	14,322	36.8	20,685	38.2	31,924	19.3	12,435	31.7	550	41.1	10	4.4	2,327	26.2	17,207	16.8	17,412	35.8
Multiple races	425	0.9	436	1.1	566	1.0	1,940	1.2	466	1.2	19	1.4	9	3.9	99	1.1	825	0.8	680	1.4
Subtotal	48,417	100.0	38,946	100.0	54,216	100.0	165,419	100.0	39,240	100.0	1,339	100.0	228	100.0	8,895	100.0	102,663	100.0	48,629	100.0
Gender																				
Male	37,992	78.2	31,199	79.7	40,719	74.8	103,761	62.3	27,102	69.0	1,175	87.6	151	65.9	6,625	73.8	78,751	76.5	36,299	74.5
Female	10,222	21.0	7,441	19.0	13,135	24.1	58,562	35.2	11,660	29.7	161	12.0	73	31.9	2,208	24.6	22,278	21.6	11,753	24.1
Transgender	368	0.8	490	1.3	570	1.0	4,111	2.5	541	1.4	6	0.4	5	2.2	143	1.6	1,975	1.9	701	1.4
Subtotal	48,582	100.0	39,130	100.0	54,424	100.0	166,434	100.0	39,303	100.0	1,342	100.0	229	100.0	8,976	100.0	103,004	100.0	48,753	100.0
Transmission risk category																				
Male client																				
Male-to-male sexual contact	27,092	76.8	22,514	76.9	22,902	61.5	51,670	55.2	14,956	57.9	621	59.7	98	69.5	3,859	67.7	48,965	67.4	24,129	70.3
Injection drug use	737	2.1	703	2.4	2,695	7.2	9,539	10.2	2,617	10.1	97	9.3	7	5.0	252	4.4	2,087	2.9	1,736	5.1
Male-to-male sexual contact and injection drug use	599	1.7	631	2.2	1,204	3.2	3,681	3.9	1,299	5.0	42	4.0	9	6.4	145	2.5	1,578	2.2	1,636	4.8
Heterosexual contact ^b	6,292	17.8	5,107	17.4	9,910	26.6	25,335	27.1	6,544	25.3	263	25.3	24	17.0	1,367	24.0	19,220	26.5	6,329	18.5
Perinatal infection	327	0.9	186	0.6	93	0.2	2,793	3.0	159	0.6	8	0.8	2	1.4	50	0.9	511	0.7	223	0.7
Other ^c	231	0.7	131	0.4	425	1.1	523	0.6	268	1.0	10	1.0	1	0.7	26	0.5	274	0.4	246	0.7
Subtotal^d	35,278	100.0	29,272	100.0	37,229	100.0	93,541	100.0	25,843	100.0	1,041	100.0	141	100.0	5,699	100.0	72,635	100.0	34,299	100.0
Female client																				
Injection drug use	321	3.3	301	4.4	1,056	8.8	5,766	10.9	1,287	11.6	3	2.0	13	19.1	111	5.8	830	4.2	974	8.8
Heterosexual contact ^b	8,710	90.9	6,276	91.6	10,632	88.2	43,130	81.6	9,392	84.9	132	89.2	53	77.9	1,708	88.5	18,356	92.1	9,631	86.8
Perinatal infection	447	4.7	186	2.7	126	1.0	3,414	6.5	207	1.9	11	7.4	1	1.5	78	4.0	492	2.5	362	3.3
Other ^c	107	1.1	88	1.3	234	1.9	532	1.0	179	1.6	2	1.4	1	1.5	32	1.7	250	1.3	126	1.1
Subtotal^d	9,585	100.0	6,851	100.0	12,048	100.0	52,842	100.0	11,065	100.0	148	100.0	68	100.0	1,929	100.0	19,928	100.0	11,093	100.0

Table 7. Ryan White HIV/AIDS Program clients (non-ADAP), by health care coverage and selected characteristics, 2017—United States and 3 territories (cont.)

	Private employer		Private individual		Medicare		Medicaid		Medicare & Medicaid		Veterans Administration		Indian Health Service		Other plan		No coverage		Multiple coverages	
	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%
Transgender client																				
Sexual contact ^e	299	96.5	413	95.2	446	93.1	3,027	90.4	436	86.9	5	100.0	4	80.0	112	96.6	1,642	95.5	555	86.0
Injection drug use	1	0.3	3	0.7	9	1.9	76	2.3	16	3.2	0	0.0	0	0.0	1	0.9	13	0.8	16	2.5
Sexual contact ^e and injection drug use	5	1.6	9	2.1	16	3.3	191	5.7	42	8.4	0	0.0	0	0.0	2	1.7	51	3.0	67	10.4
Perinatal infection	3	1.0	4	0.9	5	1.0	40	1.2	3	0.6	0	0.0	1	20.0	0	0.0	9	0.5	2	0.3
Other ^c	2	0.6	5	1.2	3	0.6	16	0.5	5	1.0	0	0.0	0	0.0	1	0.9	4	0.2	5	0.8
Subtotal^d	310	100.0	434	100.0	479	100.0	3,350	100.0	502	100.0	5	100.0	5	100.0	116	100.0	1,719	100.0	645	100.0
Total^f	48,582	—	39,130	—	54,424	—	166,439	—	39,303	—	1,342	—	229	—	8,976	—	103,008	—	48,755	—

Note. Percentages that are less than (<) 0.1 display as 0.0 due to rounding.

^a Hispanics/Latinos can be of any race.

^b Heterosexual contact with a person known to have, or to be at high risk for, HIV infection.

^c Includes hemophilia and blood transfusion.

^d Subtotals are reflective of available gender and transmission risk category information. The values may not sum to the subtotals for gender overall.

^e Includes any sexual transmission risk category reported by transgender clients.

^f Subtotals for each subpopulation are displayed to reflect the denominator used for the percentage calculation of each subpopulation; due to missing data, the values in each column may not sum to the column total.

Table 8. Ryan White HIV/AIDS Program clients (non-ADAP), by HHS region and selected characteristics, 2017—United States and 3 territories

	Region 1		Region 2		Region 3		Region 4		Region 5		Region 6		Region 7		Region 8		Region 9		Region 10	
	No.	%	No.	%																
Age group (yr)																				
<13	137	0.6	607	0.8	608	1.0	1,628	1.2	512	0.9	500	0.8	130	1.0	195	1.9	611	0.9	25	0.2
13–14	20	0.1	56	0.1	80	0.1	177	0.1	59	0.1	40	0.1	8	0.1	26	0.3	67	0.1	0	0.0
15–19	106	0.5	421	0.5	514	0.8	1,207	0.9	457	0.8	412	0.6	85	0.7	74	0.7	237	0.3	53	0.5
20–24	461	2.0	2,389	3.0	1,948	3.1	5,910	4.3	2,582	4.4	2,670	4.2	522	4.1	290	2.9	1,857	2.7	257	2.4
25–29	1,089	4.8	5,399	6.8	4,669	7.5	12,424	9.0	5,822	10.0	6,406	10.1	1,203	9.4	754	7.5	4,909	7.2	705	6.5
30–34	1,348	5.9	6,159	7.7	5,376	8.7	12,929	9.4	5,854	10.1	6,987	11.0	1,239	9.7	904	9.0	6,144	9.0	965	9.0
35–39	1,737	7.7	6,638	8.3	5,410	8.7	13,188	9.6	5,858	10.1	7,220	11.4	1,308	10.3	1,169	11.6	6,643	9.7	1,134	10.5
40–44	2,009	8.8	6,872	8.6	5,436	8.8	13,164	9.6	5,721	9.8	7,041	11.1	1,352	10.6	1,080	10.8	6,781	9.9	1,199	11.1
45–49	3,018	13.3	9,714	12.2	7,598	12.2	17,351	12.6	7,285	12.5	8,033	12.6	1,667	13.1	1,350	13.5	8,854	13.0	1,570	14.6
50–54	4,225	18.6	13,340	16.7	10,139	16.3	21,357	15.5	8,705	15.0	9,078	14.3	1,955	15.4	1,611	16.1	11,226	16.5	1,764	16.4
55–59	3,946	17.4	12,447	15.6	9,344	15.1	18,082	13.2	7,478	12.9	7,474	11.8	1,704	13.4	1,274	12.7	9,565	14.0	1,533	14.2
60–64	2,655	11.7	8,481	10.6	6,172	9.9	11,402	8.3	4,493	7.7	4,510	7.1	935	7.3	710	7.1	6,119	9.0	869	8.1
≥65	1,953	8.6	7,262	9.1	4,775	7.7	8,559	6.2	3,283	5.6	3,177	5.0	626	4.9	600	6.0	5,180	7.6	691	6.4
Subtotal	22,704	100.0	79,785	100.0	62,069	100.0	137,378	100.0	58,109	100.0	63,548	100.0	12,734	100.0	10,037	100.0	68,193	100.0	10,765	100.0
Race/ethnicity																				
American Indian/Alaska Native	79	0.4	177	0.2	124	0.2	366	0.3	285	0.5	388	0.6	51	0.4	228	2.3	806	1.2	373	3.5
Asian	307	1.4	1,048	1.3	526	0.9	772	0.6	805	1.4	656	1.0	185	1.5	174	1.7	2,493	3.7	326	3.1
Black/African American	6,991	31.2	32,518	41.3	39,621	64.5	83,627	61.0	30,110	52.0	30,142	47.5	5,611	44.1	1,811	18.0	12,979	19.3	2,112	19.8
Hispanic/Latino ^a	6,739	30.1	34,566	43.9	6,730	11.0	17,785	13.0	7,556	13.1	16,239	25.6	990	7.8	2,311	23.0	26,877	39.9	1,695	15.9
Native Hawaiian/Pacific Islander	23	0.1	86	0.1	62	0.1	81	0.1	45	0.1	63	0.1	17	0.1	21	0.2	494	0.7	61	0.6
White	8,041	35.9	9,671	12.3	12,994	21.1	33,381	24.4	18,306	31.6	15,441	24.3	5,654	44.4	5,300	52.8	22,841	33.9	5,694	53.3
Multiple races	240	1.1	620	0.8	1,404	2.3	1,047	0.8	782	1.4	570	0.9	220	1.7	193	1.9	923	1.4	415	3.9
Subtotal	22,420	100.0	78,686	100.0	61,461	100.0	137,059	100.0	57,889	100.0	63,499	100.0	12,728	100.0	10,038	100.0	67,413	100.0	10,676	100.0
Gender																				
Male	14,931	65.8	51,201	64.2	40,177	64.9	94,967	69.1	43,322	74.6	46,148	72.6	9,678	76.0	8,095	80.1	55,929	82.0	8,539	79.3
Female	7,474	32.9	26,796	33.6	20,483	33.1	40,829	29.7	13,636	23.5	16,345	25.7	2,824	22.2	1,896	18.8	10,633	15.6	2,049	19.0
Transgender	300	1.3	1,791	2.2	1,290	2.1	1,583	1.2	1,147	2.0	1,056	1.7	230	1.8	117	1.2	1,624	2.4	180	1.7
Subtotal	22,705	100.0	79,788	100.0	61,950	100.0	137,379	100.0	58,105	100.0	63,549	100.0	12,732	100.0	10,108	100.0	68,186	100.0	10,768	100.0
Transmission risk category																				
Male client																				
Male-to-male sexual contact	7,306	53.6	22,955	51.8	19,533	57.4	56,024	63.8	25,001	70.6	28,231	67.0	6,841	73.2	5,012	69.2	38,490	75.7	5,008	65.9
Injection drug use	2,371	17.4	4,726	10.7	3,422	10.1	2,825	3.2	1,521	4.3	1,831	4.3	403	4.3	394	5.4	2,520	5.0	468	6.2
Male-to-male sexual contact and injection drug use	369	2.7	608	1.4	764	2.2	1,555	1.8	664	1.9	1,556	3.7	105	1.1	821	11.3	3,197	6.3	1,051	13.8
Heterosexual contact ^b	3,204	23.5	14,689	33.2	9,453	27.8	25,845	29.4	7,546	21.3	9,942	23.6	1,813	19.4	869	12.0	5,988	11.8	960	12.6
Perinatal infection	257	1.9	1,006	2.3	616	1.8	1,161	1.3	442	1.2	372	0.9	75	0.8	94	1.3	319	0.6	42	0.6
Other ^c	136	1.0	315	0.7	251	0.7	467	0.5	248	0.7	183	0.4	109	1.2	56	0.8	309	0.6	69	0.9
Subtotal^d	13,643	100.0	44,299	100.0	34,039	100.0	87,877	100.0	35,422	100.0	42,115	100.0	9,346	100.0	7,246	100.0	50,823	100.0	7,598	100.0
Female client																				
Injection drug use	1,224	18.2	2,034	8.8	2,041	12.2	1,705	4.6	736	6.4	1,086	7.5	117	4.4	220	13.7	1,141	12.4	316	18.9
Heterosexual contact ^b	5,116	75.9	19,616	84.6	13,731	81.8	33,773	90.7	10,013	87.3	12,812	88.7	2,442	91.3	1,256	78.0	7,487	81.3	1,293	77.4
Perinatal infection	284	4.2	1,214	5.2	787	4.7	1,419	3.8	579	5.0	414	2.9	81	3.0	107	6.6	415	4.5	38	2.3
Other ^c	118	1.8	329	1.4	223	1.3	354	1.0	148	1.3	125	0.9	34	1.3	28	1.7	170	1.8	23	1.4
Subtotal^d	6,742	100.0	23,193	100.0	16,782	100.0	37,251	100.0	11,476	100.0	14,437	100.0	2,674	100.0	1,611	100.0	9,213	100.0	1,670	100.0

Table 8. Ryan White HIV/AIDS Program clients (non-ADAP), by HHS region and selected characteristics, 2017—United States and 3 territories (cont.)

	Region 1		Region 2		Region 3		Region 4		Region 5		Region 6		Region 7		Region 8		Region 9		Region 10	
	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%
Transgender client																				
Sexual contact ^e	224	85.5	1,244	92.7	837	93.9	1,321	95.9	740	94.9	919	93.9	215	96.8	62	76.5	1,215	85.1	116	76.3
Injection drug use	15	5.7	28	2.1	13	1.5	10	0.7	7	0.9	13	1.3	3	1.4	4	4.9	40	2.8	3	2.0
Sexual contact ^e and injection drug use	18	6.9	49	3.7	33	3.7	28	2.0	26	3.3	41	4.2	2	0.9	14	17.3	134	9.4	32	21.1
Perinatal infection	2	0.8	8	0.6	6	0.7	12	0.9	6	0.8	1	0.1	1	0.5	0	0.0	31	2.2	0	0.0
Other ^c	3	1.1	13	1.0	2	0.2	6	0.4	1	0.1	5	0.5	1	0.5	1	1.2	8	0.6	1	0.7
Subtotal^d	262	100.0	1,342	100.0	891	100.0	1,377	100.0	780	100.0	979	100.0	222	100.0	81	100.0	1,428	100.0	152	100.0
Federal poverty level																				
0–100%	12,365	60.1	54,951	72.3	32,923	62.0	77,207	60.1	32,049	60.8	36,917	61.8	6,619	54.3	4,145	54.1	41,154	63.7	4,833	50.9
101–138%	2,603	12.6	6,902	9.1	6,169	11.6	15,961	12.4	5,853	11.1	7,489	12.5	1,434	11.8	884	11.5	8,140	12.6	1,164	12.3
139–250%	3,206	15.6	9,044	11.9	8,538	16.1	24,038	18.7	8,090	15.3	10,835	18.1	2,726	22.4	1,719	22.4	10,773	16.7	1,917	20.2
251–400%	1,417	6.9	3,441	4.5	3,678	6.9	9,508	7.4	3,414	6.5	3,582	6.0	1,221	10.0	712	9.3	3,562	5.5	1,055	11.1
>400%	990	4.8	1,701	2.2	1,811	3.4	1,728	1.3	3,349	6.3	900	1.5	196	1.6	201	2.6	1,026	1.6	528	5.6
Subtotal	20,581	100.0	76,039	100.0	53,119	100.0	128,442	100.0	52,755	100.0	59,723	100.0	12,196	100.0	7,661	100.0	64,655	100.0	9,497	100.0
Health care coverage																				
Private employer	1,414	6.5	4,114	5.4	6,379	11.4	14,931	11.4	7,318	13.2	5,568	8.9	1,772	14.5	1,772	20.2	3,146	4.8	1,425	14.4
Private individual	2,519	11.5	3,050	4.0	5,277	9.4	11,489	8.8	3,288	5.9	6,516	10.4	2,603	21.3	886	10.1	2,021	3.1	749	7.6
Medicare	1,997	9.1	6,602	8.6	6,934	12.4	15,625	11.9	6,502	11.7	8,893	14.3	913	7.5	1,024	11.7	4,093	6.2	1,029	10.4
Medicaid	9,411	42.9	43,405	56.5	21,416	38.3	23,199	17.7	21,026	37.8	11,437	18.3	1,890	15.5	2,371	27.1	26,625	40.3	2,936	29.6
Medicare and Medicaid	2,637	12.0	5,021	6.5	4,431	7.9	9,092	6.9	3,931	7.1	3,090	5.0	1,985	16.2	605	6.9	6,944	10.5	764	7.7
Veterans Administration	33	0.2	32	0.0	150	0.3	482	0.4	69	0.1	238	0.4	71	0.6	61	0.7	161	0.2	35	0.4
Indian Health Service	3	0.0	28	0.0	6	0.0	5	0.0	1	0.0	16	0.0	0	0.0	18	0.2	33	0.0	119	1.2
Other plan	289	1.3	1,558	2.0	969	1.7	1,656	1.3	1,310	2.4	291	0.5	32	0.3	67	0.8	2,627	4.0	69	0.7
No coverage	1,048	4.8	9,218	12.0	5,193	9.3	44,909	34.3	6,479	11.6	21,940	35.2	1,276	10.4	1,303	14.9	9,517	14.4	564	5.7
Multiple coverages	2,568	11.7	3,803	4.9	5,121	9.2	9,705	7.4	5,726	10.3	4,401	7.1	1,681	13.8	644	7.4	10,934	16.5	2,217	22.4
Subtotal	21,919	100.0	76,831	100.0	55,876	100.0	131,093	100.0	55,650	100.0	62,390	100.0	12,223	100.0	8,751	100.0	66,101	100.0	9,907	100.0
Total^f	22,705	—	79,789	—	62,075	—	137,383	—	58,109	—	63,549	—	12,734	—	10,112	—	68,199	—	10,768	—

Notes. See Technical Notes for the states/territories included in each region.

Percentages that are less than (<) 0.1 display as 0.0 due to rounding.

^a Hispanics/Latinos can be of any race.^b Heterosexual contact with a person known to have, or to be at high risk for, HIV infection.^c Includes hemophilia and blood transfusion.^d Subtotals are reflective of available gender and transmission risk category information. The values may not sum to the subtotals for gender overall.^e Includes any sexual transmission risk category reported by transgender clients.^f Subtotals for each subpopulation are displayed to reflect the denominator used for the percentage calculation of each subpopulation; due to missing data, the values in each column may not sum to the column total.

Section 2.

National-Level Data: Retention in Care and Viral Suppression

Table 9. Retention in care among Ryan White HIV/AIDS Program clients (non-ADAP), by year and selected characteristics, 2013–2017—United States and 3 territories

		2013			2014			2015			2016			2017		
		Retained		Total No.	Retained											
		No.	%		No.	%		No.	%		No.	%		No.	%	
37	Age group (yr)															
	<13	1,061	935	88.1	1,002	898	89.6	1,178	1,053	89.4	1,024	920	89.8	864	737	85.3
	13–14	339	298	87.9	328	290	88.4	357	339	95.0	294	274	93.2	277	254	91.7
	15–19	2,226	1,863	83.7	2,123	1,745	82.2	2,134	1,773	83.1	2,006	1,658	82.7	1,811	1,448	80.0
	20–24	13,055	9,825	75.3	12,280	9,016	73.4	12,828	9,579	74.7	12,180	9,157	75.2	11,708	8,754	74.8
	25–29	21,676	16,377	75.6	22,153	16,464	74.3	26,377	19,534	74.1	26,947	19,996	74.2	28,570	21,113	73.9
	30–34	25,429	19,669	77.3	24,803	18,898	76.2	28,971	22,063	76.2	29,734	22,881	77.0	31,870	24,070	75.5
	35–39	27,421	21,697	79.1	26,802	20,899	78.0	32,041	25,069	78.2	32,690	25,735	78.7	33,747	26,206	77.7
	40–44	35,917	29,167	81.2	32,960	26,293	79.8	35,837	28,545	79.7	34,189	27,641	80.8	34,268	27,386	79.9
	45–49	47,306	38,759	81.9	43,037	34,892	81.1	48,922	39,763	81.3	46,203	38,069	82.4	44,475	36,092	81.2
	50–54	45,827	38,007	82.9	45,790	37,851	82.7	56,078	46,170	82.3	55,411	46,315	83.6	54,829	45,470	82.9
	55–59	30,525	25,698	84.2	31,719	26,577	83.8	41,471	34,857	84.1	44,021	37,522	85.2	46,943	39,635	84.4
	60–64	16,308	13,866	85.0	17,814	15,182	85.2	24,054	20,505	85.2	26,644	23,131	86.8	29,664	25,445	85.8
	≥65	9,931	8,338	84.0	11,275	9,657	85.6	16,827	14,441	85.8	19,233	16,840	87.6	22,458	19,497	86.8
	Race/ethnicity															
	American Indian/Alaska Native	1,234	959	77.7	1,136	871	76.7	1,317	983	74.6	1,457	1,078	74.0	1,543	1,162	75.3
	Asian	3,239	2,662	82.2	3,265	2,605	79.8	4,283	3,496	81.6	4,543	3,799	83.6	4,799	4,001	83.4
	Black/African American	128,931	103,283	80.1	126,317	100,807	79.8	153,656	122,785	79.9	157,663	127,384	80.8	164,701	132,096	80.2
	Hispanic/Latino ^a	66,143	55,783	84.3	66,470	55,401	83.3	78,744	65,668	83.4	79,425	67,694	85.2	80,935	67,675	83.6
	Native Hawaiian/Pacific Islander	426	317	74.4	375	279	74.4	450	344	76.4	480	371	77.3	481	377	78.4
	White	70,139	55,942	79.8	67,749	53,465	78.9	82,730	65,858	79.6	82,984	66,708	80.4	84,667	67,465	79.7
	Multiple races	4,452	3,705	83.2	5,141	4,167	81.1	4,414	3,609	81.8	2,764	2,177	78.8	3,187	2,495	78.3
	Gender															
	Male	194,526	156,233	80.3	191,109	152,075	79.6	231,732	184,862	79.8	233,410	189,020	81.0	241,368	193,728	80.3
	Female	80,011	66,329	82.9	78,281	64,512	82.4	91,496	75,793	82.8	92,659	77,544	83.7	94,599	78,056	82.5
	Transgender MTF	2,280	1,780	78.1	2,445	1,917	78.4	3,161	2,480	78.5	3,819	3,049	79.8	4,935	3,858	78.2
	Transgender FTM	56	46	82.1	85	65	76.5	206	170	82.5	279	220	78.9	590	475	80.5
	Transgender unknown	123	94	76.4	116	92	79.3	5	3	60.0	1	1	100.0	74	57	77.0
	Transmission risk category															
	Male client															
	Male-to-male sexual contact	112,557	90,747	80.6	113,199	89,910	79.4	140,108	111,625	79.7	142,173	114,930	80.8	147,667	118,455	80.2
	Injection drug use	14,072	11,411	81.1	12,563	10,221	81.4	14,365	11,759	81.9	13,215	10,871	82.3	13,338	10,850	81.3
	Male-to-male sexual contact and injection drug use	5,601	4,338	77.5	5,819	4,519	77.7	6,480	5,143	79.4	6,009	4,781	79.6	6,989	5,501	78.7
	Heterosexual contact ^b	45,312	36,677	80.9	45,588	36,974	81.1	56,088	45,434	81.0	56,352	46,606	82.7	57,290	46,819	81.7
	Perinatal infection	2,445	2,005	82.0	2,406	2,010	83.5	2,669	2,197	82.3	2,556	2,093	81.9	2,492	2,003	80.4
	Other ^c	1,258	974	77.4	1,064	856	80.5	1,367	1,104	80.8	1,304	1,074	82.4	1,297	1,033	79.6
	Female client															
	Injection drug use	7,702	6,306	81.9	6,852	5,693	83.1	7,647	6,346	83.0	7,011	5,865	83.7	7,207	5,927	82.2
	Heterosexual contact ^b	63,056	52,624	83.5	63,027	52,149	82.7	75,145	62,460	83.1	76,390	64,253	84.1	78,706	65,278	82.9
	Perinatal infection	3,001	2,569	85.6	3,075	2,612	84.9	3,454	2,938	85.1	3,340	2,811	84.2	3,270	2,694	82.4
	Other ^c	936	742	79.3	854	687	80.4	977	809	82.8	987	834	84.5	949	759	80.0
	Transgender client															
	Sexual contact ^d	2,080	1,628	78.3	2,250	1,764	78.4	2,862	2,253	78.7	3,365	2,705	80.4	4,575	3,622	79.2
	Injection drug use	28	19	67.9	29	24	82.8	45	38	84.4	49	44	89.8	70	55	78.6
	Sexual contact ^d and injection drug use	118	85	72.0	126	104	82.5	151	128	84.8	155	119	76.8	227	174	76.7
	Perinatal infection	3	2	66.7	9	8	88.9	12	10	83.3	13	12	92.3	35	29	82.9
	Other ^c	9	8	88.9	8	5	62.5	8	7	87.5	10	9	90.0	21	17	81.0

Table 9. Retention in care among Ryan White HIV/AIDS Program clients (non-ADAP), by year and selected characteristics, 2013–2017—United States and 3 territories (cont.)

	2013			2014			2015			2016			2017		
	Retained			Retained			Retained			Retained			Retained		
	Total No.	No.	%												
Federal poverty level^a															
0–100%	178,686	144,088	80.6	—	—	—	—	—	—	—	—	—	—	—	—
101–200%	58,725	48,873	83.2	—	—	—	—	—	—	—	—	—	—	—	—
201–300%	17,871	14,930	83.5	—	—	—	—	—	—	—	—	—	—	—	—
>300%	11,479	9,598	83.6	—	—	—	—	—	—	—	—	—	—	—	—
0–100%	—	—	—	169,482	136,345	80.4	210,631	169,911	80.7	207,145	169,803	82.0	210,518	170,263	80.9
101–138%	—	—	—	31,748	26,237	82.6	37,877	31,169	82.3	37,898	31,573	83.3	37,678	31,069	82.5
139–250%	—	—	—	37,932	31,042	81.8	45,540	37,029	81.3	49,506	40,816	82.4	53,045	43,370	81.8
251–400%	—	—	—	13,813	10,986	79.5	17,547	13,980	79.7	20,001	16,197	81.0	20,604	16,530	80.2
>400%	—	—	—	7,075	5,771	81.6	8,015	6,409	80.0	8,844	7,049	79.7	9,740	7,789	80.0
Health care coverage^b															
Private only	32,315	26,257	81.3	—	—	—	—	—	—	—	—	—	—	—	—
Medicare only	20,906	17,190	82.2	—	—	—	—	—	—	—	—	—	—	—	—
Medicaid only	62,512	50,469	80.7	—	—	—	—	—	—	—	—	—	—	—	—
Other public	24,692	20,931	84.8	—	—	—	—	—	—	—	—	—	—	—	—
Other private	3,306	2,613	79.0	—	—	—	—	—	—	—	—	—	—	—	—
No coverage	85,908	68,157	79.3	—	—	—	—	—	—	—	—	—	—	—	—
Multiple coverages	40,886	34,758	85.0	—	—	—	—	—	—	—	—	—	—	—	—
Private employer	—	—	—	17,083	13,766	80.6	29,464	23,511	79.8	31,172	24,771	79.5	35,160	27,972	79.6
Private individual	—	—	—	14,052	10,879	77.4	22,956	17,499	76.2	24,871	19,684	79.1	25,949	20,246	78.0
Medicare	—	—	—	24,077	20,079	83.4	33,302	27,813	83.5	34,046	28,508	83.7	36,275	30,249	83.4
Medicaid	—	—	—	85,873	69,850	81.3	103,251	83,318	80.7	106,215	87,018	81.9	106,638	85,783	80.4
Medicare and Medicaid	—	—	—	18,048	15,515	86.0	24,185	20,574	85.1	24,149	21,031	87.1	24,107	20,818	86.4
Veterans Administration	—	—	—	399	324	81.2	411	307	74.7	445	336	75.5	426	305	71.6
Indian Health Service	—	—	—	60	47	78.3	133	91	68.4	114	74	64.9	138	80	58.0
Other plan	—	—	—	10,859	8,683	80.0	6,610	5,352	81.0	5,305	4,409	83.1	5,504	4,248	77.2
No coverage	—	—	—	77,353	60,966	78.8	68,605	53,837	78.5	68,823	54,839	79.7	71,682	57,341	80.0
Multiple coverages	—	—	—	18,991	15,418	81.2	34,995	29,464	84.2	33,193	28,246	85.1	32,296	27,033	83.7
Housing status															
Stable	224,318	184,530	82.3	223,834	182,808	81.7	277,469	226,426	81.6	284,657	235,636	82.8	297,906	243,622	81.8
Temporary	32,289	25,677	79.5	32,203	24,861	77.2	30,652	23,705	77.3	26,714	20,649	77.3	23,508	17,932	76.3
Unstable	8,925	6,445	72.2	10,057	7,327	72.9	13,160	9,631	73.2	13,677	10,224	74.8	13,966	10,296	73.7
Total^f	277,023	224,501	81.0	272,193	218,758	80.4	327,075	263,691	80.6	330,576	270,139	81.7	341,570	276,176	80.9

Abbreviations: FTM, female-to-male; MTF, male-to-female.

Retention in care was based on data for PLWH who had at least 1 outpatient ambulatory health services visit by September 1 of the measurement year, with a second visit at least 90 days after.

^a Hispanics/Latinos can be of any race.^b Heterosexual contact with a person known to have, or to be at high risk for, HIV infection.^c Includes hemophilia and blood transfusion.^d Includes any sexual transmission risk category reported by transgender clients.^e Data collected in 2014–2017 used different categories than previous years. See Technical Notes for additional details.^f Because column totals were calculated independently of the values for the subpopulations, the values in each column may not sum to the column total.

Table 10. Viral suppression among Ryan White HIV/AIDS Program clients (non-ADAP), by year and selected characteristics, 2013–2017—United States and 3 territories

		2013			2014			2015			2016			2017		
		Viral suppression			Viral suppression			Viral suppression			Viral suppression			Viral suppression		
		Total No.	No.	%	Total No.	No.	%									
39	Age group (yr)															
	<13	1,040	834	80.2	1,021	856	83.8	1,115	938	84.1	1,017	861	84.7	854	731	85.6
	13–14	344	257	74.7	319	265	83.1	360	286	79.4	305	250	82.0	296	258	87.2
	15–19	2,470	1,488	60.2	2,329	1,497	64.3	2,361	1,627	68.9	2,232	1,602	71.8	2,076	1,538	74.1
	20–24	14,207	8,474	59.6	13,591	8,726	64.2	14,291	9,754	68.3	13,517	9,564	70.8	13,052	9,633	73.8
	25–29	23,191	15,682	67.6	24,238	17,167	70.8	28,547	21,001	73.6	29,478	22,298	75.6	31,166	24,133	77.4
	30–34	26,644	19,397	72.8	26,329	20,034	76.1	30,964	24,041	77.6	31,846	25,262	79.3	34,109	27,346	80.2
	35–39	28,507	21,679	76.0	28,366	22,286	78.6	33,595	27,045	80.5	34,435	28,106	81.6	35,676	29,580	82.9
	40–44	36,814	29,003	78.8	34,226	27,803	81.2	37,409	30,957	82.8	35,619	29,969	84.1	35,869	30,409	84.8
	45–49	48,146	38,876	80.7	44,591	37,160	83.3	50,514	42,877	84.9	47,641	41,035	86.1	46,105	40,053	86.9
	50–54	46,029	38,296	83.2	47,013	40,236	85.6	57,393	49,746	86.7	56,886	50,018	87.9	56,337	49,824	88.4
	55–59	30,441	26,050	85.6	32,309	28,364	87.8	42,217	37,551	88.9	44,796	40,339	90.1	47,997	43,342	90.3
	60–64	16,089	14,179	88.1	18,002	16,199	90.0	24,388	22,111	90.7	27,006	24,727	91.6	30,129	27,846	92.4
	≥65	9,745	8,830	90.6	11,369	10,458	92.0	16,931	15,688	92.7	19,380	18,193	93.9	22,701	21,408	94.3
	Race/ethnicity															
	American Indian/Alaska Native	1,263	986	78.1	1,192	989	83.0	1,410	1,156	82.0	1,516	1,259	83.0	1,649	1,392	84.4
	Asian	3,320	2,908	87.6	3,424	3,050	89.1	4,485	4,063	90.6	4,709	4,346	92.3	5,027	4,671	92.9
	Black/African American	132,115	97,658	73.9	132,079	101,827	77.1	160,675	127,649	79.4	165,330	134,387	81.3	172,393	142,410	82.6
	Hispanic/Latino ^a	67,673	55,084	81.4	69,183	58,086	84.0	80,694	69,142	85.7	81,498	71,034	87.2	84,123	73,939	87.9
	Native Hawaiian/Pacific Islander	427	328	76.8	392	317	80.9	474	397	83.8	493	418	84.8	519	443	85.4
	White	71,841	60,556	84.3	70,112	60,734	86.6	86,305	76,214	88.3	86,350	77,232	89.4	87,941	79,278	90.1
	Multiple races	4,548	3,567	78.4	5,343	4,425	82.8	4,587	3,775	82.3	2,938	2,435	82.9	3,360	2,838	84.5
	Gender															
	Male	200,207	158,779	79.3	200,093	164,193	82.1	241,578	202,692	83.9	243,838	208,132	85.4	252,714	218,008	86.3
	Female	80,897	62,420	77.2	80,865	64,837	80.2	94,478	77,800	82.3	95,648	80,379	84.0	97,807	83,362	85.2
	Transgender MTF	2,353	1,693	72.0	2,512	1,856	73.9	3,289	2,532	77.0	3,952	3,123	79.0	5,170	4,163	80.5
	Transgender FTM	64	52	81.3	82	59	72.0	208	172	82.7	290	244	84.1	606	509	84.0
	Transgender unknown	121	86	71.1	125	98	78.4	4	3	75.0	1	1	100.0	75	64	85.3
	Transmission risk category															
	Male client															
	Male-to-male sexual contact	116,531	93,518	80.3	118,918	98,633	82.9	146,480	124,097	84.7	148,616	127,994	86.1	154,901	134,714	87.0
	Injection drug use	14,372	11,383	79.2	12,835	10,498	81.8	14,738	12,350	83.8	13,532	11,626	85.9	13,685	11,827	86.4
	Male-to-male sexual contact and injection drug use	5,711	4,415	77.3	5,976	4,766	79.8	6,667	5,469	82.0	6,118	5,095	83.3	7,276	6,116	84.1
	Heterosexual contact ^b	46,274	36,181	78.2	47,853	38,869	81.2	58,258	48,387	83.1	58,666	49,582	84.5	59,702	51,133	85.6
	Perinatal infection	2,484	1,591	64.0	2,438	1,679	68.9	2,679	1,864	69.6	2,614	1,880	71.9	2,559	1,878	73.4
	Other ^c	1,305	1,121	85.9	1,104	964	87.3	1,417	1,270	89.6	1,341	1,225	91.3	1,354	1,227	90.6
	Female client															
	Injection drug use	7,690	5,928	77.1	6,967	5,554	79.7	7,890	6,398	81.1	7,092	5,919	83.5	7,390	6,262	84.7
	Heterosexual contact ^b	64,079	49,818	77.7	65,380	52,855	80.8	77,676	64,455	83.0	78,835	66,723	84.6	81,396	69,913	85.9
	Perinatal infection	3,041	1,955	64.3	3,112	2,116	68.0	3,469	2,422	69.8	3,417	2,424	70.9	3,371	2,438	72.3
	Other ^c	965	824	85.4	875	740	84.6	1,008	876	86.9	1,028	917	89.2	986	874	88.6
	Transgender client															
	Sexual contact ^d	2,147	1,552	72.3	2,327	1,731	74.4	2,968	2,317	78.1	3,473	2,771	79.8	4,775	3,873	81.1
	Injection drug use	30	22	73.3	27	20	74.1	49	32	65.3	50	41	82.0	71	62	87.3
	Sexual contact ^d and injection drug use	120	83	69.2	125	90	72.0	153	120	78.4	153	129	84.3	244	191	78.3
	Perinatal infection	4	1	25.0	8	4	50.0	12	7	58.3	14	7	50.0	36	28	77.8
	Other ^c	10	7	70.0	7	6	85.7	9	4	44.4	13	10	76.9	22	19	86.4

Table 10. Viral suppression among Ryan White HIV/AIDS Program clients (non-ADAP), by year and selected characteristics, 2013–2017—United States and 3 territories (cont.)

		2013			2014			2015			2016			2017					
		Viral suppression		Total No.	Viral suppression														
		No.	%		No.	%		No.	%		No.	%		No.	%		No.	%	
	Federal poverty level^e																		
	0–100%	184,640	139,850	75.7	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	101–200%	59,759	50,161	83.9	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	201–300%	18,198	15,632	85.9	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	>300%	11,793	10,360	87.8	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	0–100%	—	—	—	176,449	139,172	78.9	219,389	176,888	80.6	215,396	177,149	82.2	219,974	183,370	83.4	—	—	—
	101–138%	—	—	—	32,830	27,881	84.9	39,110	34,058	87.1	39,265	34,580	88.1	39,137	34,830	89.0	—	—	—
	139–250%	—	—	—	39,535	34,563	87.4	47,470	42,130	88.8	51,620	46,148	89.4	55,292	49,856	90.2	—	—	—
	251–400%	—	—	—	14,462	12,617	87.2	18,313	16,595	90.6	21,091	19,343	91.7	21,461	19,764	92.1	—	—	—
	>400%	—	—	—	8,535	7,279	85.3	8,287	7,619	91.9	9,299	8,644	93.0	10,411	9,744	93.6	—	—	—
	Health care coverage^e																		
	Private only	32,774	28,112	85.8	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Medicare only	21,149	17,811	84.2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Medicaid only	63,294	47,178	74.5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Other public	25,763	20,445	79.4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Other private	3,346	2,670	79.8	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	No coverage	91,184	68,718	75.4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Multiple coverages	40,769	34,007	83.4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Private employer	—	—	—	17,865	15,768	88.3	31,075	27,617	88.9	32,988	29,938	90.8	37,008	34,092	92.1	—	—	—
	Private individual	—	—	—	14,696	12,909	87.8	23,834	21,271	89.2	26,042	23,498	90.2	26,868	24,564	91.4	—	—	—
	Medicare	—	—	—	24,566	21,474	87.4	34,127	30,116	88.2	35,010	31,318	89.5	37,045	33,434	90.3	—	—	—
	Medicaid	—	—	—	88,553	69,748	78.8	106,911	85,690	80.2	110,349	90,513	82.0	110,353	91,731	83.1	—	—	—
	Medicare and Medicaid	—	—	—	18,300	15,722	85.9	24,471	21,399	87.4	24,413	21,648	88.7	24,397	21,675	88.8	—	—	—
	Veterans Administration	—	—	—	419	375	89.5	436	384	88.1	449	389	86.6	445	399	89.7	—	—	—
	Indian Health Service	—	—	—	69	56	81.2	149	125	83.9	118	95	80.5	147	124	84.4	—	—	—
	Other plan	—	—	—	11,259	9,408	83.6	6,857	5,948	86.7	5,609	4,859	86.6	5,823	5,032	86.4	—	—	—
	No coverage	—	—	—	83,454	64,573	77.4	73,120	56,915	77.8	73,304	58,106	79.3	77,767	62,586	80.5	—	—	—
	Multiple coverages	—	—	—	19,956	17,218	86.3	36,210	31,748	87.7	34,109	30,366	89.0	33,290	29,832	89.6	—	—	—
	Housing status																		
	Stable	229,596	183,930	80.1	233,438	193,210	82.8	288,018	243,742	84.6	295,956	254,789	86.1	310,180	270,438	87.2	—	—	—
	Temporary	34,219	25,155	73.5	34,012	26,189	77.0	32,457	25,458	78.4	28,516	22,502	78.9	25,292	19,983	79.0	—	—	—
	Unstable	9,341	6,007	64.3	10,621	7,124	67.1	13,996	9,699	69.3	14,408	10,368	72.0	14,911	10,622	71.2	—	—	—
	Total^f	283,669	223,046	78.6	283,811	231,140	81.4	340,085	283,622	83.4	344,158	292,224	84.9	356,377	306,111	85.9	—	—	—

Abbreviations: FTM, female-to-male; MTF, male-to-female.

Viral suppression was based on data for PLWH who had at least 1 outpatient ambulatory health services visit during the measurement year and whose most recent viral load test result was <200 copies/mL.

^a Hispanics/Latinos can be of any race.^b Heterosexual contact with a person known to have, or to be at high risk for, HIV infection.^c Includes hemophilia and blood transfusion.^d Includes any sexual transmission risk category reported by transgender clients.^e Data collected in 2014–2017 used different categories than previous years. See Technical Notes for additional details.^f Because column totals were calculated independently of the values for the subpopulations, the values in each column may not sum to the column total.

Table 11a. Retention in care among women (aged 13 years and older) served by the Ryan White HIV/AIDS Program (non-ADAP), by race/ethnicity and selected characteristics, 2017—United States and 3 territories

	American Indian/ Alaska Native		Asian		Black/ African American			Hispanic/Latino ^a			Native Hawaiian/ Pacific Islander			White			Multiple races			Total ^b				
	Total No.	Retained No.	Total No.	Retained No.	Total No.	Retained No.	Total No.	Retained No.	Total No.	Retained No.	Total No.	Retained No.	Total No.	Retained No.	Total No.	Retained No.	Total No.	Retained No.	Total No.	Retained No.	Total No.	Retained No.		
		%		%		%		%		%		%		%		%		%		%		%		
Age group (yr)																								
13–14	0	—	—	12	11	91.7	103	92	89.3	28	28	100.0	0	—	—	15	10	66.7	6	100.0	164	147	89.6	
15–19	2	1	50.0	13	12	92.3	494	403	81.6	126	110	87.3	0	—	—	54	46	85.2	15	13	86.7	706	586	83.0
20–24	1	1	100.0	19	14	73.7	1,600	1,249	78.1	399	317	79.4	1	1	100.0	259	193	74.5	39	29	74.4	2,327	1,811	77.8
25–29	22	17	77.3	46	34	73.9	3,038	2,282	75.1	830	654	78.8	4	3	75.0	771	560	72.6	51	37	72.5	4,775	3,597	75.3
30–34	28	17	60.7	114	89	78.1	4,211	3,217	76.4	1,199	962	80.2	10	7	70.0	1,027	741	72.2	58	37	63.8	6,668	5,087	76.3
35–39	56	42	75.0	186	162	87.1	5,837	4,584	78.5	1,833	1,505	82.1	12	10	83.3	1,405	1,080	76.9	92	68	73.9	9,445	7,468	79.1
40–44	43	30	69.8	168	147	87.5	6,886	5,530	80.3	2,362	1,993	84.4	12	10	83.3	1,593	1,227	77.0	74	58	78.4	11,176	9,022	80.7
45–49	55	45	81.8	137	107	78.1	8,398	6,917	82.4	2,741	2,383	86.9	10	7	70.0	2,227	1,769	79.4	98	80	81.6	13,700	11,336	82.7
50–54	65	49	75.4	96	77	80.2	9,754	8,208	84.2	3,080	2,660	86.4	16	14	87.5	2,418	1,958	81.0	113	98	86.7	15,595	13,102	84.0
55–59	57	44	77.2	75	69	92.0	8,507	7,273	85.5	2,813	2,487	88.4	10	9	90.0	2,070	1,706	82.4	107	86	80.4	13,669	11,697	85.6
60–64	39	31	79.5	52	46	88.5	5,649	4,864	86.1	1,795	1,604	89.4	8	6	75.0	1,231	1,029	83.6	73	59	80.8	8,875	7,663	86.3
≥65	28	22	78.6	60	54	90.0	4,309	3,759	87.2	1,589	1,440	90.6	6	5	83.3	943	779	82.6	50	40	80.0	7,013	6,120	87.3
Transmission risk category																								
Injection drug use	77	63	81.8	16	13	81.3	3,335	2,809	84.2	1,284	1,077	83.9	8	5	62.5	2,371	1,870	78.9	99	80	80.8	7,207	5,927	82.2
Heterosexual contact ^c	291	213	73.2	833	699	83.9	50,240	41,503	82.6	15,856	13,712	86.5	70	59	84.3	10,699	8,521	79.6	595	471	79.2	78,706	65,278	82.9
Perinatal infection	3	2	66.7	33	28	84.8	1,824	1,482	81.3	622	525	84.4	1	1	100.0	282	218	77.3	49	38	77.6	2,820	2,299	81.5
Other ^d	1	1	100.0	38	33	86.8	511	397	77.7	212	186	87.7	0	—	—	168	130	77.4	14	8	57.1	946	757	80.0
HHS region^e																								
Region 1	12	9	75.0	51	42	82.4	1,703	1,373	80.6	1,415	1,177	83.2	2	1	50.0	928	706	76.1	23	19	82.6	4,150	3,334	80.3
Region 2	23	21	91.3	135	119	88.1	7,593	6,497	85.6	7,323	6,407	87.5	11	9	81.8	1,355	1,134	83.7	76	64	84.2	16,657	14,368	86.3
Region 3	20	15	75.0	95	81	85.3	10,751	8,861	82.4	1,418	1,229	86.7	5	4	80.0	1,774	1,423	80.2	153	124	81.0	14,255	11,765	82.5
Region 4	72	59	81.9	150	130	86.7	21,539	18,115	84.1	2,360	2,053	87.0	8	8	100.0	4,346	3,549	81.7	215	170	79.1	28,705	24,093	83.9
Region 5	51	35	68.6	110	91	82.7	5,652	4,385	77.6	918	775	84.4	6	5	83.3	1,464	1,128	77.0	92	63	68.5	8,310	6,493	78.1
Region 6	49	39	79.6	114	95	83.3	6,889	5,311	77.1	2,037	1,665	81.7	10	7	70.0	1,449	1,047	72.3	83	64	77.1	10,632	8,229	77.4
Region 7	6	6	100.0	27	22	81.5	898	750	83.5	96	71	74.0	2	2	100.0	352	254	72.2	27	21	77.8	1,408	1,126	80.0
Region 8	29	16	55.2	38	30	78.9	414	353	85.3	241	205	85.1	4	4	100.0	360	273	75.8	16	9	56.3	1,110	895	80.6
Region 9	48	40	83.3	200	168	84.0	1,932	1,558	80.6	2,622	2,266	86.4	36	27	75.0	1,369	1,107	80.9	55	45	81.8	6,287	5,231	83.2
Region 10	81	56	69.1	47	36	76.6	399	331	83.0	129	100	77.5	4	4	100.0	299	245	81.9	22	20	90.9	999	807	80.8
Federal poverty level																								
0–100%	321	242	75.4	572	490	85.7	40,900	33,710	82.4	14,446	12,468	86.3	61	49	80.3	9,028	7,133	79.0	532	418	78.6	66,031	54,648	82.8
101–138%	28	20	71.4	105	85	81.0	6,011	5,017	83.5	1,692	1,450	85.7	6	5	83.3	1,548	1,218	78.7	78	64	82.1	9,502	7,882	83.0
139–250%	29	24	82.8	180	148	82.2	7,257	6,073	83.7	1,787	1,559	87.2	14	13	92.9	1,914	1,562	81.6	96	80	83.3	11,308	9,485	83.9
251–400%	8	6	75.0	61	53	86.9	2,136	1,702	79.7	448	374	83.5	3	3	100.0	714	574	80.4	34	24	70.6	3,413	2,742	80.3
>400%	5	3	60.0	21	14	66.7	606	477	78.7	124	95	76.6	3	1	33.3	307	241	78.5	9	7	77.8	1,083	845	78.0

Table 11a. Retention in care among women (aged 13 years and older) served by the Ryan White HIV/AIDS Program (non-ADAP), by race/ethnicity and selected characteristics, 2017—United States and 3 territories (cont.)

	American Indian/ Alaska Native			Asian			Black/ African American			Hispanic/Latino ^a			Native Hawaiian/ Pacific Islander			White			Multiple races			Total ^b			
	Total No.	Retained No.	Retained %	Total No.	Retained No.	Retained %	Total No.	Retained No.	Retained %	Total No.	Retained No.	Retained %	Total No.	Retained No.	Retained %	Total No.	Retained No.	Retained %	Total No.	Retained No.	Retained %	Total No.	Retained No.	Retained %	
Health care coverage																									
Private employer	17	14	82.4	133	111	83.5	4,948	4,031	81.5	773	648	83.8	2	2	100.0	1,406	1,115	79.3	44	32	72.7	7,347	5,971	81.3	
Private individual	17	12	70.6	79	61	77.2	3,365	2,733	81.2	673	542	80.5	3	3	100.0	937	714	76.2	48	38	79.2	5,137	4,112	80.0	
Medicare	27	21	77.8	39	32	82.1	6,092	5,147	84.5	1,207	1,050	87.0	5	5	100.0	1,713	1,377	80.4	83	65	78.3	9,199	7,723	84.0	
Medicaid	160	125	78.1	349	307	88.0	23,163	18,818	81.2	8,710	7,444	85.5	36	27	75.0	5,060	3,962	78.3	306	239	78.1	37,914	31,023	81.8	
Medicare and Medicaid	38	31	81.6	36	31	86.1	4,986	4,344	87.1	1,209	1,049	86.8	8	6	75.0	1,377	1,159	84.2	81	66	81.5	7,741	6,691	86.4	
Veterans Administration	2	1	50.0	4	2	50.0	48	41	85.4	7	4	57.1	0	—	—	26	24	92.3	1	1	100.0	88	73	83.0	
Indian Health Service	32	18	56.3	0	—	—	3	2	66.7	1	1	100.0	0	—	—	1	0	0.0	1	0	0.0	38	21	55.3	
Other plan	8	3	37.5	20	15	75.0	858	699	81.5	378	320	84.7	3	3	100.0	170	125	73.5	13	9	69.2	1,460	1,182	81.0	
No coverage	31	22	71.0	200	166	83.0	9,330	7,589	81.3	4,323	3,794	87.8	16	11	68.8	1,646	1,270	77.2	105	84	80.0	15,672	12,951	82.6	
Multiple coverages	59	48	81.4	107	89	83.2	5,384	4,603	85.5	1,295	1,135	87.6	12	11	91.7	1,526	1,259	82.5	87	72	82.8	8,485	7,231	85.2	
Total^b	396	299	75.5	978	822	84.0	58,786	48,378	82.3	18,795	16,143	85.9	89	72	80.9	14,013	11,098	79.2	776	611	78.7	94,113	77,636	82.5	

Retention in care was based on data for PLWH who had at least 1 outpatient ambulatory health services visit by September 1 of the measurement year, with a second visit at least 90 days after.

^a Hispanics/Latinos can be of any race.

^b Because totals were calculated independently of the values for the subpopulations, the values in each column and row may not sum to the column and row totals.

^c Heterosexual contact with a person known to have, or to be at high risk for, HIV infection.

^d Includes hemophilia and blood transfusion.

^e See Technical Notes for the states/territories in each region.

Table 11b. Viral suppression among women (aged 13 years and older) served by the Ryan White HIV/AIDS Program (non-ADAP), by race/ethnicity and selected characteristics, 2017—United States and 3 territories

	American Indian/ Alaska Native			Asian			Black/ African American			Hispanic/Latino ^a			Native Hawaiian/ Pacific Islander			White			Multiple races			Total ^b		
	Total No.	Viral suppression		Total No.	Viral suppression		Total No.	Viral suppression		Total No.	Viral suppression		Total No.	Viral suppression		Total No.	Viral suppression		Total No.	Viral suppression		Total No.	Viral suppression	
		No.	%		No.	%		No.	%		No.	%		No.	%		No.	%		No.	%		No.	%
Age group (yr)																								
13–14	0	—	—	13	12	92.3	106	93	87.7	28	25	89.3	0	—	—	19	18	94.7	6	5	83.3	174	155	89.1
15–19	1	1	100.0	13	12	92.3	520	388	74.6	133	98	73.7	1	0	0.0	59	50	84.7	14	11	78.6	744	562	75.5
20–24	2	1	50.0	20	18	90.0	1,741	1,161	66.7	438	309	70.5	2	1	50.0	276	214	77.5	41	29	70.7	2,533	1,742	68.8
25–29	23	15	65.2	50	42	84.0	3,271	2,353	71.9	884	645	73.0	5	5	100.0	824	637	77.3	52	37	71.2	5,126	3,746	73.1
30–34	28	23	82.1	121	110	90.9	4,481	3,421	76.3	1,254	1,025	81.7	11	8	72.7	1,095	868	79.3	61	51	83.6	7,072	5,520	78.1
35–39	59	42	71.2	195	188	96.4	6,128	4,917	80.2	1,915	1,580	82.5	14	10	71.4	1,490	1,199	80.5	92	73	79.3	9,916	8,029	81.0
40–44	48	30	62.5	168	159	94.6	7,178	5,902	82.2	2,423	2,081	85.9	14	12	85.7	1,672	1,375	82.2	78	66	84.6	11,621	9,661	83.1
45–49	56	46	82.1	138	130	94.2	8,722	7,370	84.5	2,800	2,453	87.6	12	9	75.0	2,296	2,008	87.5	105	82	78.1	14,161	12,121	85.6
50–54	68	57	83.8	96	91	94.8	9,972	8,612	86.4	3,120	2,808	90.0	16	15	93.8	2,474	2,209	89.3	114	102	89.5	15,914	13,935	87.6
55–59	65	60	92.3	81	77	95.1	8,696	7,678	88.3	2,844	2,601	91.5	10	9	90.0	2,084	1,926	92.4	107	101	94.4	13,921	12,482	89.7
60–64	42	33	78.6	55	53	96.4	5,744	5,242	91.3	1,811	1,682	92.9	9	7	77.8	1,237	1,174	94.9	75	71	94.7	9,003	8,290	92.1
≥65	29	27	93.1	63	61	96.8	4,402	4,102	93.2	1,603	1,515	94.5	6	6	100.0	964	929	96.4	52	48	92.3	7,150	6,718	94.0
Transmission risk category																								
Injection drug use	86	66	76.7	19	14	73.7	3,406	2,910	85.4	1,302	1,104	84.8	7	6	85.7	2,456	2,067	84.2	97	84	86.6	7,390	6,262	84.7
Heterosexual contact ^c	311	251	80.7	846	801	94.7	52,102	44,078	84.6	16,246	14,355	88.4	80	65	81.3	11,067	9,724	87.9	614	529	86.2	81,396	69,913	85.9
Perinatal infection	2	2	100.0	35	31	88.6	1,909	1,317	69.0	636	437	68.7	1	1	100.0	283	234	82.7	49	32	65.3	2,922	2,059	70.5
Other ^d	1	1	100.0	42	40	95.2	535	464	86.7	220	199	90.5	0	—	—	169	154	91.1	15	12	80.0	984	872	88.6
HHS region^e																								
Region 1	13	12	92.3	52	49	94.2	1,744	1,548	88.8	1,414	1,277	90.3	2	2	100.0	943	853	90.5	26	25	96.2	4,209	3,778	89.8
Region 2	24	21	87.5	137	127	92.7	7,745	6,502	84.0	7,394	6,418	86.8	10	8	80.0	1,340	1,179	88.0	76	60	78.9	16,873	14,440	85.6
Region 3	18	12	66.7	101	93	92.1	11,047	9,446	85.5	1,460	1,266	86.7	7	6	85.7	1,826	1,632	89.4	153	128	83.7	14,657	12,616	86.1
Region 4	79	57	72.2	154	148	96.1	22,403	18,783	83.8	2,458	2,168	88.2	11	9	81.8	4,540	3,900	85.9	220	193	87.7	29,883	25,272	84.6
Region 5	47	39	83.0	107	100	93.5	5,894	4,960	84.2	951	860	90.4	6	5	83.3	1,534	1,352	88.1	89	80	89.9	8,646	7,413	85.7
Region 6	56	40	71.4	124	114	91.9	7,266	5,829	80.2	2,175	1,829	84.1	10	10	100.0	1,537	1,246	81.1	83	68	81.9	11,252	9,136	81.2
Region 7	6	6	100.0	27	27	100.0	957	837	87.5	110	93	84.5	2	2	100.0	373	345	92.5	31	28	90.3	1,506	1,338	88.8
Region 8	26	21	80.8	37	34	91.9	425	378	88.9	245	214	87.3	5	5	100.0	379	326	86.0	14	11	78.6	1,139	997	87.5
Region 9	58	50	86.2	215	204	94.9	2,000	1,709	85.5	2,665	2,364	88.7	41	30	73.2	1,362	1,199	88.0	64	52	81.3	6,435	5,631	87.5
Region 10	90	73	81.1	47	46	97.9	414	379	91.5	131	119	90.8	5	4	80.0	318	286	89.9	25	19	76.0	1,048	941	89.8
Federal poverty level																								
0–100%	338	264	78.1	592	555	93.8	42,595	35,105	82.4	14,792	12,808	86.6	68	54	79.4	9,374	7,914	84.4	554	462	83.4	68,500	57,313	83.7
101–138%	29	26	89.7	109	100	91.7	6,192	5,390	87.0	1,743	1,572	90.2	7	6	85.7	1,590	1,435	90.3	80	72	90.0	9,789	8,635	88.2
139–250%	35	27	77.1	190	185	97.4	7,519	6,697	89.1	1,865	1,686	90.4	16	15	93.8	1,987	1,852	93.2	95	85	89.5	11,736	10,569	90.1
251–400%	9	9	100.0	63	59	93.7	2,183	1,981	90.7	462	425	92.0	4	3	75.0	732	692	94.5	35	31	88.6	3,499	3,210	91.7
>400%	5	5	100.0	24	23	95.8	630	573	91.0	126	114	90.5	2	2	100.0	321	303	94.4	11	9	81.8	1,128	1,038	92.0

Table 11b. Viral suppression among women (aged 13 years and older) served by the Ryan White HIV/AIDS Program (non-ADAP), by race/ethnicity and selected characteristics, 2017—United States and 3 territories (cont.)

	American Indian/ Alaska Native			Asian			Black/ African American			Hispanic/Latino ^a			Native Hawaiian/ Pacific Islander			White			Multiple races			Total ^b		
	Viral suppression		Total No.	Viral suppression		Total No.	Viral suppression		Total No.	Viral suppression		Total No.	Viral suppression		Total No.	Viral suppression		Total No.	Viral suppression		Total No.	Viral suppression		
	No.	%		No.	%		No.	%		No.	%		No.	%		No.	%		No.	%		No.	%	
Health care coverage																								
Private employer	20	16	80.0	135	131	97.0	5,097	4,568	89.6	794	729	91.8	6	5	83.3	1,446	1,348	93.2	46	45	97.8	7,570	6,866	90.7
Private individual	18	13	72.2	85	82	96.5	3,461	3,135	90.6	683	608	89.0	3	2	66.7	951	891	93.7	49	42	85.7	5,265	4,787	90.9
Medicare	30	27	90.0	40	37	92.5	6,211	5,481	88.2	1,244	1,155	92.8	5	5	100.0	1,751	1,604	91.6	83	72	86.7	9,398	8,413	89.5
Medicaid	162	129	79.6	357	333	93.3	24,047	19,432	80.8	8,838	7,575	85.7	38	32	84.2	5,221	4,350	83.3	314	255	81.2	39,114	32,207	82.3
Medicare and Medicaid	37	29	78.4	34	33	97.1	5,085	4,437	87.3	1,211	1,090	90.0	9	8	88.9	1,410	1,275	90.4	82	73	89.0	7,874	6,951	88.3
Veterans Administration	2	2	100.0	6	5	83.3	49	44	89.8	8	8	100.0	0	—	—	25	21	84.0	1	1	100.0	91	81	89.0
Indian Health Service	35	28	80.0	0	—	—	3	3	100.0	1	1	100.0	0	—	—	1	1	100.0	1	1	100.0	41	34	82.9
Other plan	6	6	100.0	21	19	90.5	878	734	83.6	401	360	89.8	3	1	33.3	175	151	86.3	14	12	85.7	1,509	1,292	85.6
No coverage	34	23	67.6	213	196	92.0	10,025	8,086	80.7	4,526	3,928	86.8	19	14	73.7	1,797	1,395	77.6	110	91	82.7	16,748	13,753	82.1
Multiple coverages	71	56	78.9	112	108	96.4	5,531	4,861	87.9	1,333	1,189	89.2	13	11	84.6	1,586	1,467	92.5	93	80	86.0	8,754	7,785	88.9
Total^b	421	335	79.6	1,013	953	94.1	60,961	51,239	84.1	19,253	16,822	87.4	100	82	82.0	14,490	12,607	87.0	797	676	84.8	97,335	82,961	85.2

Viral suppression was based on data for PLWH who had at least 1 outpatient ambulatory health services visit during the measurement year and whose most recent viral load test result was <200 copies/mL.

^a Hispanics/Latinos can be of any race.

^b Because totals were calculated independently of the values for the subpopulations, the values in each column and row may not sum to the column and row totals.

^c Heterosexual contact with a person known to have, or to be at high risk for, HIV infection.

^d Includes hemophilia and blood transfusion.

^e See Technical Notes for the states/territories in each region.

Table 12a. Retention in care among men (aged 13 years and older) served by the Ryan White HIV/AIDS Program (non-ADAP), by race/ethnicity and selected characteristics, 2017—United States and 3 territories

	American Indian/ Alaska Native			Asian			Black/ African American			Hispanic/Latino ^a			Native Hawaiian/ Pacific Islander			White			Multiple races			Total ^b			
	Total No.	Retained		Total No.	Retained		Total No.	Retained		Total No.	Retained		Total No.	Retained		Total No.	Retained		Total No.	Retained		Total No.	Retained		
	Age group (yr)	No.	%	No.	%	No.	No.	%	No.	No.	%	No.	No.	%	No.	No.	%	No.	No.	%	No.	No.	%	Total No.	Retained
13–14	0	—	—	5	5	100.0	85	80	94.1	8	8	100.0	1	1	100.0	10	9	90.0	2	2	100.0	112	106	94.6	
15–19	2	1	50.0	13	11	84.6	723	564	78.0	215	173	80.5	4	4	100.0	93	70	75.3	14	11	78.6	1,067	835	78.3	
20–24	39	27	69.2	143	112	78.3	5,450	4,041	74.1	2,082	1,550	74.4	11	7	63.6	1,163	849	73.0	137	107	78.1	9,059	6,713	74.1	
25–29	110	75	68.2	396	307	77.5	12,810	9,343	72.9	5,263	4,018	76.3	40	23	57.5	3,831	2,792	72.9	334	240	71.9	22,896	16,867	73.7	
30–34	105	66	62.9	424	328	77.4	11,593	8,590	74.1	6,599	5,217	79.1	48	33	68.8	5,133	3,810	74.2	265	186	70.2	24,274	18,298	75.4	
35–39	120	86	71.7	444	369	83.1	9,428	7,114	75.5	7,309	5,868	80.3	47	39	83.0	5,877	4,457	75.8	220	153	69.5	23,548	18,160	77.1	
40–44	110	81	73.6	555	466	84.0	7,990	6,250	78.2	7,434	6,165	82.9	43	32	74.4	6,015	4,610	76.6	207	164	79.2	22,460	17,847	79.5	
45–49	155	112	72.3	626	509	81.3	10,836	8,591	79.3	8,579	7,220	84.2	45	35	77.8	9,481	7,450	78.6	266	204	76.7	30,100	24,204	80.4	
50–54	201	162	80.6	467	408	87.4	14,689	12,057	82.1	9,201	7,861	85.4	51	40	78.4	13,571	10,986	81.0	318	264	83.0	38,628	31,869	82.5	
55–59	152	124	81.6	282	259	91.8	13,484	11,254	83.5	6,707	5,820	86.8	37	36	97.3	11,856	9,813	82.8	268	222	82.8	32,881	27,599	83.9	
60–64	74	63	85.1	189	166	87.8	8,827	7,511	85.1	4,002	3,507	87.6	21	17	81.0	7,209	6,114	84.8	175	154	88.0	20,567	17,588	85.5	
≥65	36	31	86.1	147	127	86.4	6,337	5,472	86.4	3,031	2,728	90.0	10	9	90.0	5,601	4,764	85.1	102	88	86.3	15,318	13,262	86.6	
Transmission risk category																									
Male-to-male sexual contact	706	531	75.2	2,304	1,883	81.7	54,079	42,246	78.1	37,001	30,675	82.9	252	191	75.8	51,345	41,415	80.7	1,550	1,198	77.3	147,667	118,455	80.2	
Injection drug use	62	45	72.6	117	102	87.2	5,566	4,579	82.3	3,783	3,191	84.4	11	11	100.0	3,671	2,826	77.0	114	87	76.3	13,338	10,850	81.3	
Male-to-male sexual contact and injection drug use	89	65	73.0	53	47	88.7	1,529	1,247	81.6	1,306	1,023	78.3	19	14	73.7	3,865	3,006	77.8	115	90	78.3	6,989	5,501	78.7	
Heterosexual contact ^c	169	129	76.3	874	754	86.3	33,938	27,423	80.8	14,613	12,426	85.0	38	28	73.7	7,134	5,642	79.1	419	334	79.7	57,290	46,819	81.7	
Perinatal infection	4	2	50.0	15	15	100.0	1,335	1,066	79.9	484	384	79.3	8	7	87.5	235	188	80.0	33	29	87.9	2,118	1,694	80.0	
Other ^d	10	7	70.0	71	59	83.1	409	320	78.2	273	223	81.7	4	3	75.0	508	401	78.9	14	12	85.7	1,291	1,027	79.6	
HHS region^e																									
Region 1	20	15	75.0	153	124	81.0	1,860	1,476	79.4	2,331	1,908	81.9	4	3	75.0	4,076	3,203	78.6	97	66	68.0	8,611	6,834	79.4	
Region 2	71	61	85.9	620	562	90.6	9,903	8,168	82.5	15,043	13,124	87.2	33	25	75.8	4,759	3,955	83.1	299	254	84.9	31,135	26,454	85.0	
Region 3	39	26	66.7	290	243	83.8	17,217	13,526	78.6	3,035	2,427	80.0	25	20	80.0	7,567	6,093	80.5	264	209	79.2	28,572	22,646	79.3	
Region 4	178	144	80.9	375	313	83.5	37,459	30,618	81.7	8,595	7,193	83.7	39	35	89.7	17,739	14,785	83.3	495	393	79.4	64,914	53,495	82.4	
Region 5	89	63	70.8	379	298	78.6	13,028	9,766	75.0	4,119	3,289	79.8	18	12	66.7	8,540	6,368	74.6	284	221	77.8	26,492	20,037	75.6	
Region 6	205	144	70.2	345	269	78.0	12,061	8,927	74.0	9,506	7,527	79.2	32	23	71.9	7,862	5,956	75.8	253	190	75.1	30,289	23,053	76.1	
Region 7	13	12	92.3	78	68	87.2	1,800	1,387	77.1	461	360	78.1	6	2	33.3	2,265	1,747	77.1	71	49	69.0	4,695	3,626	77.2	
Region 8	80	60	75.0	73	61	83.6	625	500	80.0	1,122	945	84.2	4	4	100.0	2,918	2,360	80.9	69	52	75.4	4,907	3,993	81.4	
Region 9	218	162	74.3	1,161	942	81.1	5,015	3,820	76.2	14,512	11,940	82.3	175	134	76.6	9,662	7,712	79.8	320	236	73.8	31,217	25,060	80.3	
Region 10	176	129	73.3	156	133	85.3	669	556	83.1	777	650	83.7	20	16	80.0	2,442	1,991	81.5	113	93	82.3	4,403	3,601	81.8	
Federal poverty level																									
0–100%	693	517	74.6	1,878	1,573	83.8	65,352	51,456	78.7	37,356	31,204	83.5	192	147	76.6	32,601	25,715	78.9	1,348	1,028	76.3	139,913	112,000	80.0	
101–138%	116	83	71.6	411	356	86.6	10,853	8,826	81.3	6,921	5,846	84.5	38	28	73.7	8,870	7,259	81.8	296	240	81.1	27,568	22,687	82.3	
139–250%	156	121	77.6	751	616	82.0	15,228	12,223	80.3	10,372	8,586	82.8	62	50	80.6	13,925	11,288	81.1	400	327	81.8	41,005	33,291	81.2	
251–400%	67	49	73.1	336	268	79.8	5,900	4,747	80.5	3,454	2,747	79.5	28	19	67.9	6,951	5,608	80.7	152	116	76.3	16,956	13,602	80.2	
>400%	37	31	83.8	203	164	80.8	2,185	1,737	79.5	1,343	1,078	80.3	19	17	89.5	4,562	3,677	80.6	57	45	78.9	8,463	6,795	80.3	

Table 12a. Retention in care among men (aged 13 years and older) served by the Ryan White HIV/AIDS Program (non-ADAP), by race/ethnicity and selected characteristics, 2017—United States and 3 territories (cont.)

	American Indian/ Alaska Native			Asian			Black/ African American			Hispanic/Latino ^a			Native Hawaiian/ Pacific Islander			White			Multiple races			Total ^b		
	Total No.	Retained No.	Retained %	Total No.	Retained No.	Retained %	Total No.	Retained No.	Retained %	Total No.	Retained No.	Retained %	Total No.	Retained No.	Retained %	Total No.	Retained No.	Retained %	Total No.	Retained No.	Retained %	Total No.	Retained No.	Retained %
Health care coverage																								
Private employer	114	90	78.9	463	366	79.0	10,646	8,392	78.8	4,394	3,482	79.2	53	38	71.7	11,445	9,074	79.3	205	164	80.0	27,409	21,666	79.0
Private individual	101	68	67.3	472	372	78.8	7,826	6,049	77.3	3,584	2,764	77.1	26	21	80.8	8,111	6,353	78.3	225	163	72.4	20,457	15,867	77.6
Medicare	123	101	82.1	161	141	87.6	11,616	9,704	83.5	3,625	3,028	83.5	25	20	80.0	10,796	8,945	82.9	248	204	82.3	26,678	22,212	83.3
Medicaid	309	232	75.1	1,055	906	85.9	30,404	23,732	78.1	18,712	15,611	83.4	114	86	75.4	14,036	10,969	78.1	713	547	76.7	65,718	52,362	79.7
Medicare and Medicaid	71	60	84.5	138	127	92.0	7,405	6,431	86.8	2,917	2,524	86.5	19	16	84.2	5,313	4,535	85.4	166	144	86.7	16,045	13,852	86.3
Veterans Administration	1	1	100.0	2	0	0.0	119	72	60.5	19	17	89.5	0	—	—	180	129	71.7	10	7	70.0	332	227	68.4
Indian Health Service	77	45	58.4	1	1	100.0	10	7	70.0	3	0	0.0	0	—	—	3	1	33.3	3	2	66.7	98	57	58.2
Other plan	10	9	90.0	99	71	71.7	1,305	975	74.7	1,453	1,168	80.4	13	13	100.0	991	704	71.0	45	34	75.6	3,955	3,006	76.0
No coverage	148	100	67.6	861	703	81.6	23,123	17,600	76.1	20,567	17,274	84.0	62	47	75.8	9,424	7,279	77.2	409	310	75.8	54,690	43,363	79.3
Multiple coverages	139	113	81.3	400	349	87.3	8,885	7,408	83.4	4,716	3,964	84.1	40	29	72.5	8,805	7,272	82.6	266	209	78.6	23,298	19,382	83.2
Total^b	1,104	828	75.0	3,691	3,067	83.1	102,252	80,867	79.1	60,430	50,135	83.0	358	276	77.1	69,840	55,724	79.8	2,308	1,795	77.8	240,910	193,348	80.3

Retention in care was based on data for PLWH who had at least 1 outpatient ambulatory health services visit by September 1 of the measurement year, with a second visit at least 90 days after.

^a Hispanics/Latinos can be of any race.

^b Because totals were calculated independently of the values for the subpopulations, the values in each column and row may not sum to the column and row totals.

^c Heterosexual contact with a person known to have, or to be at high risk for, HIV infection.

^d Includes hemophilia and blood transfusion.

^e See Technical Notes for the states/territories in each region.

Table 12b. Viral suppression among men (aged 13 years and older) served by the Ryan White HIV/AIDS Program (non-ADAP), by race/ethnicity and selected characteristics, 2017—United States and 3 territories

	American Indian/ Alaska Native			Asian			Black/ African American			Hispanic/Latino ^a			Native Hawaiian/ Pacific Islander			White			Multiple races			Total ^b		
	Viral suppression		Total No.	Viral suppression		Total No.	Viral suppression		Total No.	Viral suppression		Total No.	Viral suppression		Total No.	Viral suppression		Total No.	Viral suppression		Total No.	Viral suppression		
	No.	%		No.	%		No.	%		No.	%		No.	%		No.	%		No.	%		No.	%	No.
Age group (yr)																								
13–14	0	—	—	5	4	80.0	90	77	85.6	10	8	80.0	1	0	0.0	11	10	90.9	2	2	100.0	120	102	85.0
15–19	4	4	100.0	14	13	92.9	864	615	71.2	269	203	75.5	4	4	100.0	109	89	81.7	16	13	81.3	1,287	947	73.6
20–24	45	29	64.4	170	152	89.4	6,062	4,417	72.9	2,344	1,799	76.7	14	10	71.4	1,331	1,085	81.5	157	117	74.5	10,169	7,643	75.2
25–29	125	100	80.0	441	405	91.8	14,026	10,469	74.6	5,765	4,741	82.2	45	34	75.6	4,189	3,537	84.4	368	297	80.7	25,086	19,681	78.5
30–34	124	102	82.3	452	410	90.7	12,445	9,478	76.2	7,093	6,025	84.9	53	42	79.2	5,468	4,692	85.8	300	243	81.0	26,060	21,083	80.9
35–39	121	107	88.4	474	439	92.6	10,021	7,920	79.0	7,708	6,678	86.6	48	44	91.7	6,237	5,437	87.2	233	182	78.1	24,958	20,908	83.8
40–44	120	101	84.2	568	533	93.8	8,454	6,880	81.4	7,730	6,808	88.1	42	36	85.7	6,340	5,549	87.5	221	193	87.3	23,576	20,187	85.6
45–49	158	133	84.2	647	593	91.7	11,302	9,400	83.2	8,845	7,971	90.1	49	44	89.8	9,874	8,870	89.8	277	228	82.3	31,264	27,338	87.4
50–54	207	188	90.8	480	447	93.1	15,153	12,902	85.1	9,427	8,457	89.7	58	51	87.9	14,023	12,890	91.9	327	295	90.2	39,808	35,346	88.8
55–59	165	149	90.3	290	276	95.2	13,858	12,080	87.2	6,813	6,262	91.9	43	42	97.7	12,121	11,357	93.7	272	244	89.7	33,672	30,508	90.6
60–64	76	70	92.1	191	181	94.8	8,996	8,077	89.8	4,061	3,789	93.3	19	18	94.7	7,315	7,000	95.7	176	164	93.2	20,907	19,365	92.6
≥65	36	35	97.2	149	145	97.3	6,398	5,906	92.3	3,041	2,871	94.4	12	11	91.7	5,620	5,440	96.8	107	102	95.3	15,419	14,564	94.5
Transmission risk category																								
Male-to-male sexual contact	755	665	88.1	2,443	2,264	92.7	57,327	46,432	81.0	38,778	34,429	88.8	273	249	91.2	53,233	48,889	91.8	1,653	1,397	84.5	154,901	134,714	87.0
Injection drug use	67	54	80.6	121	113	93.4	5,638	4,887	86.7	3,888	3,355	86.3	13	9	69.2	3,825	3,300	86.3	120	99	82.5	13,685	11,827	86.4
Male-to-male sexual contact and injection drug use	105	86	81.9	51	47	92.2	1,606	1,302	81.1	1,368	1,149	84.0	19	16	84.2	3,986	3,404	85.4	130	104	80.0	7,276	6,116	84.1
Heterosexual contact ^c	175	151	86.3	896	840	93.8	35,507	29,611	83.4	15,116	13,365	88.4	45	30	66.7	7,415	6,655	89.8	433	379	87.5	59,702	51,133	85.6
Perinatal infection	4	3	75.0	16	14	87.5	1,380	964	69.9	499	348	69.7	8	6	75.0	248	194	78.2	35	29	82.9	2,194	1,561	71.1
Other ^d	11	10	90.9	75	74	98.7	443	384	86.7	274	245	89.4	4	3	75.0	530	494	93.2	13	13	100.0	1,352	1,225	90.6
HHS region^e																								
Region 1	21	18	85.7	157	149	94.9	1,888	1,680	89.0	2,433	2,198	90.3	5	4	80.0	4,164	3,958	95.1	106	97	91.5	8,842	8,166	92.4
Region 2	72	59	81.9	645	609	94.4	10,306	8,578	83.2	15,467	13,618	88.0	32	29	90.6	4,842	4,490	92.7	308	261	84.7	32,100	28,008	87.3
Region 3	42	35	83.3	299	277	92.6	17,777	15,165	85.3	3,190	2,818	88.3	30	25	83.3	7,856	7,327	93.3	268	226	84.3	29,605	25,999	87.8
Region 4	191	163	85.3	403	372	92.3	39,615	32,132	81.1	9,136	8,211	89.9	43	38	88.4	18,613	16,871	90.6	528	451	85.4	68,576	58,271	85.0
Region 5	89	82	92.1	404	377	93.3	13,878	11,519	83.0	4,345	3,975	91.5	18	18	100.0	9,013	8,388	93.1	309	273	88.3	28,094	24,663	87.8
Region 6	216	176	81.5	371	336	90.6	12,923	9,983	77.2	10,233	8,560	83.7	34	28	82.4	8,319	7,145	85.9	271	218	80.4	32,397	26,470	81.7
Region 7	13	13	100.0	83	75	90.4	1,988	1,651	83.0	486	438	90.1	6	6	100.0	2,455	2,221	90.5	84	74	88.1	5,117	4,480	87.6
Region 8	79	66	83.5	74	71	95.9	631	554	87.8	1,170	1,023	87.4	5	5	100.0	2,978	2,708	90.9	70	60	85.7	5,030	4,504	89.5
Region 9	252	221	87.7	1,216	1,125	92.5	5,142	4,158	80.9	14,850	13,161	88.6	191	161	84.3	9,723	8,666	89.1	351	294	83.8	31,904	27,931	87.5
Region 10	189	171	90.5	164	148	90.2	707	600	84.9	822	760	92.5	22	21	95.5	2,527	2,312	91.5	115	94	81.7	4,595	4,153	90.4
Federal poverty level																								
0–100%	743	616	82.9	1,981	1,817	91.7	68,970	54,932	79.6	38,883	33,533	86.2	211	175	82.9	34,015	29,649	87.2	1,439	1,162	80.8	146,771	122,329	83.3
101–138%	119	108	90.8	432	402	93.1	11,362	9,681	85.2	7,224	6,575	91.0	42	36	85.7	9,150	8,510	93.0	313	281	89.8	28,717	25,660	89.4
139–250%	174	156	89.7	785	744	94.8	15,989	13,768	86.1	10,919	9,946	91.1	64	57	89.1	14,357	13,483	93.9	423	386	91.3	42,827	38,640	90.2
251–400%	73	69	94.5	353	330	93.5	6,198	5,499	88.7	3,636	3,369	92.7	30	29	96.7	7,210	6,835	94.8	161	148	91.9	17,733	16,344	92.2
>400%	37	37	100.0	215	204	94.9	2,325	2,078	89.4	1,434	1,328	92.6	20	19	95.0	4,932	4,753	96.4	64	57	89.1	9,078	8,524	93.9

Table 12b. Viral suppression among men (aged 13 years and older) served by the Ryan White HIV/AIDS Program (non-ADAP), by race/ethnicity and selected characteristics, 2017—United States and 3 territories (cont.)

	American Indian/ Alaska Native			Asian			Black/ African American			Hispanic/Latino ^a			Native Hawaiian/ Pacific Islander			White			Multiple races			Total ^b		
	Total No.	No.	%	Total No.	No.	%	Total No.	No.	%	Total No.	No.	%	Total No.	No.	%	Total No.	No.	%	Total No.	No.	%	Total No.	No.	%
Health care coverage																								
Private employer	121	112	92.6	494	467	94.5	11,274	10,036	89.0	4,638	4,308	92.9	60	54	90.0	12,103	11,558	95.5	226	214	94.7	29,010	26,835	92.5
Private individual	100	89	89.0	481	453	94.2	8,162	7,203	88.3	3,759	3,498	93.1	27	25	92.6	8,356	7,859	94.1	232	206	88.8	21,240	19,446	91.6
Medicare	126	118	93.7	169	156	92.3	11,895	10,411	87.5	3,733	3,417	91.5	26	21	80.8	10,951	10,236	93.5	256	232	90.6	27,241	24,668	90.6
Medicaid	319	271	85.0	1,093	1,030	94.2	31,718	25,431	80.2	19,277	16,663	86.4	122	100	82.0	14,487	12,647	87.3	746	602	80.7	68,158	57,070	83.7
Medicare and Medicaid	76	65	85.5	138	129	93.5	7,523	6,505	86.5	2,919	2,638	90.4	18	17	94.4	5,339	4,926	92.3	168	150	89.3	16,198	14,444	89.2
Veterans Administration	1	1	100.0	2	2	100.0	129	107	82.9	21	20	95.2	0	—	—	184	173	94.0	10	8	80.0	348	312	89.7
Indian Health Service	84	72	85.7	1	1	100.0	10	6	60.0	3	3	100.0	0	—	—	3	3	100.0	2	2	100.0	104	88	84.6
Other plan	10	9	90.0	116	104	89.7	1,372	1,109	80.8	1,549	1,383	89.3	15	14	93.3	1,072	961	89.6	46	41	89.1	4,213	3,652	86.7
No coverage	167	122	73.1	919	828	90.1	25,577	18,895	73.9	21,917	18,867	86.1	68	56	82.4	10,376	8,551	82.4	475	366	77.1	59,607	47,771	80.1
Multiple coverages	167	152	91.0	425	399	93.9	9,154	7,854	85.8	4,839	4,435	91.7	46	43	93.5	9,045	8,415	93.0	279	246	88.2	24,000	21,581	89.9
Total^b	1,181	1,018	86.2	3,881	3,598	92.7	107,669	88,221	81.9	63,106	55,612	88.1	388	336	86.6	72,638	65,956	90.8	2,456	2,080	84.7	252,326	217,672	86.3

Viral suppression was based on data for PLWH who had at least 1 outpatient ambulatory health services visit during the measurement year and whose most recent viral load test result was <200 copies/mL.

^a Hispanics/Latinos can be of any race.

^b Because totals were calculated independently of the values for the subpopulations, the values in each column and row may not sum to the column and row totals.

^c Heterosexual contact with a person known to have, or to be at high risk for, HIV infection.

^d Includes hemophilia and blood transfusion.

^e See Technical Notes for the states/territories in each region.

Table 13a. Retention in care among transgender adults and adolescents (aged 13 years and older) served by the Ryan White HIV/AIDS Program (non-ADAP), by race/ethnicity and selected characteristics, 2017—United States and 3 territories

	American Indian/ Alaska Native			Asian			Black/ African American			Hispanic/Latino ^a			Native Hawaiian/ Pacific Islander			White			Multiple races			Total ^b		
	Total No.	Retained No.	Retained %	Total No.	Retained No.	Retained %	Total No.	Retained No.	Retained %	Total No.	Retained No.	Retained %	Total No.	Retained No.	Retained %	Total No.	Retained No.	Retained %	Total No.	Retained No.	Retained %	Total No.	Retained No.	Retained %
Gender																								
Transgender MTF	34	27	79.4	85	68	80.0	2,694	2,050	76.1	1,440	1,175	81.6	24	21	87.5	540	421	78.0	76	65	85.5	4,933	3,856	78.2
Transgender FTM	4	4	100.0	4	4	100.0	322	257	79.8	114	93	81.6	5	4	80.0	122	97	79.5	7	6	85.7	586	471	80.4
Transgender unknown	1	1	100.0	1	1	100.0	32	22	68.8	19	15	78.9	0	—	—	18	16	88.9	3	2	66.7	74	57	77.0
Age group (yr)																								
13–14	*	—	—	*	—	—	*	—	—	*	—	—	*	—	—	*	—	—	*	—	—	*	—	—
15–19	0	—	—	0	—	—	31	21	67.7	4	3	75.0	0	—	—	3	3	100.0	0	—	—	38	27	71.1
20–24	2	2	100.0	1	1	100.0	205	143	69.8	70	50	71.4	0	—	—	32	26	81.3	6	4	66.7	322	230	71.4
25–29	9	7	77.8	12	10	83.3	617	444	72.0	157	111	70.7	4	3	75.0	71	51	71.8	15	13	86.7	899	649	72.2
30–34	8	7	87.5	17	12	70.6	555	401	72.3	242	185	76.4	6	5	83.3	77	56	72.7	15	15	100.0	927	684	73.8
35–39	1	0	0.0	10	10	100.0	392	285	72.7	249	204	81.9	1	1	100.0	85	64	75.3	9	8	88.9	754	578	76.7
40–44	5	4	80.0	15	12	80.0	296	247	83.4	230	184	80.0	4	4	100.0	72	57	79.2	7	7	100.0	632	517	81.8
45–49	6	5	83.3	12	8	66.7	302	239	79.1	240	208	86.7	6	6	100.0	95	76	80.0	11	9	81.8	673	552	82.0
50–54	4	4	100.0	12	10	83.3	279	221	79.2	191	167	87.4	5	3	60.0	95	76	80.0	15	13	86.7	606	499	82.3
55–59	0	—	—	5	5	100.0	199	172	86.4	99	87	87.9	1	1	100.0	81	69	85.2	5	2	40.0	393	339	86.3
60–64	3	2	66.7	4	3	75.0	110	100	90.9	56	51	91.1	2	2	100.0	43	34	79.1	2	1	50.0	222	194	87.4
≥65	1	1	100.0	2	2	100.0	61	55	90.2	35	33	94.3	0	—	—	26	22	84.6	1	1	100.0	126	114	90.5
Transmission risk category																								
Sexual contact ^c	28	23	82.1	76	61	80.3	2,557	1,972	77.1	1,290	1,069	82.9	18	15	83.3	514	408	79.4	68	56	82.4	4,575	3,622	79.2
Injection drug use	1	1	100.0	1	1	100.0	29	21	72.4	14	11	78.6	1	1	100.0	23	19	82.6	1	1	100.0	70	55	78.6
Sexual contact ^c and injection drug use	5	3	60.0	4	3	75.0	92	69	75.0	68	51	75.0	1	1	100.0	46	36	78.3	11	11	100.0	227	174	76.7
Perinatal infection	0	—	—	1	1	100.0	18	14	77.8	4	4	100.0	0	—	—	7	5	71.4	0	—	—	30	24	80.0
Other ^d	0	—	—	0	—	—	8	7	87.5	7	5	71.4	0	—	—	6	5	83.3	0	—	—	21	17	81.0
HHS region^e																								
Region 1	1	1	100.0	9	8	88.9	50	38	76.0	62	47	75.8	1	1	100.0	31	23	74.2	6	5	83.3	162	124	76.5
Region 2	5	5	100.0	23	19	82.6	422	358	84.8	425	359	84.5	3	3	100.0	65	56	86.2	25	23	92.0	997	847	85.0
Region 3	5	3	60.0	5	4	80.0	597	459	76.9	109	76	69.7	2	2	100.0	58	49	84.5	9	9	100.0	795	607	76.4
Region 4	4	2	50.0	5	5	100.0	742	561	75.6	135	111	82.2	0	—	—	135	99	73.3	7	6	85.7	1,030	784	76.1
Region 5	8	7	87.5	7	6	85.7	419	296	70.6	112	86	76.8	1	1	100.0	105	77	73.3	13	7	53.8	666	481	72.2
Region 6	5	4	80.0	3	1	33.3	412	318	77.2	191	161	84.3	0	—	—	75	57	76.0	2	2	100.0	689	544	79.0
Region 7	1	1	100.0	0	—	—	79	65	82.3	9	7	77.8	1	1	100.0	32	24	75.0	1	0	0.0	123	98	79.7
Region 8	0	—	—	0	—	—	13	8	61.5	20	18	90.0	0	—	—	10	6	60.0	2	2	100.0	45	34	75.6
Region 9	5	4	80.0	34	28	82.4	226	162	71.7	459	379	82.6	17	13	76.5	120	101	84.2	10	9	90.0	873	698	80.0
Region 10	4	4	100.0	3	1	33.3	18	13	72.2	29	25	86.2	4	4	100.0	32	30	93.8	8	7	87.5	99	85	85.9
Federal poverty level																								
0–100%	26	21	80.8	52	42	80.8	2,303	1,770	76.9	1,151	948	82.4	11	9	81.8	424	334	78.8	61	52	85.2	4,063	3,202	78.8
101–138%	5	4	80.0	10	8	80.0	233	189	81.1	147	119	81.0	8	7	87.5	73	56	76.7	11	9	81.8	487	392	80.5
139–250%	2	2	100.0	11	11	100.0	254	193	76.0	188	150	79.8	5	5	100.0	97	75	77.3	8	8	100.0	571	449	78.6
251–400%	3	2	66.7	7	6	85.7	87	66	75.9	32	22	68.8	2	1	50.0	23	18	78.3	2	2	100.0	157	118	75.2
>400%	2	2	100.0	3	3	100.0	81	51	63.0	29	26	89.7	1	1	100.0	27	21	77.8	2	1	50.0	146	106	72.6

Table 13a. Retention in care among transgender adults and adolescents (aged 13 years and older) served by the Ryan White HIV/AIDS Program (non-ADAP), by race/ethnicity and selected characteristics, 2017—United States and 3 territories (cont.)

	American Indian/ Alaska Native			Asian			Black/ African American			Hispanic/Latino ^a			Native Hawaiian/ Pacific Islander			White			Multiple races			Total ^b		
	Total No.	Retained		Total No.	Retained		Total No.	Retained		Total No.	Retained		Total No.	Retained		Total No.	Retained		Total No.	Retained		Total No.	Retained	
Health care coverage																								
Private employer	0	—	—	1	0	0.0	128	103	80.5	53	42	79.2	3	2	66.7	58	41	70.7	1	1	100.0	246	191	77.6
Private individual	3	3	100.0	8	6	75.0	157	114	72.6	85	66	77.6	0	—	—	56	46	82.1	7	4	57.1	318	240	75.5
Medicare	4	4	100.0	7	6	85.7	192	148	77.1	63	50	79.4	2	2	100.0	97	78	80.4	7	5	71.4	376	297	79.0
Medicaid	15	12	80.0	40	32	80.0	1,441	1,101	76.4	634	519	81.9	17	15	88.2	240	197	82.1	44	37	84.1	2,464	1,936	78.6
Medicare and Medicaid	4	4	100.0	5	5	100.0	188	160	85.1	55	47	85.5	3	3	100.0	57	47	82.5	4	4	100.0	317	271	85.5
Veterans Administration	0	—	—	0	—	—	0	—	—	1	1	100.0	0	—	—	1	1	100.0	0	—	—	2	2	100.0
Indian Health Service	0	—	—	0	—	—	0	—	—	1	1	100.0	0	—	—	0	—	—	0	—	—	1	1	100.0
Other plan	1	1	100.0	1	1	100.0	30	19	63.3	41	29	70.7	0	—	—	8	4	50.0	1	1	100.0	83	56	67.5
No coverage	3	0	0.0	20	15	75.0	633	477	75.4	529	437	82.6	1	0	0.0	91	66	72.5	12	11	91.7	1,291	1,008	78.1
Multiple coverages	8	7	87.5	7	7	100.0	249	195	78.3	103	87	84.5	2	2	100.0	66	50	75.8	10	10	100.0	446	359	80.5
Total^b	39	32	82.1	90	73	81.1	3,048	2,329	76.4	1,573	1,283	81.6	29	25	86.2	680	534	78.5	86	73	84.9	5,593	4,384	78.4

Abbreviations: FTM, female-to-male; MTF, male-to-female.

Retention in care was based on data for PLWH who had at least 1 outpatient ambulatory health services visit by September 1 of the measurement year, with a second visit at least 90 days after.

* To ensure confidentiality, data have been suppressed.

^a Hispanics/Latinos can be of any race.

^b Because totals were calculated independently of the values for the subpopulations, the values in each column and row may not sum to the column and row totals.

^c Includes any sexual transmission risk category reported by transgender clients.

^d Includes hemophilia and blood transfusion.

^e See Technical Notes for the states/territories in each region.

Table 13b. Viral suppression among transgender adults and adolescents (aged 13 years and older) served by the Ryan White HIV/AIDS Program (non-ADAP), by race/ethnicity and selected characteristics, 2017—United States and 3 territories

	American Indian/ Alaska Native		Asian		Black/ African American			Hispanic/Latino ^a			Native Hawaiian/ Pacific Islander			White			Multiple races			Total ^b				
	Total No.	Viral suppression No.	%	Total No.	Viral suppression No.	%	Total No.	Viral suppression No.	%	Total No.	Viral suppression No.	%	Total No.	Viral suppression No.	%	Total No.	Viral suppression No.	%	Total No.	Viral suppression No.	%	Total No.	Viral suppression No.	%
Gender																								
Transgender MTF	38	31	81.6	91	79	86.8	2,816	2,163	76.8	1,513	1,298	85.8	24	19	79.2	562	481	85.6	81	62	76.5	5,168	4,161	80.5
Transgender FTM	5	4	80.0	4	4	100.0	330	275	83.3	116	93	80.2	3	3	100.0	129	113	87.6	6	5	83.3	604	507	83.9
Transgender unknown	1	1	100.0	1	1	100.0	29	23	79.3	20	16	80.0	0	—	—	20	20	100.0	3	2	66.7	75	64	85.3
Age group (yr)																								
13–14	*	—	—	*	—	—	*	—	—	*	—	—	*	—	—	*	—	—	*	—	—	*	—	—
15–19	0	—	—	0	—	—	34	22	64.7	5	4	80.0	0	—	—	6	3	50.0	0	—	—	45	29	64.4
20–24	3	2	66.7	1	1	100.0	220	148	67.3	76	63	82.9	0	—	—	34	24	70.6	7	3	42.9	350	248	70.9
25–29	10	7	70.0	14	12	85.7	653	469	71.8	165	131	79.4	3	3	100.0	79	64	81.0	16	10	62.5	954	706	74.0
30–34	11	9	81.8	19	15	78.9	579	422	72.9	257	203	79.0	7	5	71.4	79	72	91.1	14	12	85.7	976	742	76.0
35–39	1	1	100.0	11	9	81.8	420	326	77.6	260	216	83.1	0	—	—	91	76	83.5	11	9	81.8	802	643	80.2
40–44	5	5	100.0	17	15	88.2	308	246	79.9	253	222	87.7	4	3	75.0	74	62	83.8	7	5	71.4	671	560	83.5
45–49	6	5	83.3	10	9	90.0	301	262	87.0	245	213	86.9	6	4	66.7	98	88	89.8	11	10	90.9	678	592	87.3
50–54	5	4	80.0	13	12	92.3	284	240	84.5	191	176	92.1	4	4	100.0	98	90	91.8	15	12	80.0	615	543	88.3
55–59	0	—	—	5	5	100.0	202	173	85.6	105	95	90.5	1	1	100.0	82	71	86.6	6	5	83.3	404	352	87.1
60–64	2	2	100.0	4	4	100.0	109	90	82.6	56	52	92.9	2	2	100.0	42	37	88.1	2	2	100.0	219	191	87.2
≥65	1	1	100.0	2	2	100.0	63	62	98.4	36	32	88.9	0	—	—	28	27	96.4	1	1	100.0	131	125	95.4
Transmission risk category																								
Sexual contact ^c	31	24	77.4	81	69	85.2	2,663	2,062	77.4	1,350	1,162	86.1	16	16	100.0	538	463	86.1	72	57	79.2	4,775	3,873	81.1
Injection drug use	2	2	100.0	1	1	100.0	29	26	89.7	13	12	92.3	1	1	100.0	23	20	87.0	1	0	0.0	71	62	87.3
Sexual contact ^c and injection drug use	5	4	80.0	5	5	100.0	96	74	77.1	74	55	74.3	1	1	100.0	52	43	82.7	11	9	81.8	244	191	78.3
Perinatal infection	0	—	—	1	1	100.0	21	14	66.7	4	4	100.0	0	—	—	6	5	83.3	0	—	—	32	24	75.0
Other ^d	0	—	—	0	—	—	9	6	66.7	7	7	100.0	0	—	—	6	6	100.0	0	—	—	22	19	86.4
HHS region^e																								
Region 1	1	1	100.0	10	9	90.0	48	40	83.3	64	58	90.6	1	1	100.0	29	27	93.1	6	6	100.0	163	146	89.6
Region 2	5	4	80.0	23	19	82.6	419	342	81.6	442	372	84.2	3	2	66.7	63	53	84.1	26	20	76.9	1,014	834	82.2
Region 3	5	4	80.0	5	4	80.0	603	477	79.1	105	91	86.7	2	2	100.0	58	51	87.9	9	6	66.7	797	642	80.6
Region 4	5	3	60.0	5	5	100.0	780	577	74.0	149	128	85.9	0	—	—	150	119	79.3	7	6	85.7	1,099	840	76.4
Region 5	8	7	87.5	8	7	87.5	455	346	76.0	117	104	88.9	1	1	100.0	110	102	92.7	13	8	61.5	714	576	80.7
Region 6	6	5	83.3	3	2	66.7	437	347	79.4	212	172	81.1	0	—	—	83	66	79.5	2	1	50.0	744	594	79.8
Region 7	1	1	100.0	0	—	—	94	72	76.6	9	9	100.0	1	1	100.0	33	31	93.9	1	1	100.0	139	115	82.7
Region 8	0	—	—	0	—	—	16	11	68.8	24	20	83.3	0	—	—	10	9	90.0	3	1	33.3	53	41	77.4
Region 9	8	8	100.0	38	35	92.1	235	184	78.3	476	410	86.1	14	11	78.6	122	105	86.1	12	9	75.0	906	763	84.2
Region 10	4	2	50.0	3	2	66.7	17	13	76.5	29	27	93.1	5	4	80.0	34	32	94.1	7	7	100.0	100	88	88.0
Federal poverty level																								
0–100%	31	23	74.2	57	49	86.0	2,389	1,819	76.1	1,204	1,013	84.1	10	6	60.0	445	369	82.9	64	48	75.0	4,241	3,355	79.1
101–138%	5	5	100.0	11	9	81.8	239	192	80.3	160	135	84.4	7	7	100.0	76	72	94.7	11	9	81.8	509	429	84.3
139–250%	2	2	100.0	12	11	91.7	269	230	85.5	195	178	91.3	5	5	100.0	103	92	89.3	9	8	88.9	601	532	88.5
251–400%	3	3	100.0	6	6	100.0	88	75	85.2	33	31	93.9	1	1	100.0	24	22	91.7	2	2	100.0	158	141	89.2
>400%	2	2	100.0	3	2	66.7	88	71	80.7	31	31	100.0	2	1	50.0	28	25	89.3	2	2	100.0	157	134	85.4

Table 13b. Viral suppression among transgender adults and adolescents (aged 13 years and older) served by the Ryan White HIV/AIDS Program (non-ADAP), by race/ethnicity and selected characteristics, 2017—United States and 3 territories (cont.)

	American Indian/ Alaska Native			Asian			Black/ African American			Hispanic/Latino ^a			Native Hawaiian/ Pacific Islander			White			Multiple races			Total ^b			
	Viral suppression		Total No.	Viral suppression		Total No.	Viral suppression		Total No.	Viral suppression		Total No.	Viral suppression		Total No.	Viral suppression		Total No.	Viral suppression		Total No.	Viral suppression			
	No.	%	Total No.	No.	%	Total No.	No.	%	Total No.	No.	%	Total No.	No.	%	Total No.	No.	%	Total No.	No.	%	Total No.	No.	%	Total No.	No.
Health care coverage																									
Private employer	0	—	—	1	1	100.0	146	123	84.2	53	49	92.5	3	2	66.7	60	56	93.3	1	1	100.0	265	233	87.9	
Private individual	3	3	100.0	8	7	87.5	165	144	87.3	89	85	95.5	0	—	—	54	52	96.3	7	6	85.7	330	300	90.9	
Medicare	4	4	100.0	7	7	100.0	202	171	84.7	64	57	89.1	2	2	100.0	93	84	90.3	8	7	87.5	384	336	87.5	
Medicaid	16	13	81.3	42	38	90.5	1,487	1,148	77.2	655	545	83.2	16	12	75.0	253	214	84.6	46	31	67.4	2,551	2,025	79.4	
Medicare and Medicaid	4	3	75.0	5	5	100.0	190	154	81.1	56	54	96.4	3	3	100.0	58	52	89.7	4	4	100.0	321	276	86.0	
Veterans Administration	0	—	—	0	—	—	0	—	—	1	1	100.0	0	—	—	1	1	100.0	0	—	—	2	100.0		
Indian Health Service	0	—	—	0	—	—	0	—	—	1	1	100.0	0	—	—	0	—	—	0	—	—	1	100.0		
Other plan	1	1	100.0	1	1	100.0	34	28	82.4	47	40	85.1	0	—	—	10	10	100.0	1	1	100.0	95	82	86.3	
No coverage	6	3	50.0	21	14	66.7	671	466	69.4	563	469	83.3	0	—	—	108	77	71.3	12	9	75.0	1,385	1,041	75.2	
Multiple coverages	9	9	100.0	10	10	100.0	255	207	81.2	113	100	88.5	2	2	100.0	68	63	92.6	11	10	90.9	469	401	85.5	
Total^b	44	36	81.8	96	84	87.5	3,175	2,461	77.5	1,649	1,407	85.3	27	22	81.5	711	614	86.4	90	69	76.7	5,847	4,732	80.9	

Abbreviations: FTM, female-to-male; MTF, male-to-female.

Viral suppression was based on data for PLWH who had at least 1 outpatient ambulatory health services visit during the measurement year and whose most recent viral load test result was <200 copies/mL.

* To ensure confidentiality, data have been suppressed.

^a Hispanics/Latinos can be of any race.

^b Because totals were calculated independently of the values for the subpopulations, the values in each column and row may not sum to the column and row totals.

^c Includes any sexual transmission risk category reported by transgender clients.

^d Includes hemophilia and blood transfusion.

^e See Technical Notes for the states/territories in each region.

Table 14a. Retention in care among youth and young adults (aged 13–24 years), served by the Ryan White HIV/AIDS Program (non-ADAP), by race/ethnicity and selected characteristics, 2017—United States and 3 territories

	American Indian/ Alaska Native			Asian			Black/ African American			Hispanic/Latino ^a			Native Hawaiian/ Pacific Islander			White			Multiple races			Total ^b			
	Total No.	Retained No.	%	Total No.	Retained No.	%	Total No.	Retained No.	%	Total No.	Retained No.	%	Total No.	Retained No.	%	Total No.	Retained No.	%	Total No.	Retained No.	%	Total No.	Retained No.	%	
	Gender																								
Male	41	28	68.3	161	128	79.5	6,258	4,685	74.9	2,305	1,731	75.1	16	12	75.0	1,266	928	73.3	153	120	78.4	10,238	7,654	74.8	
Female	3	2	66.7	44	37	84.1	2,197	1,744	79.4	553	455	82.3	1	1	100.0	328	249	75.9	60	48	80.0	3,197	2,544	79.6	
Transgender	2	2	100.0	1	1	100.0	237	165	69.6	74	53	71.6	0	—	—	35	29	82.9	6	4	66.7	353	253	71.7	
Transmission risk category																									
Male client																									
Male-to-male sexual contact	30	23	76.7	127	97	76.4	4,715	3,520	74.7	1,780	1,338	75.2	10	7	70.0	964	710	73.7	118	89	75.4	7,765	5,794	74.6	
Injection drug use	0	—	—	0	—	—	7	6	85.7	9	4	44.4	0	—	—	26	15	57.7	1	1	100.0	44	27	61.4	
Male-to-male sexual contact and injection drug use	2	2	100.0	0	—	—	27	18	66.7	20	13	65.0	0	—	—	39	31	79.5	1	1	100.0	89	65	73.0	
Heterosexual contact ^c	1	0	0.0	10	8	80.0	456	307	67.3	139	106	76.3	0	—	—	70	46	65.7	4	4	100.0	681	472	69.3	
Perinatal infection	3	1	33.3	13	13	100.0	846	688	81.3	251	202	80.5	6	5	83.3	117	93	79.5	22	19	86.4	1,262	1,024	81.1	
Other ^d	0	—	—	0	—	—	8	6	75.0	6	5	83.3	0	—	—	4	3	75.0	0	—	—	18	14	77.8	
Female client																									
Injection drug use	0	—	—	1	1	100.0	3	3	100.0	7	4	57.1	0	—	—	23	13	56.5	0	—	—	34	21	61.8	
Heterosexual contact ^c	3	2	66.7	11	9	81.8	997	760	76.2	225	178	79.1	0	—	—	155	119	76.8	20	16	80.0	1,414	1,086	76.8	
Perinatal infection	0	—	—	29	24	82.8	1,129	943	83.5	300	258	86.0	1	1	100.0	138	110	79.7	37	29	78.4	1,637	1,367	83.5	
Other ^d	0	—	—	0	—	—	8	6	75.0	5	5	100.0	0	—	—	1	0	0.0	2	2	100.0	16	13	81.3	
Transgender client																									
Sexual contact ^e	1	1	100.0	0	—	—	197	144	73.1	63	45	71.4	0	—	—	22	19	86.4	5	3	60.0	290	213	73.4	
Injection drug use	0	—	—	0	—	—	0	—	—	0	—	—	0	—	—	0	—	—	0	—	—	0	—	—	
Sexual contact ^e and injection drug use	0	—	—	0	—	—	1	0	0.0	2	1	50.0	0	—	—	2	2	100.0	1	1	100.0	6	4	66.7	
Perinatal infection	0	—	—	0	—	—	8	6	75.0	2	2	100.0	0	—	—	4	3	75.0	0	—	—	14	11	78.6	
Other ^d	0	—	—	0	—	—	0	—	—	0	—	—	0	—	—	0	—	—	0	—	—	0	—	—	
HHS region^f																									
Region 1	0	—	—	8	7	87.5	149	113	75.8	106	80	75.5	0	—	—	71	44	62.0	9	7	77.8	347	254	73.2	
Region 2	4	3	75.0	26	21	80.8	786	628	79.9	709	578	81.5	1	0	0.0	123	94	76.4	14	11	78.6	1,689	1,352	80.0	
Region 3	3	2	66.7	23	17	73.9	1,210	950	78.5	167	128	76.6	1	1	100.0	166	126	75.9	20	19	95.0	1,598	1,247	78.0	
Region 4	10	10	100.0	22	18	81.8	3,409	2,646	77.6	439	342	77.9	5	5	100.0	463	359	77.5	56	46	82.1	4,408	3,427	77.7	
Region 5	3	2	66.7	19	18	94.7	1,201	828	68.9	164	112	68.3	0	—	—	219	147	67.1	37	25	67.6	1,646	1,134	68.9	
Region 6	8	3	37.5	25	19	76.0	1,054	759	72.0	603	443	73.5	1	0	0.0	210	150	71.4	19	15	78.9	1,921	1,390	72.4	
Region 7	0	—	—	10	7	70.0	195	145	74.4	28	21	75.0	0	—	—	59	43	72.9	15	12	80.0	307	228	74.3	
Region 8	4	2	50.0	4	4	100.0	55	50	90.9	64	53	82.8	0	—	—	63	50	79.4	8	5	62.5	199	164	82.4	
Region 9	5	5	100.0	59	46	78.0	305	212	69.5	529	391	73.9	8	6	75.0	160	123	76.9	24	19	79.2	1,098	808	73.6	
Region 10	7	5	71.4	9	8	88.9	25	18	72.0	37	28	75.7	1	1	100.0	34	26	76.5	5	5	100.0	118	91	77.1	
Federal poverty level																									
0–100%	33	24	72.7	115	95	82.6	5,982	4,505	75.3	2,020	1,539	76.2	11	8	72.7	1,034	745	72.1	131	98	74.8	9,359	7,034	75.2	
101–138%	4	1	25.0	20	17	85.0	862	663	76.9	252	210	83.3	1	1	100.0	141	102	72.3	27	22	81.5	1,314	1,020	77.6	
139–250%	6	5	83.3	43	33	76.7	1,213	959	79.1	440	336	76.4	2	2	100.0	252	197	78.2	40	33	82.5	2,005	1,571	78.4	
251–400%	0	—	—	12	7	58.3	279	227	81.4	110	84	76.4	0	—	—	95	79	83.2	14	14	100.0	510	411	80.6	
>400%	1	1	100.0	11	9	81.8	111	77	69.4	56	35	62.5	1	1	100.0	53	43	81.1	2	1	50.0	236	168	71.2	

Table 14a. Retention in care among youth and young adults (aged 13–24 years), served by the Ryan White HIV/AIDS Program (non-ADAP), by race/ethnicity and selected characteristics, 2017—United States and 3 territories (cont.)

	American Indian/ Alaska Native			Asian			Black/ African American			Hispanic/Latino ^a			Native Hawaiian/ Pacific Islander			White			Multiple races			Total ^b			
	Total No.	Retained No.	Retained %	Total No.	Retained No.	Retained %	Total No.	Retained No.	Retained %	Total No.	Retained No.	Retained %	Total No.	Retained No.	Retained %	Total No.	Retained No.	Retained %	Total No.	Retained No.	Retained %	Total No.	Retained No.	Retained %	
Health care coverage																									
Private employer	5	5	100.0	34	26	76.5	837	652	77.9	214	166	77.6	4	4	100.0	303	238	78.5	27	25	92.6	1,425	1,117	78.4	
Private individual	6	3	50.0	19	16	84.2	607	454	74.8	168	127	75.6	1	1	100.0	207	150	72.5	27	17	63.0	1,038	769	74.1	
Medicare	0	—	—	0	—	—	71	52	73.2	16	13	81.3	0	—	—	11	5	45.5	3	2	66.7	102	72	70.6	
Medicaid	16	10	62.5	58	52	89.7	3,733	2,890	77.4	1,236	957	77.4	4	1	25.0	519	380	73.2	81	61	75.3	5,681	4,372	77.0	
Medicare and Medicaid	0	—	—	2	1	50.0	107	87	81.3	23	18	78.3	0	—	—	18	11	61.1	2	2	100.0	153	120	78.4	
Veterans Administration	0	—	—	0	—	—	16	13	81.3	7	5	71.4	0	—	—	10	8	80.0	1	1	100.0	34	27	79.4	
Indian Health Service	3	3	100.0	0	—	—	2	1	50.0	1	1	100.0	0	—	—	0	—	—	0	—	—	6	5	83.3	
Other plan	1	1	100.0	11	8	72.7	138	93	67.4	66	46	69.7	1	1	100.0	37	25	67.6	6	5	83.3	262	181	69.1	
No coverage	8	5	62.5	56	38	67.9	2,481	1,799	72.5	960	724	75.4	4	3	75.0	331	243	73.4	45	37	82.2	3,893	2,853	73.3	
Multiple coverages	7	5	71.4	26	25	96.2	641	521	81.3	221	173	78.3	3	3	100.0	178	138	77.5	27	22	81.5	1,107	891	80.5	
Housing status																									
Stable	37	27	73.0	182	150	82.4	7,247	5,555	76.7	2,457	1,915	77.9	14	10	71.4	1,349	1,018	75.5	169	132	78.1	11,497	8,834	76.8	
Temporary	7	3	42.9	17	11	64.7	836	618	73.9	322	231	71.7	1	1	100.0	157	102	65.0	29	23	79.3	1,373	991	72.2	
Unstable	2	2	100.0	5	3	60.0	449	307	68.4	125	76	60.8	1	1	100.0	85	59	69.4	18	14	77.8	690	466	67.5	
Total^b	46	32	69.6	206	166	80.6	8,692	6,594	75.9	2,932	2,239	76.4	17	13	76.5	1,629	1,206	74.0	219	172	78.5	13,796	10,456	75.8	

Retention in care was based on data for PLWH who had at least 1 outpatient ambulatory medical care visit by September 1 of the measurement year, with a second visit at least 90 days after.

^a Hispanics/Latinos can be of any race.

^b Because totals were calculated independently of the values for the subpopulations, the values in each column and row may not sum to the column and row totals.

^c Heterosexual contact with a person known to have, or to be at high risk for, HIV infection.

^d Includes hemophilia and blood transfusion.

^e Includes any sexual transmission risk category reported by transgender clients.

^f See Technical Notes for the states/territories in each region.

Table 14b. Viral suppression among youth and young adults (aged 13–24 years), served by the Ryan White HIV/AIDS Program (non-ADAP), by race/ethnicity and selected characteristics, 2017—United States and 3 territories

	American Indian/ Alaska Native			Asian			Black/ African American			Hispanic/Latino ^a			Native Hawaiian/ Pacific Islander			White			Multiple races			Total ^b				
	Total No.	Viral suppression No.	%	Total No.	Viral suppression No.	%	Total No.	Viral suppression No.	%	Total No.	Viral suppression No.	%	Total No.	Viral suppression No.	%	Total No.	Viral suppression No.	%	Total No.	Viral suppression No.	%	Total No.	Viral suppression No.	%		
	Gender																									
Male	49	33	67.3	189	169	89.4	7,016	5,109	72.8	2,623	2,010	76.6	19	14	73.7	1,451	1,184	81.6	175	132	75.4	11,576	8,692	75.1		
Female	3	2	66.7	46	42	91.3	2,367	1,642	69.4	599	432	72.1	3	1	33.3	354	282	79.7	61	45	73.8	3,451	2,459	71.3		
Transgender	3	2	66.7	1	1	100.0	256	171	66.8	81	67	82.7	0	—	—	40	27	67.5	7	3	42.9	391	273	69.8		
Transmission risk category																										
Male client																										
Male-to-male sexual contact	37	26	70.3	150	136	90.7	5,319	3,911	73.5	2,043	1,577	77.2	13	9	69.2	1,102	915	83.0	137	98	71.5	8,829	6,693	75.8		
Injection drug use	0	—	—	0	—	—	9	7	77.8	14	8	57.1	0	—	—	30	21	70.0	1	1	100.0	55	38	69.1		
Male-to-male sexual contact and injection drug use	3	1	33.3	0	—	—	30	18	60.0	27	23	85.2	0	—	—	49	33	67.3	2	2	100.0	111	77	69.4		
Heterosexual contact ^c	1	1	100.0	11	9	81.8	540	380	70.4	154	118	76.6	0	—	—	80	61	76.3	4	4	100.0	792	575	72.6		
Perinatal infection	3	2	66.7	14	12	85.7	867	610	70.4	259	192	74.1	6	5	83.3	121	100	82.6	23	20	87.0	1,297	944	72.8		
Other ^d	0	—	—	0	—	—	9	8	88.9	6	6	100.0	0	—	—	4	4	100.0	0	—	—	19	18	94.7		
Female client																										
Injection drug use	0	—	—	2	1	50.0	3	3	100.0	9	5	55.6	0	—	—	27	19	70.4	0	—	—	41	28	68.3		
Heterosexual contact ^c	3	2	66.7	11	10	90.9	1,111	775	69.8	256	197	77.0	2	0	0.0	173	131	75.7	21	16	76.2	1,582	1,134	71.7		
Perinatal infection	0	—	—	30	28	93.3	1,178	810	68.8	309	213	68.9	1	1	100.0	139	121	87.1	35	25	71.4	1,696	1,201	70.8		
Other ^d	0	—	—	0	—	—	10	6	60.0	5	4	80.0	0	—	—	2	2	100.0	2	2	100.0	19	14	73.7		
Transgender client																										
Sexual contact ^e	2	1	50.0	0	—	—	214	144	67.3	68	55	80.9	0	—	—	25	16	64.0	6	2	33.3	318	220	69.2		
Injection drug use	0	—	—	0	—	—	1	0	0.0	0	—	—	0	—	—	0	—	—	0	—	—	1	0	0.0		
Sexual contact ^e and injection drug use	0	—	—	0	—	—	1	1	100.0	2	2	100.0	0	—	—	3	2	66.7	1	1	100.0	7	6	85.7		
Perinatal infection	0	—	—	0	—	—	9	5	55.6	2	2	100.0	0	—	—	4	3	75.0	0	—	—	15	10	66.7		
Other ^d	0	—	—	0	—	—	0	—	—	0	—	—	0	—	—	0	—	—	0	—	—	0	—	—		
HHS region^f																										
Region 1	0	—	—	11	10	90.9	158	118	74.7	119	91	76.5	0	—	—	84	64	76.2	10	9	90.0	386	296	76.7		
Region 2	4	1	25.0	31	27	87.1	839	629	75.0	764	568	74.3	1	1	100.0	137	115	83.9	17	13	76.5	1,826	1,378	75.5		
Region 3	3	2	66.7	25	23	92.0	1,334	966	72.4	187	137	73.3	2	1	50.0	183	147	80.3	21	15	71.4	1,766	1,298	73.5		
Region 4	11	6	54.5	25	24	96.0	3,782	2,693	71.2	513	407	79.3	5	5	100.0	526	421	80.0	59	45	76.3	4,929	3,607	73.2		
Region 5	3	2	66.7	25	24	96.0	1,356	1,000	73.7	192	152	79.2	1	0	0.0	245	199	81.2	39	29	74.4	1,866	1,409	75.5		
Region 6	10	6	60.0	28	24	85.7	1,199	815	68.0	693	508	73.3	2	1	50.0	247	188	76.1	21	17	81.0	2,202	1,561	70.9		
Region 7	0	—	—	10	9	90.0	229	165	72.1	37	29	78.4	0	—	—	75	65	86.7	21	17	81.0	372	285	76.6		
Region 8	5	3	60.0	5	4	80.0	59	45	76.3	78	49	62.8	1	1	100.0	69	59	85.5	8	7	87.5	227	169	74.4		
Region 9	7	7	100.0	66	58	87.9	328	241	73.5	590	457	77.5	9	5	55.6	173	146	84.4	28	20	71.4	1,217	948	77.9		
Region 10	10	8	80.0	9	8	88.9	28	19	67.9	40	33	82.5	1	1	100.0	39	32	82.1	7	2	28.6	134	103	76.9		
Federal poverty level																										
0–100%	41	26	63.4	130	115	88.5	6,671	4,658	69.8	2,273	1,691	74.4	11	9	81.8	1,181	920	77.9	148	100	67.6	10,502	7,552	71.9		
101–138%	4	2	50.0	24	22	91.7	943	709	75.2	278	224	80.6	1	1	100.0	148	126	85.1	28	24	85.7	1,435	1,116	77.8		
139–250%	5	5	100.0	49	44	89.8	1,326	1,020	76.9	506	400	79.1	5	2	40.0	286	248	86.7	43	38	88.4	2,232	1,767	79.2		
251–400%	1	0	0.0	15	13	86.7	310	257	82.9	123	105	85.4	1	0	0.0	109	94	86.2	15	12	80.0	575	482	83.8		
>400%	1	1	100.0	13	13	100.0	119	93	78.2	64	47	73.4	1	1	100.0	63	56	88.9	3	2	66.7	265	214	80.8		

Table 14b. Viral suppression among youth and young adults (aged 13–24 years), served by the Ryan White HIV/AIDS Program (non-ADAP), by race/ethnicity and selected characteristics, 2017—United States and 3 territories (cont.)

	American Indian/ Alaska Native			Asian			Black/ African American			Hispanic/Latino ^a			Native Hawaiian/ Pacific Islander			White			Multiple races			Total ^b			
	Viral suppression		Total No.	Viral suppression		Total No.	Viral suppression		Total No.	Viral suppression		Total No.	Viral suppression		Total No.	Viral suppression		Total No.	Viral suppression		Total No.	Viral suppression			
	No.	%		No.	%		No.	%		No.	%		No.	%		No.	%		No.	%		No.	%		
Health care coverage																									
Private employer	7	4	57.1	35	34	97.1	923	730	79.1	242	195	80.6	5	4	80.0	347	313	90.2	28	26	92.9	1,591	1,310	82.3	
Private individual	4	2	50.0	24	21	87.5	666	558	83.8	188	163	86.7	1	1	100.0	234	206	88.0	27	20	74.1	1,149	975	84.9	
Medicare	0	—	—	0	—	—	74	56	75.7	16	13	81.3	0	—	—	11	9	81.8	3	2	66.7	105	81	77.1	
Medicaid	18	14	77.8	67	60	89.6	4,033	2,897	71.8	1,354	1,014	74.9	6	3	50.0	570	442	77.5	93	61	65.6	6,181	4,520	73.1	
Medicare and Medicaid	0	—	—	2	1	50.0	109	80	73.4	25	20	80.0	0	—	—	22	18	81.8	2	2	100.0	161	121	75.2	
Veterans Administration	0	—	—	0	—	—	18	16	88.9	7	7	100.0	0	—	—	10	7	70.0	1	1	100.0	36	31	86.1	
Indian Health Service	5	5	100.0	0	—	—	2	2	100.0	1	1	100.0	0	—	—	0	0	—	—	—	—	8	8	100.0	
Other plan	1	1	100.0	13	10	76.9	161	109	67.7	77	53	68.8	1	1	100.0	42	34	81.0	5	5	100.0	303	215	71.0	
No coverage	12	4	33.3	66	60	90.9	2,909	1,903	65.4	1,139	831	73.0	6	3	50.0	398	283	71.1	57	42	73.7	4,602	3,138	68.2	
Multiple coverages	8	7	87.5	28	26	92.9	676	523	77.4	233	197	84.5	3	3	100.0	193	167	86.5	27	21	77.8	1,173	948	80.8	
Housing status																									
Stable	45	30	66.7	208	188	90.4	8,016	5,830	72.7	2,769	2,136	77.1	18	13	72.2	1,527	1,259	82.4	184	139	75.5	12,827	9,643	75.2	
Temporary	8	6	75.0	20	17	85.0	955	653	68.4	361	264	73.1	2	1	50.0	181	134	74.0	35	27	77.1	1,567	1,105	70.5	
Unstable	2	1	50.0	6	5	83.3	499	305	61.1	146	96	65.8	1	0	0.0	98	67	68.4	21	11	52.4	780	489	62.7	
Total^b	55	37	67.3	236	212	89.8	9,639	6,922	71.8	3,303	2,509	76.0	22	15	68.2	1,845	1,493	80.9	243	180	74.1	15,424	11,429	74.1	

Viral suppression was based on data for PLWH who had at least 1 outpatient ambulatory medical care visit during the measurement year and whose most recent viral load test result was <200 copies/mL.

^a Hispanics/Latinos can be of any race.

^b Because totals were calculated independently of the values for the subpopulations, the values in each column and row may not sum to the column and row totals.

^c Heterosexual contact with a person known to have, or to be at high risk for, HIV infection.

^d Includes hemophilia and blood transfusion.

^e Includes any sexual transmission risk category reported by transgender clients.

^f See Technical Notes for the states/territories in each region.

Table 15a. Retention in care among young men who have sex with men (aged 13–24 years), served by the Ryan White HIV/AIDS Program (non-ADAP), by race/ethnicity and selected characteristics, 2017—United States and 3 territories

	American Indian/ Alaska Native			Asian			Black/ African American			Hispanic/Latino ^a			Native Hawaiian/ Pacific Islander			White			Multiple races			Total ^b			
	Total No.	Retained No.	%	Total No.	Retained No.	%	Total No.	Retained No.	%	Total No.	Retained No.	%	Total No.	Retained No.	%	Total No.	Retained No.	%	Total No.	Retained No.	%	Total No.	Retained No.	%	
HHS region^c																									
Region 1	0	—	—	3	3	100.0	32	26	81.3	56	42	75.0	0	—	—	33	20	60.6	3	3	100.0	130	96	73.8	
Region 2	2	1	50.0	14	12	85.7	260	197	75.8	293	234	79.9	0	—	—	61	47	77.0	8	5	62.5	645	499	77.4	
Region 3	1	1	100.0	13	10	76.9	532	406	76.3	84	60	71.4	1	1	100.0	89	65	73.0	11	10	90.9	735	555	75.5	
Region 4	9	9	100.0	12	9	75.0	2,028	1,553	76.6	294	223	75.9	2	2	100.0	285	219	76.8	32	26	81.3	2,664	2,042	76.7	
Region 5	2	2	100.0	10	9	90.0	709	496	70.0	95	69	72.6	0	—	—	134	88	65.7	18	10	55.6	969	675	69.7	
Region 6	5	3	60.0	15	9	60.0	631	456	72.3	456	335	73.5	1	0	0.0	128	91	71.1	10	8	80.0	1,246	902	72.4	
Region 7	0	—	—	5	3	60.0	122	94	77.0	18	13	72.2	0	—	—	46	35	76.1	11	8	72.7	202	153	75.7	
Region 8	2	1	50.0	2	2	100.0	15	13	86.7	42	36	85.7	0	—	—	41	33	80.5	1	1	100.0	104	86	82.7	
Region 9	3	3	100.0	45	33	73.3	157	95	60.5	351	255	72.6	5	3	60.0	80	60	75.0	12	9	75.0	656	459	70.0	
Region 10	4	3	75.0	7	6	85.7	10	8	80.0	26	20	76.9	1	1	100.0	24	19	79.2	4	4	100.0	76	61	80.3	
Federal poverty level																									
0–100%	19	16	84.2	73	60	82.2	3,201	2,371	74.1	1,135	846	74.5	6	4	66.7	589	423	71.8	78	56	71.8	5,116	3,783	73.9	
101–138%	3	1	33.3	10	8	80.0	494	375	75.9	186	155	83.3	0	—	—	84	62	73.8	14	12	85.7	793	614	77.4	
139–250%	6	5	83.3	28	19	67.9	703	547	77.8	317	236	74.4	2	2	100.0	161	122	75.8	19	14	73.7	1,238	946	76.4	
251–400%	0	—	—	11	6	54.5	163	127	77.9	87	65	74.7	0	—	—	68	58	85.3	6	6	100.0	335	262	78.2	
>400%	0	—	—	4	3	75.0	54	41	75.9	27	19	70.4	0	—	—	31	22	71.0	1	1	100.0	118	87	73.7	
Health care coverage																									
Private employer	4	4	100.0	18	13	72.2	557	428	76.8	167	129	77.2	3	3	100.0	205	162	79.0	16	15	93.8	970	754	77.7	
Private individual	4	3	75.0	16	13	81.3	423	318	75.2	128	94	73.4	0	—	—	155	115	74.2	18	12	66.7	746	555	74.4	
Medicare	0	—	—	0	—	—	27	18	66.7	7	6	85.7	0	—	—	4	1	25.0	0	—	—	39	25	64.1	
Medicaid	8	5	62.5	28	24	85.7	1,455	1,102	75.7	570	435	76.3	2	0	0.0	231	157	68.0	34	25	73.5	2,339	1,754	75.0	
Medicare and Medicaid	0	—	—	1	0	0.0	47	38	80.9	5	4	80.0	0	—	—	3	2	66.7	0	—	—	57	45	78.9	
Veterans Administration	0	—	—	0	—	—	8	7	87.5	5	4	80.0	0	—	—	6	5	83.3	0	—	—	19	16	84.2	
Indian Health Service	2	2	100.0	0	—	—	1	1	100.0	0	—	—	0	—	—	0	—	—	0	—	—	3	3	100.0	
Other plan	0	—	—	9	7	77.8	65	41	63.1	40	27	67.5	1	1	100.0	22	19	86.4	4	3	75.0	141	98	69.5	
No coverage	6	5	83.3	39	25	64.1	1,731	1,268	73.3	715	534	74.7	3	2	66.7	215	157	73.0	31	23	74.2	2,745	2,016	73.4	
Multiple coverages	6	4	66.7	16	15	93.8	371	285	76.8	134	102	76.1	1	1	100.0	113	86	76.1	15	11	73.3	657	505	76.9	
Total^b	30	23	76.7	127	97	76.4	4,715	3,520	74.7	1,780	1,338	75.2	10	7	70.0	964	710	73.7	118	89	75.4	7,765	5,794	74.6	

Retention in care was based on data for PLWH who had at least 1 outpatient ambulatory health services visit by September 1 of the measurement year, with a second visit at least 90 days after.

Note. Data are included only for males with the transmission risk category male-to-male sexual contact; data do not include male clients who reported male-to-male sexual contact and injection drug use.

^a Hispanics/Latinos can be of any race.

^b Because totals were calculated independently of the values for the subpopulations, the values in each column and row may not sum to the column and row totals.

^c See Technical Notes for the states/territories in each region.

Table 15b. Viral suppression among young men who have sex with men (aged 13–24 years), served by the Ryan White HIV/AIDS Program (non-ADAP), by race/ethnicity and selected characteristics, 2017—United States and 3 territories

	American Indian/ Alaska Native			Asian			Black/African American			Hispanic/Latino ^a			Native Hawaiian/ Pacific Islander			White			Multiple races			Total ^b		
	Viral suppression		Total No.	Viral suppression		Total No.	Viral suppression		Total No.	Viral suppression		Total No.	Viral suppression		Total No.	Viral suppression		Total No.	Viral suppression		Total No.	Viral suppression		
	No.	%		No.	%		No.	%		No.	%		No.	%		No.	%		No.	%		No.	%	
HHS region^c																								
Region 1	0	—	—	6	5	83.3	38	30	78.9	64	49	76.6	0	—	—	41	33	80.5	4	3	75.0	156	123	78.8
Region 2	2	0	0.0	18	16	88.9	284	230	81.0	330	255	77.3	0	—	—	69	62	89.9	8	7	87.5	720	577	80.1
Region 3	1	1	100.0	14	14	100.0	611	465	76.1	101	69	68.3	1	1	100.0	98	81	82.7	12	9	75.0	843	643	76.3
Region 4	10	6	60.0	15	14	93.3	2,279	1,660	72.8	343	280	81.6	2	2	100.0	320	269	84.1	34	25	73.5	3,006	2,258	75.1
Region 5	3	2	66.7	14	14	100.0	806	614	76.2	113	94	83.2	0	—	—	153	128	83.7	23	16	69.6	1,113	869	78.1
Region 6	5	3	60.0	18	16	88.9	724	499	68.9	527	390	74.0	2	1	50.0	154	117	76.0	12	11	91.7	1,443	1,038	71.9
Region 7	0	—	—	5	5	100.0	145	103	71.0	23	20	87.0	0	—	—	58	49	84.5	15	13	86.7	246	190	77.2
Region 8	3	1	33.3	3	2	66.7	16	12	75.0	53	31	58.5	1	1	100.0	47	40	85.1	2	1	50.0	127	89	70.1
Region 9	5	5	100.0	49	42	85.7	169	123	72.8	395	307	77.7	6	3	50.0	87	73	83.9	14	9	64.3	729	565	77.5
Region 10	6	6	100.0	7	7	100.0	13	7	53.8	28	23	82.1	1	1	100.0	28	22	78.6	5	1	20.0	88	67	76.1
Federal poverty level																								
0–100%	25	17	68.0	87	77	88.5	3,634	2,593	71.4	1,294	982	75.9	6	5	83.3	682	545	79.9	90	58	64.4	5,835	4,288	73.5
101–138%	3	1	33.3	12	12	100.0	553	431	77.9	205	168	82.0	0	—	—	88	78	88.6	16	13	81.3	880	706	80.2
139–250%	5	5	100.0	32	29	90.6	784	617	78.7	380	296	77.9	5	2	40.0	186	164	88.2	22	20	90.9	1,419	1,138	80.2
251–400%	1	0	0.0	13	12	92.3	184	154	83.7	97	81	83.5	0	—	—	79	68	86.1	7	6	85.7	381	321	84.3
>400%	0	—	—	5	5	100.0	54	42	77.8	32	23	71.9	0	—	—	36	31	86.1	2	1	50.0	130	103	79.2
Health care coverage																								
Private employer	5	4	80.0	19	19	100.0	622	494	79.4	189	152	80.4	4	3	75.0	245	220	89.8	17	17	100.0	1,103	911	82.6
Private individual	3	1	33.3	19	17	89.5	472	401	85.0	148	127	85.8	0	—	—	179	157	87.7	18	13	72.2	841	718	85.4
Medicare	0	—	—	0	—	—	28	20	71.4	7	4	57.1	0	—	—	3	3	100.0	0	—	—	39	28	71.8
Medicaid	10	8	80.0	34	31	91.2	1,617	1,231	76.1	643	499	77.6	3	2	66.7	248	202	81.5	43	26	60.5	2,609	2,008	77.0
Medicare and Medicaid	0	—	—	1	0	0.0	48	39	81.3	6	6	100.0	0	—	—	5	2	40.0	0	—	—	61	47	77.0
Veterans Administration	0	—	—	0	—	—	10	9	90.0	5	5	100.0	0	—	—	6	5	83.3	0	—	—	21	19	90.5
Indian Health Service	3	3	100.0	0	—	—	1	1	100.0	0	—	—	0	—	—	0	—	—	0	—	—	4	4	100.0
Other plan	0	—	—	10	8	80.0	76	53	69.7	47	30	63.8	1	1	100.0	25	21	84.0	3	3	100.0	162	116	71.6
No coverage	9	3	33.3	49	45	91.8	2,023	1,327	65.6	847	624	73.7	4	2	50.0	258	191	74.0	40	27	67.5	3,238	2,225	68.7
Multiple coverages	7	7	100.0	18	16	88.9	390	315	80.8	140	122	87.1	1	1	100.0	120	104	86.7	16	12	75.0	693	578	83.4
Housing status																								
Stable	33	23	69.7	128	118	92.2	4,384	3,266	74.5	1,716	1,346	78.4	9	7	77.8	934	788	84.4	107	78	72.9	7,334	5,644	77.0
Temporary	4	3	75.0	15	12	80.0	578	412	71.3	219	159	72.6	2	1	50.0	98	75	76.5	17	13	76.5	934	676	72.4
Unstable	0	—	—	6	5	83.3	285	178	62.5	93	65	69.9	1	0	0.0	50	35	70.0	13	7	53.8	450	291	64.7
Total^b	37	26	70.3	150	136	90.7	5,319	3,911	73.5	2,043	1,577	77.2	13	9	69.2	1,102	915	83.0	137	98	71.5	8,829	6,693	75.8

Viral suppression was based on data for PLWH who had at least 1 outpatient ambulatory health services visit during the measurement year and whose most recent viral load test result was <200 copies/mL.

Note. Data are included only for males with the transmission risk category male-to-male sexual contact; data do not include male clients who reported male-to-male sexual contact and injection drug use.

^a Hispanics/Latinos can be of any race.

^b Because totals were calculated independently of the values for the subpopulations, the values in each column and row may not sum to the column and row totals.

^c See Technical Notes for the states/territories in each region.

Table 16a. Retention in care among young women (aged 13–24 years), served by the Ryan White HIV/AIDS Program (non-ADAP), by race/ethnicity and selected characteristics, 2017—United States and 3 territories

	American Indian/ Alaska Native			Asian			Black/ African American			Hispanic/Latino ^a			Native Hawaiian/ Pacific Islander			White			Multiple races			Total ^b		
	Total No.	Retained No.	%	Total No.	Retained No.	%	Total No.	Retained No.	%	Total No.	Retained No.	%	Total No.	Retained No.	%	Total No.	Retained No.	%	Total No.	Retained No.	%	Total No.	Retained No.	%
	Transmission risk category																							
Injection drug use	0	—	—	1	1	100.0	3	3	100.0	7	4	57.1	0	—	—	23	13	56.5	0	—	—	34	21	61.8
Heterosexual contact ^c	3	2	66.7	11	9	81.8	997	760	76.2	225	178	79.1	0	—	—	155	119	76.8	20	16	80.0	1,414	1,086	76.8
Perinatal infection	0	—	—	29	24	82.8	1,129	943	83.5	300	258	86.0	1	1	100.0	138	110	79.7	37	29	78.4	1,637	1,367	83.5
Other ^d	0	—	—	0	—	—	8	6	75.0	5	5	100.0	0	—	—	1	0	0.0	2	2	100.0	16	13	81.3
HHS region^e																								
Region 1	0	—	—	4	3	75.0	61	48	78.7	24	19	79.2	0	—	—	18	12	66.7	2	2	100.0	109	84	77.1
Region 2	0	—	—	4	2	50.0	279	231	82.8	212	178	84.0	0	—	—	31	24	77.4	4	4	100.0	536	444	82.8
Region 3	0	—	—	9	7	77.8	378	315	83.3	44	37	84.1	0	—	—	40	32	80.0	4	4	100.0	476	396	83.2
Region 4	0	—	—	6	5	83.3	795	638	80.3	75	60	80.0	0	—	—	102	82	80.4	14	11	78.6	993	796	80.2
Region 5	0	—	—	3	3	100.0	224	161	71.9	17	13	76.5	0	—	—	36	25	69.4	10	8	80.0	291	210	72.2
Region 6	0	—	—	6	6	100.0	247	178	72.1	77	61	79.2	0	—	—	37	27	73.0	8	6	75.0	375	278	74.1
Region 7	0	—	—	3	2	66.7	45	31	68.9	2	1	50.0	0	—	—	8	5	62.5	4	4	100.0	62	43	69.4
Region 8	1	0	0.0	2	2	100.0	25	24	96.0	11	10	90.9	0	—	—	6	4	66.7	4	1	25.0	49	41	83.7
Region 9	1	1	100.0	7	7	100.0	78	64	82.1	80	68	85.0	1	1	100.0	39	31	79.5	8	7	87.5	216	181	83.8
Region 10	1	1	100.0	0	—	—	9	6	66.7	2	2	100.0	0	—	—	4	2	50.0	0	—	—	16	11	68.8
Federal poverty level																								
0–100%	3	2	66.7	27	23	85.2	1,572	1,242	79.0	440	361	82.0	1	1	100.0	224	167	74.6	34	27	79.4	2,307	1,828	79.2
101–138%	0	—	—	5	4	80.0	199	160	80.4	29	24	82.8	0	—	—	35	25	71.4	5	3	60.0	276	217	78.6
139–250%	0	—	—	7	6	85.7	282	234	83.0	53	46	86.8	0	—	—	36	30	83.3	12	10	83.3	392	328	83.7
251–400%	0	—	—	0	—	—	63	53	84.1	13	10	76.9	0	—	—	17	13	76.5	5	5	100.0	98	81	82.7
>400%	0	—	—	4	3	75.0	17	9	52.9	3	2	66.7	0	—	—	9	8	88.9	1	0	0.0	34	22	64.7
Health care coverage																								
Private employer	0	—	—	10	7	70.0	148	119	80.4	21	17	81.0	0	—	—	38	31	81.6	7	6	85.7	225	181	80.4
Private individual	0	—	—	0	—	—	82	59	72.0	12	12	100.0	0	—	—	26	15	57.7	5	3	60.0	125	89	71.2
Medicare	0	—	—	0	—	—	22	18	81.8	4	4	100.0	0	—	—	2	1	50.0	3	2	66.7	31	25	80.6
Medicaid	1	0	0.0	20	18	90.0	1,318	1,058	80.3	363	300	82.6	0	—	—	164	123	75.0	26	19	73.1	1,899	1,523	80.2
Medicare and Medicaid	0	—	—	1	1	100.0	38	33	86.8	7	5	71.4	0	—	—	9	5	55.6	1	1	100.0	56	45	80.4
Veterans Administration	0	—	—	0	—	—	4	4	100.0	1	0	0.0	0	—	—	3	2	66.7	1	1	100.0	9	7	77.8
Indian Health Service	1	1	100.0	0	—	—	1	0	0.0	0	—	—	0	—	—	0	—	—	2	1	50.0	2	1	50.0
Other plan	0	—	—	1	1	100.0	43	31	72.1	9	8	88.9	0	—	—	6	4	66.7	1	1	100.0	61	46	75.4
No coverage	0	—	—	6	4	66.7	350	253	72.3	97	79	81.4	0	—	—	43	38	88.4	9	9	100.0	507	384	75.7
Multiple coverages	1	1	100.0	6	6	100.0	173	157	90.8	33	27	81.8	1	1	100.0	33	28	84.8	7	6	85.7	254	226	89.0
Housing status																								
Stable	3	2	66.7	42	36	85.7	1,881	1,504	80.0	468	389	83.1	1	1	100.0	269	211	78.4	45	34	75.6	2,718	2,183	80.3
Temporary	0	—	—	2	1	50.0	187	143	76.5	56	46	82.1	0	—	—	29	19	65.5	9	9	100.0	283	218	77.0
Unstable	0	—	—	0	—	—	86	63	73.3	20	12	60.0	0	—	—	21	13	61.9	5	4	80.0	133	93	69.9
Total^b	3	2	66.7	44	37	84.1	2,197	1,744	79.4	553	455	82.3	1	1	100.0	328	249	75.9	60	48	80.0	3,197	2,544	79.6

Retention in care was based on data for PLWH who had at least 1 outpatient ambulatory health services visit by September 1 of the measurement year, with a second visit at least 90 days after.

^a Hispanics/Latinos can be of any race.

^b Because totals were calculated independently of the values for the subpopulations, the values in each column and row may not sum to the column and row totals.

^c Heterosexual contact with a person known to have, or to be at high risk for, HIV infection.

^d Includes hemophilia and blood transfusion.

^e See Technical Notes for the states/territories in each region.

Page 59

Table 16b. Viral suppression among young women (aged 13–24 years), served by the Ryan White HIV/AIDS Program (non-ADAP), by race/ethnicity and selected characteristics, 2017—United States and 3 territories

	American Indian/ Alaska Native			Asian			Black/ African American			Hispanic/Latino ^a			Native Hawaiian/ Pacific Islander			White			Multiple races			Total ^b			
	Total No.	Viral suppression No.	%	Total No.	Viral suppression No.	%	Total No.	Viral suppression No.	%	Total No.	Viral suppression No.	%	Total No.	Viral suppression No.	%	Total No.	Viral suppression No.	%	Total No.	Viral suppression No.	%	Total No.	Viral suppression No.	%	
	Transmission risk category																								
Injection drug use	0	—	—	2	1	50.0	3	3	100.0	9	5	55.6	0	—	—	27	19	70.4	0	—	—	41	28	68.3	
Heterosexual contact ^c	3	2	66.7	11	10	90.9	1,111	775	69.8	256	197	77.0	2	0	0.0	173	131	75.7	21	16	76.2	1,582	1,134	71.7	
Perinatal infection	0	—	—	30	28	93.3	1,178	810	68.8	309	213	68.9	1	1	100.0	139	121	87.1	35	25	71.4	1,696	1,201	70.8	
Other ^d	0	—	—	0	—	—	10	6	60.0	5	4	80.0	0	—	—	2	2	100.0	2	2	100.0	19	14	73.7	
HHS region^e																									
Region 1	0	—	—	4	4	100.0	64	49	76.6	26	20	76.9	0	—	—	19	13	68.4	2	2	100.0	115	88	76.5	
Region 2	0	—	—	4	4	100.0	290	212	73.1	216	149	69.0	0	—	—	33	27	81.8	4	3	75.0	554	401	72.4	
Region 3	0	—	—	10	8	80.0	407	281	69.0	46	37	80.4	1	0	0.0	42	32	76.2	4	2	50.0	512	360	70.3	
Region 4	0	—	—	6	6	100.0	857	576	67.2	88	63	71.6	0	—	—	113	88	77.9	14	10	71.4	1,081	745	68.9	
Region 5	0	—	—	3	3	100.0	243	169	69.5	21	10	47.6	1	0	0.0	39	32	82.1	8	5	100.0	316	222	70.3	
Region 6	0	—	—	6	4	66.7	274	183	66.8	85	66	77.6	0	—	—	40	31	77.5	8	5	62.5	413	289	70.0	
Region 7	0	—	—	3	3	100.0	50	38	76.0	5	2	40.0	0	—	—	9	9	100.0	5	4	80.0	72	56	77.8	
Region 8	0	—	—	2	2	100.0	27	20	74.1	12	9	75.0	0	—	—	5	3	60.0	3	3	100.0	49	37	75.5	
Region 9	1	1	100.0	8	8	100.0	84	67	79.8	89	68	76.4	1	1	100.0	41	37	90.2	10	7	70.0	239	194	81.2	
Region 10	2	1	50.0	0	—	—	9	8	88.9	2	1	50.0	0	—	—	4	3	75.0	1	0	0.0	18	13	72.2	
Poverty level																									
0–100%	3	2	66.7	27	24	88.9	1,709	1,161	67.9	481	335	69.6	1	1	100.0	246	191	77.6	37	26	70.3	2,513	1,746	69.5	
101–138%	0	—	—	6	5	83.3	209	147	70.3	32	25	78.1	0	—	—	33	29	87.9	4	4	100.0	288	213	74.0	
139–250%	0	—	—	7	7	100.0	298	220	73.8	55	48	87.3	0	—	—	41	33	80.5	11	9	81.8	414	318	76.8	
251–400%	0	—	—	0	—	—	67	53	79.1	14	13	92.9	1	0	0.0	16	15	93.8	5	3	60.0	103	84	81.6	
>400%	0	—	—	5	5	100.0	17	13	76.5	3	2	66.7	0	—	—	12	10	83.3	1	1	100.0	38	31	81.6	
Health care coverage																									
Private employer	0	—	—	10	9	90.0	157	115	73.2	22	17	77.3	0	—	—	38	35	92.1	7	6	85.7	235	183	77.9	
Private individual	0	—	—	1	1	100.0	87	71	81.6	11	10	90.9	0	—	—	24	22	91.7	5	4	80.0	128	108	84.4	
Medicare	0	—	—	0	—	—	23	21	91.3	4	4	100.0	0	—	—	3	3	100.0	3	2	66.7	33	30	90.9	
Medicaid	0	—	—	21	19	90.5	1,391	966	69.4	385	277	71.9	1	0	0.0	178	135	75.8	27	17	63.0	2,013	1,420	70.5	
Medicare and Medicaid	0	—	—	1	1	100.0	39	26	66.7	7	4	57.1	0	—	—	10	10	100.0	1	1	100.0	58	42	72.4	
Veterans Administration	0	—	—	0	—	—	4	4	100.0	1	1	100.0	0	—	—	3	1	33.3	1	1	100.0	9	7	77.8	
Indian Health Service	2	2	100.0	0	—	—	1	1	100.0	0	—	—	0	—	—	0	—	—	0	—	—	3	3	100.0	
Other plan	0	—	—	1	1	100.0	46	27	58.7	10	5	50.0	0	—	—	7	7	100.0	1	1	100.0	66	41	62.1	
No coverage	0	—	—	6	5	83.3	408	258	63.2	115	85	73.9	1	0	0.0	50	35	70.0	10	9	90.0	593	395	66.6	
Multiple coverages	1	0	0.0	6	6	100.0	189	137	72.5	39	26	66.7	1	1	100.0	38	32	84.2	6	4	66.7	280	206	73.6	
Housing status																									
Stable	3	2	66.7	44	40	90.9	2,008	1,410	70.2	507	368	72.6	3	1	33.3	292	237	81.2	44	34	77.3	2,913	2,100	72.1	
Temporary	0	—	—	2	2	100.0	215	141	65.6	61	47	77.0	0	—	—	33	24	72.7	10	6	60.0	321	220	68.5	
Unstable	0	—	—	0	—	—	99	55	55.6	23	13	56.5	0	—	—	21	15	71.4	6	4	66.7	150	88	58.7	
Total^b	3	2	66.7	46	42	91.3	2,367	1,642	69.4	599	432	72.1	3	1	33.3	354	282	79.7	61	45	73.8	3,451	2,459	71.3	

Viral suppression was based on data for PLWH who had at least 1 outpatient ambulatory health services visit during the measurement year and whose most recent viral load test result was <200 copies/mL.

^a Hispanics/Latinos can be of any race.

^b Because totals were calculated independently of the values for the subpopulations, the values in each column and row may not sum to the column and row totals.

^c Heterosexual contact with a person known to have, or to be at high risk for, HIV infection.

^d Includes hemophilia and blood transfusion.

^e See Technical Notes for the states/territories in each region.

Table 17a. Retention in care among people with HIV infection attributed to injection drug use (aged 13 years and older) served by the Ryan White HIV/AIDS Program (non-ADAP), by race/ethnicity and selected characteristics, 2017—United States and 3 territories

	American Indian/ Alaska Native			Asian			Black/ African American			Hispanic/Latino ^a			Native Hawaiian/ Pacific Islander			White			Multiple races			Total ^b				
	Total No.	Retained		Total No.	Retained		Total No.	Retained		Total No.	Retained		Total No.	Retained		Total No.	Retained		Total No.	Retained		Total No.	Retained			
		No.	%		No.	%		No.	%		No.	%		No.	%		No.	%		No.	%		No.	%		
Gender																										
Male	62	45	72.6	117	102	87.2	5,566	4,579	82.3	3,783	3,191	84.4	11	11	100.0	3,671	2,826	77.0	114	87	76.3	13,338	10,850	81.3		
Female	77	63	81.8	16	13	81.3	3,335	2,809	84.2	1,284	1,077	83.9	8	5	62.5	2,371	1,870	78.9	99	80	80.8	7,207	5,927	82.2		
Transgender	1	1	100.0	1	1	100.0	29	21	72.4	14	11	78.6	1	1	100.0	23	19	82.6	1	1	100.0	70	55	78.6		
Age group (yr)																										
13–14	0	—	—	0	—	—	0	—	—	0	—	—	0	—	—	0	—	—	0	—	—	0	—	—	0	—
15–19	0	—	—	0	—	—	0	—	—	3	2	66.7	0	—	—	4	2	50.0	0	—	—	7	4	57.1	—	—
20–24	0	—	—	1	1	100.0	10	9	90.0	13	6	46.2	0	—	—	45	26	57.8	1	1	100.0	71	44	62.0	—	—
25–29	4	2	50.0	7	4	57.1	56	40	71.4	61	39	63.9	0	—	—	191	131	68.6	6	3	50.0	327	221	67.6	—	—
30–34	7	5	71.4	16	15	93.8	91	62	68.1	123	76	61.8	1	1	100.0	352	243	69.0	10	7	70.0	601	409	68.1	—	—
35–39	17	14	82.4	27	25	92.6	169	114	67.5	271	195	72.0	2	2	100.0	504	360	71.4	15	9	60.0	1,006	720	71.6	—	—
40–44	14	12	85.7	25	20	80.0	271	212	78.2	416	321	77.2	2	1	50.0	546	402	73.6	15	9	60.0	1,294	978	75.6	—	—
45–49	19	12	63.2	20	18	90.0	653	509	77.9	622	513	82.5	6	5	83.3	881	657	74.6	26	19	73.1	2,231	1,736	77.8	—	—
50–54	33	26	78.8	18	15	83.3	1,481	1,213	81.9	1,150	984	85.6	2	2	100.0	1,206	961	79.7	43	37	86.0	3,937	3,240	82.3	—	—
55–59	26	21	80.8	8	7	87.5	2,309	1,945	84.2	1,155	1,002	86.8	4	3	75.0	1,239	1,009	81.4	43	38	88.4	4,788	4,028	84.1	—	—
60–64	15	13	86.7	5	4	80.0	2,359	2,011	85.2	764	684	89.5	1	1	100.0	764	637	83.4	39	33	84.6	3,951	3,384	85.6	—	—
≥65	5	4	80.0	7	7	100.0	1,531	1,294	84.5	503	457	90.9	2	2	100.0	333	287	86.2	16	12	75.0	2,402	2,068	86.1	—	—
HHS region^c																										
Region 1	4	4	100.0	4	3	75.0	552	476	86.2	795	664	83.5	2	2	100.0	625	494	79.0	13	11	84.6	1,998	1,654	82.8	—	—
Region 2	6	5	83.3	16	15	93.8	1,216	1,028	84.5	2,130	1,880	88.3	3	2	66.7	486	382	78.6	20	14	70.0	3,887	3,334	85.8	—	—
Region 3	6	6	100.0	12	8	66.7	2,851	2,442	85.7	572	470	82.2	0	—	—	836	658	78.7	64	51	79.7	4,346	3,638	83.7	—	—
Region 4	15	12	80.0	13	12	92.3	1,804	1,496	82.9	342	266	77.8	3	3	100.0	1,206	974	80.8	26	23	88.5	3,412	2,789	81.7	—	—
Region 5	9	6	66.7	12	10	83.3	815	651	79.9	243	203	83.5	0	—	—	389	289	74.3	15	11	73.3	1,484	1,170	78.8	—	—
Region 6	20	14	70.0	13	13	100.0	874	677	77.5	303	222	73.3	1	0	0.0	725	505	69.7	23	21	91.3	1,961	1,454	74.1	—	—
Region 7	2	2	100.0	10	9	90.0	81	57	70.4	16	10	62.5	0	—	—	135	88	65.2	4	3	75.0	248	169	68.1	—	—
Region 8	16	11	68.8	3	3	100.0	51	42	82.4	83	71	85.5	1	1	100.0	256	200	78.1	5	3	60.0	416	331	79.6	—	—
Region 9	35	25	71.4	39	31	79.5	470	370	78.7	495	406	82.0	9	8	88.9	1,006	800	79.5	32	20	62.5	2,090	1,662	79.5	—	—
Region 10	26	23	88.5	9	9	100.0	75	60	80.0	40	33	82.5	1	1	100.0	269	232	86.2	11	10	90.9	433	369	85.2	—	—
Federal poverty level																										
0–100%	118	94	79.7	78	66	84.6	6,950	5,737	82.5	4,284	3,618	84.5	12	10	83.3	4,391	3,388	77.2	166	127	76.5	16,021	13,053	81.5	—	—
101–138%	9	7	77.8	23	20	87.0	848	730	86.1	322	281	87.3	3	3	100.0	630	515	81.7	19	17	89.5	1,856	1,575	84.9	—	—
139–250%	11	6	54.5	20	17	85.0	661	563	85.2	291	250	85.9	4	4	100.0	581	470	80.9	14	13	92.9	1,585	1,324	83.5	—	—
251–400%	0	—	—	8	8	100.0	173	145	83.8	82	65	79.3	0	—	—	234	182	77.8	5	4	80.0	503	404	80.3	—	—
>400%	0	—	—	2	2	100.0	64	53	82.8	26	26	100.0	1	0	0.0	74	54	73.0	1	1	100.0	169	137	81.1	—	—
Health care coverage																										
Private employer	1	1	100.0	16	15	93.8	319	271	85.0	109	91	83.5	2	2	100.0	337	258	76.6	9	8	88.9	794	646	81.4	—	—
Private individual	7	5	71.4	6	5	83.3	275	226	82.2	98	82	83.7	1	1	100.0	318	227	71.4	10	7	70.0	716	554	77.4	—	—
Medicare	12	11	91.7	8	6	75.0	1,345	1,118	83.1	446	392	87.9	2	2	100.0	765	633	82.7	21	15	71.4	2,604	2,182	83.8	—	—
Medicaid	64	46	71.9	49	44	89.8	4,077	3,369	82.6	2,980	2,538	85.2	9	7	77.8	2,454	1,898	77.3	105	84	80.0	9,754	7,996	82.0	—	—
Medicare and Medicaid	14	11	78.6	10	9	90.0	1,333	1,190	89.3	555	496	89.4	0	—	—	711	604	85.0	27	23	85.2	2,652	2,335	88.0	—	—
Veterans Administration	0	—	—	0	—	—	8	6	75.0	0	—	—	0	—	—	8	4	50.0	1	1	100.0	17	11	64.7	—	—
Indian Health Service	8	5	62.5	0	—	—	1	1	100.0	0	—	—	0	—	—	0	—	—	1	0	0.0	10	6	60.0	—	—
Other plan	0	—	—	2	2	100.0	63	55	87.3	78	52	66.7	1	1	100.0	83	57	68.7	1	1	100.0	230	168	73.0	—	—
No coverage	12	9	75.0	30	24	80.0	655	483	73.7	447	319	71.4	3	2	66.7	712	487	68.4	19	17	89.5	1,881	1,341	71.3	—	—
Multiple coverages	20	19	95.0	12	10	83.3	789	662	83.9	323	279	86.4	2	2	100.0	609	506	83.1	19	12	63.2	1,775	1,491	84.0	—	—

Table 17a. Retention in care among people with HIV infection attributed to injection drug use (aged 13 years and older) served by the Ryan White HIV/AIDS Program (non-ADAP), by race/ethnicity and selected characteristics, 2017—United States and 3 territories (cont.)

	American Indian/ Alaska Native			Asian			Black/ African American			Hispanic/Latino ^a			Native Hawaiian/ Pacific Islander			White			Multiple races			Total ^b		
	Total No.	Retained No.	%	Total No.	Retained No.	%	Total No.	Retained No.	%	Total No.	Retained No.	%	Total No.	Retained No.	%	Total No.	Retained No.	%	Total No.	Retained No.	%	Total No.	Retained No.	%
Housing status																								
Stable	106	82	77.4	112	99	88.4	7,514	6,323	84.1	4,319	3,712	85.9	13	11	84.6	4,760	3,811	80.1	161	130	80.7	17,010	14,185	83.4
Temporary	13	10	76.9	17	13	76.5	761	598	78.6	442	340	76.9	2	2	100.0	655	454	69.3	24	18	75.0	1,915	1,436	75.0
Unstable	19	15	78.9	2	1	50.0	507	382	75.3	278	200	71.9	4	4	100.0	535	366	68.4	22	16	72.7	1,370	985	71.9
Total^b	140	109	77.9	134	116	86.6	8,930	7,409	83.0	5,081	4,279	84.2	20	17	85.0	6,065	4,715	77.7	214	168	78.5	20,615	16,832	81.6

Retention in care was based on data for PLWH who had at least 1 outpatient ambulatory health services visit by September 1 of the measurement year, with a second visit at least 90 days after.

Notes. Data presented in this table represent persons who reported injection drug use as their transmission risk category; data may not be reflective of current injection drug use behavior.

Data are included only for persons with the transmission risk category injection drug use; data do not include male clients who reported male-to-male sexual contact and injection drug use or transgender clients who reported sexual contact and injection drug use.

^a Hispanics/Latinos can be of any race.

^b Because totals were calculated independently of the values for the subpopulations, the values in each column and row may not sum to the column and row totals.

^c See Technical Notes for the states/territories in each region.

Table 17b. Viral suppression among people with HIV infection attributed to injection drug use (aged 13 years and older) served by the Ryan White HIV/AIDS Program (non-ADAP), by race/ethnicity and selected characteristics, 2017—United States and 3 territories

	American Indian/ Alaska Native			Asian			Black/ African American			Hispanic/Latino ^a			Native Hawaiian/ Pacific Islander			White			Multiple races			Total ^b			
	Total No.	Viral suppression No.	%	Total No.	Viral suppression No.	%	Total No.	Viral suppression No.	%	Total No.	Viral suppression No.	%	Total No.	Viral suppression No.	%	Total No.	Viral suppression No.	%	Total No.	Viral suppression No.	%	Total No.	Viral suppression No.	%	
	Gender																								
Male	67	54	80.6	121	113	93.4	5,638	4,887	86.7	3,888	3,355	86.3	13	9	69.2	3,825	3,300	86.3	120	99	82.5	13,685	11,827	86.4	
Female	86	66	76.7	19	14	73.7	3,406	2,910	85.4	1,302	1,104	84.8	7	6	85.7	2,456	2,067	84.2	97	84	86.6	7,390	6,262	84.7	
Transgender	2	2	100.0	1	1	100.0	29	26	89.7	13	12	92.3	1	1	100.0	23	20	87.0	1	0	0.0	71	62	87.3	
Age group (yr)																									
13–14	0	—	—	0	—	—	0	—	—	0	—	—	0	—	—	0	—	—	0	—	—	0	—	—	—
15–19	0	—	—	0	—	—	0	—	—	4	3	75.0	0	—	—	4	3	75.0	0	—	—	8	6	75.0	—
20–24	0	—	—	2	1	50.0	13	10	76.9	19	10	52.6	0	—	—	53	37	69.8	1	1	100.0	89	60	67.4	—
25–29	7	5	71.4	8	6	75.0	64	40	62.5	60	43	71.7	0	—	—	221	154	69.7	5	4	80.0	367	254	69.2	—
30–34	8	8	100.0	16	16	100.0	103	68	66.0	133	91	68.4	1	1	100.0	403	298	73.9	12	9	75.0	678	491	72.4	—
35–39	20	13	65.0	28	26	92.9	181	129	71.3	292	219	75.0	3	1	33.3	555	426	76.8	13	9	69.2	1,093	823	75.3	—
40–44	16	11	68.8	23	21	91.3	289	218	75.4	431	355	82.4	2	1	50.0	569	451	79.3	17	12	70.6	1,352	1,073	79.4	—
45–49	19	14	73.7	22	18	81.8	675	540	80.0	635	547	86.1	6	5	83.3	904	750	83.0	26	19	73.1	2,291	1,895	82.7	—
50–54	33	25	75.8	19	19	100.0	1,484	1,245	83.9	1,186	998	84.1	3	2	66.7	1,240	1,082	87.3	43	39	90.7	4,012	3,412	85.0	—
55–59	30	27	90.0	10	9	90.0	2,342	2,009	85.8	1,165	1,031	88.5	3	3	100.0	1,254	1,142	91.1	44	40	90.9	4,853	4,265	87.9	—
60–64	17	14	82.4	5	5	100.0	2,389	2,138	89.5	772	700	90.7	1	1	100.0	772	733	94.9	41	36	87.8	4,000	3,629	90.7	—
≥65	5	5	100.0	8	7	87.5	1,533	1,426	93.0	506	474	93.7	2	2	100.0	329	311	94.5	16	14	87.5	2,403	2,243	93.3	—
HHS region^c																									
Region 1	5	5	100.0	5	5	100.0	542	495	91.3	818	727	88.9	2	2	100.0	648	589	90.9	14	14	100.0	2,037	1,838	90.2	—
Region 2	6	5	83.3	15	13	86.7	1,235	1,058	85.7	2,155	1,826	84.7	2	2	100.0	489	435	89.0	20	16	80.0	3,932	3,364	85.6	—
Region 3	6	5	83.3	14	11	78.6	2,876	2,545	88.5	583	514	88.2	0	—	—	859	753	87.7	64	55	85.9	4,407	3,885	88.2	—
Region 4	17	12	70.6	12	11	91.7	1,860	1,591	85.5	338	306	90.5	3	3	100.0	1,300	1,107	85.2	27	23	85.2	3,560	3,056	85.8	—
Region 5	9	7	77.8	12	11	91.7	835	720	86.2	247	218	88.3	0	—	—	412	359	87.1	14	14	100.0	1,530	1,330	86.9	—
Region 6	23	16	69.6	16	15	93.8	898	715	79.6	330	257	77.9	1	1	100.0	766	598	78.1	24	20	83.3	2,060	1,623	78.8	—
Region 7	2	2	100.0	10	9	90.0	86	74	86.0	20	16	80.0	0	—	—	155	131	84.5	5	4	80.0	278	236	84.9	—
Region 8	15	12	80.0	4	4	100.0	50	46	92.0	88	75	85.2	1	1	100.0	254	219	86.2	4	2	50.0	417	360	86.3	—
Region 9	40	31	77.5	41	37	90.2	471	401	85.1	517	446	86.3	11	7	63.6	998	835	83.7	33	25	75.8	2,114	1,783	84.3	—
Region 10	31	26	83.9	9	9	100.0	75	62	82.7	39	34	87.2	1	0	0.0	276	243	88.0	12	9	75.0	446	385	86.3	—
Federal poverty level																									
0–100%	134	103	76.9	81	73	90.1	7,078	6,016	85.0	4,389	3,742	85.3	13	10	76.9	4,582	3,820	83.4	168	140	83.3	16,467	13,918	84.5	—
101–138%	9	8	88.9	25	22	88.0	861	773	89.8	327	289	88.4	4	3	75.0	649	590	90.9	20	17	85.0	1,897	1,704	89.8	—
139–250%	11	10	90.9	21	20	95.2	663	612	92.3	304	278	91.4	4	3	75.0	597	555	93.0	15	14	93.3	1,618	1,495	92.4	—
251–400%	0	—	—	8	7	87.5	179	172	96.1	86	77	89.5	0	—	—	238	222	93.3	5	5	100.0	517	484	93.6	—
>400%	0	—	—	3	3	100.0	63	54	85.7	26	22	84.6	0	—	—	76	71	93.4	1	1	100.0	169	151	89.3	—
Health care coverage																									
Private employer	1	1	100.0	17	14	82.4	333	308	92.5	110	104	94.5	2	1	50.0	345	324	93.9	9	7	77.8	818	760	92.9	—
Private individual	7	6	85.7	8	8	100.0	287	255	88.9	99	89	89.9	1	1	100.0	327	293	89.6	10	9	90.0	740	662	89.5	—
Medicare	12	10	83.3	8	8	100.0	1,343	1,222	91.0	453	416	91.8	2	2	100.0	782	713	91.2	23	19	82.6	2,626	2,393	91.1	—
Medicaid	66	53	80.3	51	47	92.2	4,114	3,479	84.6	3,048	2,585	84.8	9	7	77.8	2,518	2,110	83.8	105	88	83.8	9,928	8,379	84.4	—
Medicare and Medicaid	14	13	92.9	10	9	90.0	1,339	1,197	89.4	562	511	90.9	0	—	—	730	651	89.2	26	23	88.5	2,683	2,406	89.7	—
Veterans Administration	0	—	—	0	—	—	10	10	100.0	0	—	—	0	—	—	9	7	77.8	1	1	100.0	20	18	90.0	—
Indian Health Service	10	9	90.0	0	—	—	1	1	100.0	0	—	—	0	—	—	1	1	100.0	1	1	100.0	13	12	92.3	—
Other plan	1	1	100.0	3	3	100.0	69	54	78.3	80	69	86.3	1	1	100.0	93	71	76.3	2	1	50.0	251	201	80.1	—
No coverage	16	8	50.0	30	27	90.0	708	550	77.7	483	379	78.5	3	3	100.0	805	608	75.5	20	15	75.0	2,068	1,592	77.0	—
Multiple coverages	27	20	74.1	13	11	84.6	819	708	86.4	330	290	87.9	3	1	33.3	630	564	89.5	20	18	90.0	1,843	1,613	87.5	—

Table 17b. Viral suppression among people with HIV infection attributed to injection drug use (aged 13 years and older) served by the Ryan White HIV/AIDS Program (non-ADAP), by race/ethnicity and selected characteristics, 2017—United States and 3 territories (cont.)

	American Indian/ Alaska Native			Asian			Black/ African American			Hispanic/Latino ^a			Native Hawaiian/ Pacific Islander			White			Multiple races			Total ^b		
	Total No.	Viral suppression		Total No.	Viral suppression		Total No.	Viral suppression		Total No.	Viral suppression		Total No.	Viral suppression		Total No.	Viral suppression		Total No.	Viral suppression		Total No.	Viral suppression	
		No.	%		No.	%		No.	%		No.	%		No.	%		No.	%		No.	%		No.	%
Housing status																								
Stable	120	101	84.2	117	108	92.3	7,610	6,698	88.0	4,409	3,867	87.7	14	11	78.6	4,917	4,330	88.1	164	143	87.2	17,374	15,276	87.9
Temporary	14	8	57.1	17	14	82.4	783	603	77.0	475	380	80.0	2	2	100.0	704	557	79.1	25	18	72.0	2,021	1,583	78.3
Unstable	20	12	60.0	4	3	75.0	534	402	75.3	289	198	68.5	5	3	60.0	576	405	70.3	22	18	81.8	1,454	1,042	71.7
Total^b	155	122	78.7	141	128	90.8	9,073	7,823	86.2	5,203	4,471	85.9	21	16	76.2	6,304	5,387	85.5	218	183	83.9	21,146	18,151	85.8

Viral suppression was based on data for PLWH who had at least 1 outpatient ambulatory health services visit during the measurement year and whose most recent viral load test result was <200 copies/mL.

Notes. Data presented in this table represent persons who reported injection drug use as their transmission risk category; data may not be reflective of current injection drug use behavior.

Data are included only for persons with the transmission risk category injection drug use; data do not include male clients who reported male-to-male sexual contact and injection drug use or transgender clients who reported sexual contact and injection drug use.

^a Hispanics/Latinos can be of any race.

^b Because totals were calculated independently of the values for the subpopulations, the values in each column and row may not sum to the column and row totals.

^c See Technical Notes for the states/territories in each region.

This page intentionally left blank

Section 3.

State- and EMA/TGA-Level Data: Client Characteristics

**Table 18a. Ryan White HIV/AIDS Program Clients (non-ADAP), by year and state, 2013–2017—
United States and 3 territories**

	2013	2014	2015	2016	2017
States					
Alabama	7,657	9,302	8,782	8,638	9,113
Alaska	510	503	524	562	653
Arizona	7,216	6,795	7,172	6,857	8,261
Arkansas	2,207	2,075	2,116	2,368	2,388
California	55,534	50,539	55,425	57,999	54,815
Colorado	6,612	6,690	6,772	8,151	7,129
Connecticut	5,419	5,277	5,895	5,147	5,071
Delaware	1,669	1,657	1,886	1,944	2,056
District of Columbia	9,305	7,166	6,935	6,659	7,110
Florida	54,303	53,761	55,378	53,516	54,706
Georgia	21,354	20,865	21,253	21,981	22,752
Hawaii	983	996	970	1,069	1,118
Idaho	590	552	707	801	821
Illinois	23,209	23,255	23,688	24,375	24,628
Indiana	4,377	4,230	4,664	3,472	2,726
Iowa	1,330	1,292	1,508	1,664	1,864
Kansas	816	839	1,142	976	753
Kentucky	4,264	3,632	4,463	4,865	4,751
Louisiana	11,787	12,971	12,289	12,969	12,707
Maine	814	832	816	830	835
Maryland	15,463	13,761	14,933	15,590	16,077
Massachusetts	14,244	13,127	13,128	14,047	13,165
Michigan	8,852	9,157	8,832	8,972	9,082
Minnesota	5,308	5,008	4,155	3,916	4,567
Mississippi	4,343	4,111	4,509	4,017	4,134
Missouri	7,464	6,968	7,686	8,779	8,875
Montana	403	369	352	360	419
Nebraska	884	602	1,186	1,230	1,242
Nevada	3,234	3,026	3,373	3,659	3,972
New Hampshire	980	798	868	974	982
New Jersey	19,601	18,525	17,604	18,751	16,802
New Mexico	2,034	2,089	2,100	1,895	2,083
New York	64,772	59,265	60,945	65,736	51,048
North Carolina	14,125	14,590	15,494	17,031	16,903
North Dakota	151	167	183	229	268
Ohio	10,439	9,781	11,909	12,149	12,182
Oklahoma	2,697	2,681	2,836	2,891	3,105
Oregon	3,508	3,288	3,307	3,423	3,558
Pennsylvania	26,605	24,872	25,021	29,895	26,071
Rhode Island	2,364	1,868	1,864	2,024	2,067
South Carolina	10,359	10,211	10,462	10,882	11,369
South Dakota	361	395	364	507	510
Tennessee	8,753	10,988	12,203	13,349	13,655
Texas	37,816	38,448	41,704	43,930	43,266
Utah	1,327	1,313	1,744	1,897	1,601
Vermont	572	553	537	582	585
Virginia	8,484	8,529	8,781	9,346	9,973
Washington	6,204	6,456	6,988	5,894	5,736
West Virginia	1,339	786	774	795	788
Wisconsin	4,271	4,282	4,332	4,454	4,924
Wyoming	157	141	142	182	185
Subtotal	507,070	489,384	510,701	532,229	513,451
Territories					
Guam	26	27	33	33	33
Puerto Rico	15,103	13,006	12,185	11,160	11,716
U.S. Virgin Islands	224	238	220	221	223
Subtotal	15,353	13,271	12,438	11,414	11,972
Total	522,423	502,655	523,139	543,643	525,423

Note. Data are based on provider location. Clients receiving services in multiple states were not included in state-specific totals or column subtotals and totals.

Table 18b. Ryan White HIV/AIDS Program Clients (non-ADAP), by year and eligible metropolitan area and transitional grant area, 2013–2017—United States and 3 territories

State/Territory	EMA/TGA	2013	2014	2015	2016	2017
Arizona	Phoenix	4,505	4,669	5,432	6,431	5,823
California	Los Angeles	21,010	19,200	26,250	24,673	23,027
	Oakland	4,903	4,025	3,228	3,978	3,326
	Orange County	2,498	2,227	2,253	2,285	2,339
	Riverside–San Bernardino	3,580	3,520	3,385	3,763	3,895
	Sacramento	2,750	2,905	3,077	3,503	2,836
	San Francisco	7,203	6,533	6,902	5,919	5,959
	San Diego	6,566	6,376	7,218	7,914	6,324
	San Jose	1,405	1,365	956	1,805	2,027
Colorado	Denver	6,018	6,450	6,617	7,723	6,936
Connecticut	Hartford	2,534	2,659	3,301	2,578	2,178
	New Haven	2,096	1,983	1,970	2,012	1,873
District of Columbia	Washington ^a	14,220	12,543	12,289	12,064	12,439
Florida	Ft. Lauderdale	13,479	13,976	15,298	10,996	12,194
	Jacksonville	5,394	5,280	2,506	3,432	2,279
	Miami	11,469	11,997	13,960	13,492	13,279
	Orlando	4,824	4,934	3,590	3,467	4,002
	Tampa–St. Petersburg	6,415	6,036	6,463	6,332	6,633
	West Palm Beach	3,156	3,648	3,856	3,672	3,683
Georgia	Atlanta	13,524	13,514	13,962	15,029	16,978
Illinois	Chicago	20,459	20,878	21,939	22,295	22,887
Indiana	Indianapolis	4,438	4,497	4,977	3,615	2,835
Louisiana	Baton Rouge	4,697	6,018	3,684	2,590	3,217
	New Orleans	5,500	6,289	6,787	8,223	7,077
Maryland	Baltimore	12,574	10,841	11,989	12,873	13,560
Massachusetts	Boston ^a	12,126	11,341	11,484	12,070	11,603
Michigan	Detroit	5,230	5,524	5,428	5,620	5,768
Minnesota	Minneapolis–St. Paul ^a	5,157	5,128	4,324	4,016	4,753
Missouri	Kansas City ^a	2,811	2,566	2,724	2,791	2,858
	St. Louis ^a	5,815	6,177	6,673	7,212	7,983
Nevada	Las Vegas ^a	2,391	2,346	2,444	2,392	3,003
New Jersey	Bergen–Passaic	2,816	2,677	2,231	1,868	1,782
	Jersey City	2,264	2,203	2,098	2,172	2,044
	Middlesex	2,069	2,235	1,606	1,646	1,637
	Newark	7,782	7,448	7,369	7,643	7,492
New York	Nassau–Suffolk	3,520	3,849	3,443	3,453	2,723
	New York	47,817	44,410	45,489	48,737	45,069
North Carolina	Charlotte ^a	2,780	3,055	3,241	3,477	3,696
Ohio	Cleveland	3,519	3,361	3,364	3,366	3,594
	Columbus	5,047	4,278	6,127	6,964	6,746
Oregon	Portland ^a	2,997	3,041	4,111	2,768	2,651
Pennsylvania	Philadelphia ^a	18,960	18,619	19,366	23,608	20,277
Puerto Rico	San Juan	8,546	8,039	10,636	10,466	9,981
Tennessee	Memphis ^a	4,503	4,431	5,140	5,226	5,596
	Nashville	3,970	5,095	5,637	6,667	6,727
Texas	Austin	2,730	2,689	5,735	5,677	7,616
	Dallas	11,079	11,047	9,656	10,127	9,186
	Ft. Worth	2,821	2,890	3,022	3,289	3,311
	Houston	11,414	13,022	14,802	15,432	15,785
	San Antonio	3,007	3,070	4,054	4,281	3,293
Virginia	Norfolk ^a	2,453	2,600	2,846	2,955	3,241
Washington	Seattle	3,505	3,964	5,001	5,119	5,266

Abbreviations: EMA, eligible metropolitan area; TGA, transitional grant area.

Notes. EMAs/TGAs are listed according to the primary state in which the jurisdiction resides. EMA/TGA delineations are based on provider location.

Data shown for EMAs and TGAs are not mutually exclusive; clients may have received services from providers in multiple EMAs and/or TGAs.

^a The EMA/TGA service area crosses state boundaries. See Technical Notes for more information.

Table 19a. Ryan White HIV/AIDS Program clients (non-ADAP), by age group and state, 2017—United States and 3 territories

States	<13 yrs		13–24 yrs		25–34 yrs		35–44 yrs		45–54 yrs		55–64 yrs		≥65 yrs		Total No.
	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	
Alabama	109	1.2	518	5.7	1,940	21.3	1,932	21.2	2,430	26.7	1,712	18.8	472	5.2	9,113
Alaska	0	0.0	26	4.0	103	15.8	139	21.3	189	29.0	163	25.0	32	4.9	652
Arizona	44	0.5	365	4.4	1,419	17.2	1,644	19.9	2,371	28.7	1,793	21.7	623	7.5	8,259
Arkansas	2	0.1	150	6.3	551	23.1	510	21.4	652	27.3	415	17.4	108	4.5	2,388
California	499	0.9	1,586	2.9	8,620	15.7	10,796	19.7	16,314	29.8	12,811	23.4	4,185	7.6	54,811
Colorado	178	2.5	290	4.1	1,202	16.9	1,522	21.3	2,097	29.4	1,402	19.7	438	6.1	7,129
Connecticut	15	0.3	140	2.8	506	10.0	784	15.5	1,560	30.8	1,606	31.7	460	9.1	5,071
Delaware	3	0.1	44	2.1	249	12.1	308	15.0	632	30.8	622	30.3	197	9.6	2,055
District of Columbia	89	1.3	380	5.3	1,201	16.9	1,231	17.3	1,895	26.7	1,758	24.7	556	7.8	7,110
Florida	882	1.6	2,490	4.6	8,503	15.5	9,884	18.1	15,844	29.0	13,131	24.0	3,971	7.3	54,705
Georgia	320	1.4	1,256	5.5	5,076	22.3	4,512	19.8	5,985	26.3	4,383	19.3	1,220	5.4	22,752
Hawaii	0	0.0	20	1.8	122	10.9	160	14.3	328	29.3	355	31.8	133	11.9	1,118
Idaho	1	0.1	20	2.4	114	13.9	188	22.9	240	29.2	201	24.5	57	6.9	821
Illinois	181	0.7	1,349	5.5	5,097	20.7	5,030	20.4	6,630	26.9	5,008	20.3	1,333	5.4	24,628
Indiana	1	0.0	147	5.4	647	23.7	612	22.5	728	26.7	469	17.2	122	4.5	2,726
Iowa	3	0.2	87	4.7	308	16.5	407	21.8	560	30.0	413	22.2	86	4.6	1,864
Kansas	5	0.7	32	4.2	92	12.2	118	15.7	243	32.3	195	25.9	68	9.0	753
Kentucky	22	0.5	170	3.6	892	18.8	1,031	21.7	1,417	29.8	958	20.2	261	5.5	4,751
Louisiana	77	0.6	669	5.3	2,657	20.9	2,903	22.8	3,226	25.4	2,457	19.3	718	5.7	12,707
Maine	5	0.6	14	1.7	72	8.6	160	19.2	268	32.1	236	28.3	80	9.6	835
Maryland	162	1.0	706	4.4	2,557	15.9	2,703	16.8	4,471	27.8	4,162	25.9	1,312	8.2	16,073
Massachusetts	83	0.6	342	2.6	1,466	11.1	2,165	16.4	4,229	32.1	3,750	28.5	1,129	8.6	13,164
Michigan	81	0.9	522	5.7	1,812	20.0	1,671	18.4	2,513	27.7	1,948	21.4	535	5.9	9,082
Minnesota	52	1.1	177	3.9	763	16.7	990	21.7	1,347	29.5	940	20.6	298	6.5	4,567
Mississippi	83	2.0	255	6.2	818	19.8	926	22.4	1,120	27.1	725	17.5	206	5.0	4,133
Missouri	109	1.2	447	5.0	1,835	20.7	1,830	20.6	2,450	27.6	1,784	20.1	420	4.7	8,875
Montana	0	0.0	13	3.1	50	11.9	99	23.6	138	32.9	98	23.4	21	5.0	419
Nebraska	13	1.0	49	3.9	207	16.7	305	24.6	369	29.7	247	19.9	52	4.2	1,242
Nevada	68	1.7	188	4.7	882	22.2	819	20.6	1,058	26.6	718	18.1	239	6.0	3,972
New Hampshire	9	0.9	23	2.3	100	10.2	165	16.8	327	33.3	276	28.1	82	8.4	982
New Jersey	273	1.6	559	3.3	2,289	13.6	2,602	15.5	4,748	28.3	4,770	28.4	1,559	9.3	16,800
New Mexico	5	0.2	70	3.4	291	14.0	374	18.0	575	27.6	560	26.9	208	10.0	2,083
New York	278	0.5	2,054	4.0	8,135	15.9	9,027	17.7	14,541	28.5	12,694	24.9	4,318	8.5	51,047
North Carolina	106	0.6	1,137	6.7	3,270	19.3	3,162	18.7	4,682	27.7	3,471	20.5	1,074	6.4	16,902
North Dakota	1	0.4	15	5.6	61	22.8	67	25.0	76	28.4	39	14.6	9	3.4	268
Ohio	49	0.4	606	5.0	2,539	20.8	2,365	19.4	3,375	27.7	2,554	21.0	694	5.7	12,182
Oklahoma	1	0.0	124	4.0	660	21.3	661	21.3	926	29.8	606	19.5	127	4.1	3,105
Oregon	11	0.3	77	2.2	550	15.5	768	21.6	1,124	31.6	782	22.0	245	6.9	3,557
Pennsylvania	281	1.1	970	3.7	4,030	15.5	4,529	17.4	7,746	29.7	6,523	25.0	1,991	7.6	26,070
Rhode Island	24	1.2	54	2.6	248	12.0	389	18.8	643	31.1	569	27.5	140	6.8	2,067
South Carolina	48	0.4	511	4.5	2,048	18.0	2,151	18.9	3,328	29.3	2,499	22.0	783	6.9	11,368
South Dakota	8	1.6	15	2.9	64	12.5	141	27.6	152	29.8	105	20.6	25	4.9	510
Tennessee	58	0.4	957	7.0	2,806	20.6	2,754	20.2	3,902	28.6	2,605	19.1	572	4.2	13,654
Texas	415	1.0	2,109	4.9	9,234	21.3	9,813	22.7	11,732	27.1	7,946	18.4	2,016	4.7	43,265

Table 19a. Ryan White HIV/AIDS Program clients (non-ADAP), by age group and state, 2017—United States and 3 territories (cont.)

	<13 yrs		13–24 yrs		25–34 yrs		35–44 yrs		45–54 yrs		55–64 yrs		≥65 yrs		Total No.
	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	
States															
Utah	6	0.4	52	3.4	258	16.9	378	24.8	446	29.2	292	19.1	94	6.2	1,526
Vermont	1	0.2	14	2.4	45	7.7	83	14.2	216	36.9	164	28.0	62	10.6	585
Virginia	73	0.7	426	4.3	1,910	19.2	1,927	19.3	2,736	27.4	2,248	22.5	653	6.5	9,973
Washington	13	0.2	187	3.3	903	15.7	1,238	21.6	1,781	31.1	1,256	21.9	357	6.2	5,735
West Virginia	0	0.0	16	2.0	98	12.4	148	18.8	257	32.6	203	25.8	66	8.4	788
Wisconsin	148	3.0	297	6.0	818	16.6	911	18.5	1,397	28.4	1,052	21.4	301	6.1	4,924
Wyoming	2	1.1	5	2.7	23	12.4	42	22.7	52	28.1	48	25.9	13	7.0	185
Subtotal	4,897	1.0	22,730	4.4	90,141	17.6	99,074	19.3	146,066	28.5	115,722	22.5	34,721	6.8	513,351
Territories															
Guam	0	0.0	2	6.1	10	30.3	5	15.2	9	27.3	7	21.2	0	0.0	33
Puerto Rico	54	0.5	250	2.1	1,120	9.6	1,846	15.8	3,694	31.5	3,391	28.9	1,360	11.6	11,715
U.S. Virgin Islands	2	0.9	3	1.3	14	6.3	35	15.7	71	31.8	73	32.7	25	11.2	223
Subtotal	56	0.5	255	2.1	1,144	9.6	1,886	15.8	3,774	31.5	3,471	29.0	1,385	11.6	11,971
Total	4,953	0.9	22,985	4.4	91,285	17.4	100,960	19.2	149,840	28.5	119,193	22.7	36,106	6.9	525,322

Notes. Percentages shown are based on the row total. Percentages that are less than (<) 0.1 display as 0.0 due to rounding.

Data are based on provider location. Clients receiving services in multiple states were not included in state-specific totals or column subtotals and totals.

Table 19b. Ryan White HIV/AIDS Program clients (non-ADAP), by age group and eligible metropolitan area and transitional grant area, 2017—United States and 3 territories

State/Territory	EMA/TGA	<13 yrs		13–24 yrs		25–34 yrs		35–44 yrs		45–54 yrs		55–64 yrs		≥65 yrs		Total No.
		No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	
Arizona	Phoenix	41	0.7	299	5.1	1,157	19.9	1,249	21.4	1,630	28.0	1,089	18.7	358	6.1	5,823
California	Los Angeles	361	1.6	726	3.2	4,176	18.1	4,963	21.6	6,796	29.5	4,637	20.1	1,368	5.9	23,027
	Oakland	35	1.1	127	3.8	503	15.1	632	19.0	916	27.5	801	24.1	312	9.4	3,326
	Orange County	2	0.1	82	3.5	425	18.2	549	23.5	660	28.2	448	19.2	173	7.4	2,339
	Riverside–San Bernardino	0	0.0	83	2.1	505	13.0	593	15.2	1,190	30.6	1,151	29.6	372	9.6	3,894
	Sacramento	39	1.4	117	4.1	452	15.9	481	17.0	840	29.6	717	25.3	190	6.7	2,836
	San Francisco	2	0.0	86	1.4	692	11.6	939	15.8	1,841	30.9	1,700	28.5	698	11.7	5,958
	San Diego	52	0.8	163	2.6	959	15.2	1,259	19.9	1,951	30.9	1,508	23.8	431	6.8	6,323
	San Jose	0	0.0	57	2.8	359	17.7	487	24.0	603	29.7	387	19.1	134	6.6	2,027
Colorado	Denver	181	2.6	296	4.3	1,208	17.4	1,487	21.4	2,016	29.1	1,337	19.3	411	5.9	6,936
Connecticut	Hartford	7	0.3	64	2.9	213	9.8	320	14.7	693	31.8	676	31.0	205	9.4	2,178
	New Haven	7	0.4	49	2.6	180	9.6	270	14.4	563	30.1	641	34.2	163	8.7	1,873
District of Columbia	Washington ^a	118	0.9	572	4.6	2,147	17.3	2,441	19.6	3,427	27.6	2,829	22.7	905	7.3	12,439
Florida	Ft. Lauderdale	603	4.9	833	6.8	1,800	14.8	2,063	16.9	3,244	26.6	2,856	23.4	795	6.5	12,194
	Jacksonville	0	0.0	89	3.9	397	17.4	487	21.4	664	29.1	519	22.8	123	5.4	2,279
	Miami	149	1.1	511	3.8	2,325	17.5	2,579	19.4	3,850	29.0	3,043	22.9	822	6.2	13,279
	Orlando	1	0.0	193	4.8	744	18.6	818	20.4	1,223	30.6	807	20.2	216	5.4	4,002
	Tampa–St. Petersburg	82	1.2	325	4.9	1,071	16.1	1,120	16.9	1,888	28.5	1,644	24.8	503	7.6	6,633
Georgia	West Palm Beach	4	0.1	111	3.0	482	13.1	636	17.3	1,088	29.5	966	26.2	395	10.7	3,682
	Atlanta	300	1.8	1,025	6.0	4,145	24.4	3,493	20.6	4,283	25.2	2,998	17.7	734	4.3	16,978
Illinois	Chicago	181	0.8	1,293	5.6	4,888	21.4	4,714	20.6	6,050	26.4	4,541	19.8	1,220	5.3	22,887
Indiana	Indianapolis	1	0.0	156	5.5	690	24.3	638	22.5	751	26.5	477	16.8	122	4.3	2,835
Louisiana	Baton Rouge	33	1.0	169	5.3	669	20.8	771	24.0	819	25.5	601	18.7	155	4.8	3,217
	New Orleans	29	0.4	351	5.0	1,491	21.1	1,591	22.5	1,775	25.1	1,411	19.9	429	6.1	7,077
Maryland	Baltimore	160	1.2	648	4.8	2,186	16.1	2,142	15.8	3,690	27.2	3,614	26.7	1,116	8.2	13,556
Massachusetts	Boston ^a	84	0.7	315	2.7	1,341	11.6	1,925	16.6	3,728	32.1	3,247	28.0	962	8.3	11,602
Michigan	Detroit	77	1.3	390	6.8	1,300	22.5	1,054	18.3	1,462	25.3	1,172	20.3	313	5.4	5,768
Minnesota	Minneapolis–St. Paul ^a	52	1.1	188	4.0	817	17.2	1,028	21.6	1,396	29.4	968	20.4	304	6.4	4,753
Missouri	Kansas City ^a	32	1.1	129	4.5	626	21.9	619	21.7	765	26.8	563	19.7	124	4.3	2,858
	St. Louis ^a	77	1.0	414	5.2	1,674	21.0	1,689	21.2	2,219	27.8	1,558	19.5	352	4.4	7,983
Nevada	Las Vegas ^a	65	2.2	168	5.6	769	25.6	652	21.7	774	25.8	460	15.3	115	3.8	3,003
New Jersey	Bergen–Passaic	24	1.3	48	2.7	227	12.7	283	15.9	494	27.7	555	31.2	150	8.4	1,781
	Jersey City	19	0.9	55	2.7	305	14.9	375	18.3	588	28.8	534	26.1	168	8.2	2,044
	Middlesex	62	3.8	74	4.5	222	13.6	248	15.1	477	29.1	426	26.0	128	7.8	1,637
	Newark	99	1.3	286	3.8	1,072	14.3	1,128	15.1	2,097	28.0	2,068	27.6	742	9.9	7,492
New York	Nassau–Suffolk	16	0.6	146	5.4	387	14.2	426	15.6	734	27.0	738	27.1	276	10.1	2,723
	New York	262	0.6	1,848	4.1	7,464	16.6	8,142	18.1	12,709	28.2	10,931	24.3	3,712	8.2	45,068
North Carolina	Charlotte ^a	0	0.0	215	5.8	936	25.3	705	19.1	1,019	27.6	637	17.2	184	5.0	3,696
Ohio	Cleveland	9	0.3	184	5.1	648	18.0	651	18.1	1,053	29.3	827	23.0	222	6.2	3,594
	Columbus	36	0.5	321	4.8	1,505	22.3	1,337	19.8	1,814	26.9	1,359	20.1	374	5.5	6,746
Oregon	Portland ^a	9	0.3	55	2.1	472	17.8	616	23.2	828	31.2	530	20.0	141	5.3	2,651
Pennsylvania	Philadelphia ^a	318	1.6	796	3.9	3,459	17.1	3,555	17.5	5,776	28.5	4,895	24.1	1,477	7.3	20,276
Puerto Rico	San Juan	54	0.5	211	2.1	916	9.2	1,541	15.4	3,185	31.9	2,890	29.0	1,183	11.9	9,980

Table 19b. Ryan White HIV/AIDS Program clients (non-ADAP), by age group and eligible metropolitan area and transitional grant area, 2017—United States and 3 territories (cont.)

State/Territory	EMA/TGA	<13 yrs		13–24 yrs		25–34 yrs		35–44 yrs		45–54 yrs		55–64 yrs		≥65 yrs		Total No.
		No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	
Tennessee	Memphis ^a	51	0.9	640	11.4	1,351	24.1	1,248	22.3	1,303	23.3	808	14.4	195	3.5	5,596
	Nashville	6	0.1	270	4.0	1,342	19.9	1,280	19.0	2,114	31.4	1,411	21.0	304	4.5	6,727
Texas	Austin	3	0.0	274	3.6	1,512	19.9	1,687	22.2	2,225	29.2	1,535	20.2	380	5.0	7,616
	Dallas	184	2.0	460	5.0	1,964	21.4	2,124	23.1	2,474	26.9	1,599	17.4	381	4.1	9,186
	Ft. Worth	1	0.0	141	4.3	764	23.1	720	21.7	910	27.5	628	19.0	147	4.4	3,311
	Houston	189	1.2	798	5.1	3,325	21.1	3,657	23.2	4,180	26.5	2,877	18.2	758	4.8	15,784
	San Antonio	26	0.8	184	5.6	796	24.2	740	22.5	860	26.1	560	17.0	127	3.9	3,293
Virginia	Norfolk ^a	2	0.1	181	5.6	736	22.7	618	19.1	829	25.6	707	21.8	168	5.2	3,241
	Seattle	12	0.2	166	3.2	825	15.7	1,146	21.8	1,636	31.1	1,157	22.0	323	6.1	5,265

Abbreviations: EMA, eligible metropolitan area; TGA, transitional grant area.

Notes. Percentages shown are based on the row total. Percentages that are less than (<) 0.1 display as 0.0 due to rounding.

EMAs/TGAs are listed according to the primary state in which the jurisdiction resides. EMA/TGA delineations are based on provider location.

Data shown for EMAs and TGAs are not mutually exclusive; clients may have received services from providers in multiple EMAs and/or TGAs.

^a The EMA/TGA service area crosses state boundaries. See Technical Notes for more information.

Table 20a. Ryan White HIV/AIDS Program clients (non-ADAP), by race/ethnicity and state, 2017—United States and 3 territories

	American Indian/ Alaska Native		Asian		Black/ African American		Hispanic/Latino ^a		Native Hawaiian/ Pacific Islander		White		Multiple races		Total No.	
	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%
States																
Alabama	44	0.5	22	0.2	6,312	69.3	232	2.5	5	0.1	2,409	26.5	81	0.9	9,105	
Alaska	216	33.3	19	2.9	109	16.8	66	10.2	3	0.5	225	34.7	11	1.7	649	
Arizona	303	3.7	128	1.6	1,209	14.9	2,456	30.3	14	0.2	3,747	46.2	255	3.1	8,112	
Arkansas	5	0.2	8	0.3	1,152	48.3	162	6.8	3	0.1	1,023	42.9	33	1.4	2,386	
California	459	0.8	2,089	3.9	10,662	19.7	23,158	42.7	274	0.5	17,104	31.5	467	0.9	54,213	
Colorado	77	1.1	106	1.5	1,349	19.1	1,837	26.0	12	0.2	3,531	50.0	145	2.1	7,057	
Connecticut	4	0.1	21	0.4	2,141	42.3	1,898	37.5	3	0.1	949	18.8	44	0.9	5,060	
Delaware	5	0.2	2	0.1	1,306	63.5	149	7.2	2	0.1	577	28.1	15	0.7	2,056	
District of Columbia	20	0.3	34	0.5	5,865	83.5	649	9.2	6	0.1	440	6.3	9	0.1	7,023	
Florida	64	0.1	317	0.6	27,072	49.7	13,629	25.0	39	0.1	12,886	23.7	462	0.8	54,469	
Georgia	21	0.1	138	0.6	17,727	78.0	1,217	5.4	11	0.0	3,420	15.1	184	0.8	22,718	
Hawaii	14	1.3	147	13.2	64	5.7	167	15.0	163	14.6	472	42.3	90	8.1	1,117	
Idaho	11	1.3	9	1.1	79	9.7	115	14.1	1	0.1	591	72.2	12	1.5	818	
Illinois	60	0.2	336	1.4	12,982	52.9	4,965	20.2	16	0.1	5,995	24.4	205	0.8	24,559	
Indiana	1	0.0	100	3.7	1,414	52.0	226	8.3	4	0.1	948	34.9	26	1.0	2,719	
Iowa	7	0.4	55	3.0	503	27.0	159	8.5	4	0.2	1,111	59.6	24	1.3	1,863	
Kansas	5	0.7	10	1.3	181	24.0	80	10.6	2	0.3	449	59.6	26	3.5	753	
Kentucky	12	0.3	42	0.9	1,682	35.4	311	6.5	5	0.1	2,631	55.4	68	1.4	4,751	
Louisiana	19	0.1	32	0.3	9,358	73.7	430	3.4	11	0.1	2,742	21.6	110	0.9	12,702	
Maine	8	1.0	3	0.4	193	23.4	33	4.0	0	0.0	553	67.1	34	4.1	824	
Maryland	22	0.1	91	0.6	12,603	79.9	717	4.5	12	0.1	2,129	13.5	190	1.2	15,764	
Massachusetts	38	0.3	223	1.7	3,886	30.1	4,068	31.5	15	0.1	4,556	35.3	125	1.0	12,911	
Michigan	33	0.4	82	0.9	5,656	62.3	466	5.1	4	0.0	2,664	29.4	168	1.9	9,073	
Minnesota	98	2.2	92	2.0	2,012	44.3	468	10.3	7	0.2	1,744	38.4	121	2.7	4,542	
Mississippi	10	0.2	11	0.3	3,386	82.0	63	1.5	1	0.0	648	15.7	12	0.3	4,131	
Missouri	26	0.3	77	0.9	4,567	51.5	525	5.9	10	0.1	3,517	39.6	153	1.7	8,875	
Montana	35	8.4	2	0.5	20	4.8	18	4.3	0	0.0	336	80.2	8	1.9	419	
Nebraska	13	1.1	43	3.5	360	29.1	226	18.3	1	0.1	577	46.6	17	1.4	1,237	
Nevada	30	0.8	122	3.1	1,043	26.5	1,095	27.8	24	0.6	1,515	38.5	109	2.8	3,938	
New Hampshire	5	0.5	15	1.5	142	14.5	147	15.1	0	0.0	656	67.2	11	1.1	976	
New Jersey	15	0.1	169	1.0	9,262	55.8	4,550	27.4	33	0.2	2,492	15.0	83	0.5	16,604	
New Mexico	81	3.9	19	0.9	103	5.0	947	46.2	5	0.2	873	42.5	24	1.2	2,052	
New York	162	0.3	875	1.7	23,106	46.1	18,342	36.6	52	0.1	7,098	14.2	520	1.0	50,155	
North Carolina	162	1.0	127	0.8	10,851	64.3	1,335	7.9	9	0.1	4,267	25.3	124	0.7	16,875	
North Dakota	11	4.1	4	1.5	114	42.5	17	6.3	0	0.0	106	39.6	16	6.0	268	
Ohio	29	0.2	118	1.0	5,967	49.2	774	6.4	9	0.1	5,017	41.4	214	1.8	12,128	
Oklahoma	176	5.7	57	1.8	740	23.8	293	9.4	3	0.1	1,679	54.1	155	5.0	3,103	
Oregon	37	1.0	84	2.4	282	7.9	629	17.7	17	0.5	2,244	63.2	259	7.3	3,552	
Pennsylvania	57	0.2	241	0.9	13,210	51.1	4,319	16.7	33	0.1	6,922	26.8	1,080	4.2	25,862	
Rhode Island	17	0.8	33	1.6	561	27.2	565	27.3	2	0.1	866	41.9	22	1.1	2,066	
South Carolina	21	0.2	24	0.2	8,288	73.0	418	3.7	5	0.0	2,535	22.3	67	0.6	11,358	
South Dakota	76	14.9	4	0.8	154	30.2	40	7.8	0	0.0	225	44.1	11	2.2	510	
Tennessee	32	0.2	91	0.7	8,309	60.9	580	4.2	6	0.0	4,585	33.6	49	0.4	13,652	
Texas	107	0.2	540	1.2	18,789	43.4	14,407	33.3	41	0.1	9,124	21.1	248	0.6	43,256	

Table 20a. Ryan White HIV/AIDS Program clients (non-ADAP), by race/ethnicity and state, 2017—United States and 3 territories (cont.)

	American Indian/ Alaska Native		Asian		Black/ African American		Hispanic/Latino ^a		Native Hawaiian/ Pacific Islander		White		Multiple races		Total No.
	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	
States															
Utah	21	1.3	57	3.6	158	9.9	374	23.4	9	0.6	970	60.7	10	0.6	1,599
Vermont	7	1.2	12	2.1	68	11.7	28	4.8	3	0.5	461	79.1	4	0.7	583
Virginia	18	0.2	156	1.6	6,467	64.9	877	8.8	9	0.1	2,338	23.5	103	1.0	9,968
Washington	109	1.9	214	3.8	1,642	29.0	885	15.6	40	0.7	2,634	46.6	133	2.4	5,657
West Virginia	2	0.3	2	0.3	170	21.6	19	2.4	0	0.0	588	74.6	7	0.9	788
Wisconsin	64	1.3	77	1.6	2,079	42.7	657	13.5	5	0.1	1,938	39.8	48	1.0	4,868
Wyoming	8	4.3	1	0.5	16	8.6	25	13.5	0	0.0	132	71.4	3	1.6	185
Subtotal	2,877	0.6	7,281	1.4	245,371	48.1	109,813	21.5	933	0.2	137,239	26.9	6,395	1.3	509,909
Territories															
Guam	0	0.0	7	21.2	1	3.0	1	3.0	19	57.6	3	9.1	2	6.1	33
Puerto Rico	0	0.0	3	0.0	21	0.2	11,592	99.0	1	0.0	70	0.6	17	0.1	11,704
U.S. Virgin Islands	0	0.0	1	0.4	129	57.8	82	36.8	0	0.0	11	4.9	0	0.0	223
Subtotal	0	0.0	11	0.1	151	1.3	11,675	97.6	20	0.2	84	0.7	19	0.2	11,960
Total	2,877	0.6	7,292	1.4	245,522	47.0	121,488	23.3	953	0.2	137,323	26.3	6,414	1.2	521,869

Notes. Percentages shown are based on the row total. Percentages that are less than (<) 0.1 display as 0.0 due to rounding.

Data are based on provider location. Clients receiving services in multiple states were not included in state-specific totals or column subtotals and totals.

^a Hispanics/Latinos can be of any race.

Table 20b. Ryan White HIV/AIDS Program clients, by race/ethnicity and eligible metropolitan area and transitional grant area, 2017—United States and 3 territories

State/Territory	EMA/TGA	American Indian/ Alaska Native		Asian		Black/ African American		Hispanic/Latino ^a		Native Hawaiian/ Pacific Islander		White		Total No. ^b
		No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	
Arizona	Phoenix	155	2.7	110	1.9	1,037	18.3	1,660	29.2	13	0.2	2,507	44.1	5,680
California	Los Angeles	70	0.3	798	3.5	5,514	24.0	11,577	50.3	90	0.4	4,888	21.2	23,021
	Oakland	25	0.8	176	5.6	1,367	43.7	826	26.4	27	0.9	664	21.2	3,131
	Orange County	6	0.3	144	6.2	126	5.5	1,373	59.4	11	0.5	628	27.2	2,310
	Riverside–San Bernardino	19	0.5	64	1.6	389	10.0	1,368	35.1	7	0.2	2,016	51.8	3,895
	Sacramento	38	1.4	90	3.3	676	24.8	574	21.1	23	0.8	1,316	48.3	2,723
	San Francisco	87	1.5	330	5.6	1,222	20.8	1,596	27.1	50	0.9	2,463	41.9	5,881
	San Diego	33	0.5	181	2.9	798	12.8	2,736	44.0	28	0.5	2,354	37.9	6,213
	San Jose	112	5.5	192	9.5	241	11.9	977	48.2	13	0.6	477	23.5	2,026
Colorado	Denver	70	1.0	102	1.5	1,401	20.4	1,746	25.4	11	0.2	3,389	49.4	6,864
Connecticut	Hartford	*	*	11	0.5	835	38.4	856	39.3	*	*	449	20.6	2,177
	New Haven	*	*	9	0.5	773	41.5	667	35.8	*	*	397	21.3	1,863
District of Columbia	Washington ^c	24	0.2	163	1.3	9,486	76.8	1,526	12.4	10	0.1	1,106	9.0	12,349
Florida	Ft. Lauderdale	12	0.1	73	0.6	6,711	56.0	2,050	17.1	14	0.1	2,959	24.7	11,985
	Jacksonville	*	*	30	1.3	1,495	65.7	122	5.4	*	*	604	26.5	2,277
	Miami	9	0.1	37	0.3	5,391	40.6	6,787	51.2	6	0.0	982	7.4	13,262
	Orlando	*	*	23	0.6	1,720	43.0	1,241	31.0	*	*	986	24.6	4,001
	Tampa–St. Petersburg	10	0.2	59	0.9	2,712	40.9	1,322	19.9	*	*	2,448	36.9	6,632
	West Palm Beach	*	*	21	0.6	2,330	63.3	635	17.3	*	*	676	18.4	3,678
Georgia	Atlanta	15	0.1	117	0.7	13,450	79.3	1,016	6.0	10	0.1	2,211	13.0	16,953
Illinois	Chicago	54	0.2	326	1.4	12,355	54.1	4,897	21.5	14	0.1	4,977	21.8	22,818
Indiana	Indianapolis	*	*	107	3.8	1,477	52.2	235	8.3	*	*	978	34.6	2,828
Louisiana	Baton Rouge	*	*	10	0.3	2,825	87.8	45	1.4	*	*	309	9.6	3,217
	New Orleans	15	0.2	20	0.3	4,936	69.7	362	5.1	7	0.1	1,695	24.0	7,077
Maryland	Baltimore	21	0.2	65	0.5	10,690	80.7	452	3.4	7	0.1	1,834	13.8	13,247
Massachusetts	Boston ^c	34	0.3	215	1.9	3,576	31.5	3,243	28.6	14	0.1	4,150	36.5	11,357
Michigan	Detroit	6	0.1	20	0.3	4,628	80.3	198	3.4	*	*	845	14.7	5,763
Minnesota	Minneapolis–St. Paul ^c	100	2.1	94	2.0	2,093	44.3	490	10.4	7	0.1	1,819	38.5	4,728
Missouri	Kansas City ^c	9	0.3	35	1.2	1,299	45.5	326	11.4	5	0.2	1,128	39.5	2,858
	St. Louis ^c	25	0.3	65	0.8	4,297	53.8	460	5.8	7	0.1	3,005	37.6	7,983
Nevada	Las Vegas ^c	16	0.5	93	3.1	988	33.2	889	29.9	16	0.5	883	29.7	2,972
New Jersey	Bergen–Passaic	*	*	15	0.8	839	47.1	713	40.0	*	*	211	11.8	1,782
	Jersey City	*	*	47	2.3	812	39.7	933	45.6	5	0.2	241	11.8	2,044
	Middlesex	*	*	29	1.8	811	49.6	536	32.8	*	*	245	15.0	1,636
	Newark	10	0.1	36	0.5	5,211	69.7	1,596	21.3	19	0.3	599	8.0	7,478
New York	Nassau–Suffolk	*	*	46	1.7	1,221	44.8	702	25.8	*	*	723	26.6	2,723
	New York	132	0.3	797	1.8	20,631	46.7	17,298	39.2	49	0.1	4,818	10.9	44,179
North Carolina	Charlotte ^c	13	0.4	33	0.9	2,612	70.7	335	9.1	*	*	668	18.1	3,696
Ohio	Cleveland	*	*	16	0.4	2,081	57.9	362	10.1	*	*	1,092	30.4	3,594
	Columbus	22	0.3	81	1.2	2,915	43.6	340	5.1	7	0.1	3,160	47.2	6,693
Oregon	Portland ^c	22	0.8	74	2.8	261	9.9	488	18.4	12	0.5	1,580	59.7	2,645
Pennsylvania	Philadelphia ^c	38	0.2	204	1.0	12,043	60.0	3,259	16.2	23	0.1	3,505	17.5	20,082
Puerto Rico	San Juan	*	*	*	*	22	0.2	9,865	99.0	*	*	63	0.6	9,969

Table 20b. Ryan White HIV/AIDS Program clients, by race/ethnicity and eligible metropolitan area and transitional grant area, 2017—United States and 3 territories (cont.)

State/Territory	EMA/TGA	American Indian/ Alaska Native		Asian		Black/ African American		Hispanic/Latino ^a		Native Hawaiian/ Pacific Islander		White		Total No. ^b
		No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	
Tennessee	Memphis ^c	11	0.2	11	0.2	4,956	88.6	147	2.6	*	*	427	7.6	5,593
	Nashville	18	0.3	69	1.0	3,269	48.6	381	5.7	*	*	2,976	44.2	6,727
Texas	Austin	21	0.3	76	1.0	2,817	37.0	2,021	26.5	13	0.2	2,604	34.2	7,616
	Dallas	17	0.2	115	1.3	5,006	54.5	2,257	24.6	18	0.2	1,675	18.2	9,179
	Ft. Worth	12	0.4	65	2.0	1,594	48.2	720	21.8	*	*	897	27.1	3,310
	Houston	33	0.2	211	1.3	8,589	54.4	4,460	28.3	7	0.0	2,434	15.4	15,784
	San Antonio	12	0.4	33	1.0	598	18.2	2,022	61.4	*	*	609	18.5	3,293
Virginia	Norfolk ^c	*	*	20	0.6	2,451	75.6	137	4.2	*	*	578	17.8	3,241
	Seattle	90	1.7	209	4.0	1,582	30.5	742	14.3	33	0.6	2,420	46.6	5,192

Abbreviations: EMA, eligible metropolitan area; TGA, transitional grant area.

Notes. Percentages shown are based on the row total. Percentages that are less than (<) 0.1 display as 0.0 due to rounding.

EMAs/TGAs are listed according to the primary state in which the jurisdiction resides. EMA/TGA delineations are based on provider location.

Data shown for EMAs and TGAs are not mutually exclusive; clients may have received services from providers in multiple EMAs and/or TGAs.

* To ensure confidentiality, values less than (<) 5 have been suppressed; in addition, all data for clients of multiple races have been suppressed. Therefore, the numbers for each subpopulation may not sum to the row total.

^a Hispanics/Latinos can be of any race.

^b Includes all clients with reported race/ethnicity information.

^c The EMA/TGA service area crosses state boundaries. See Technical Notes for more information.

Table 21a. Ryan White HIV/AIDS Program clients (non-ADAP), by gender and state, 2017—United States and 3 territories

States	Male		Female		Transgender MTF		Transgender FTM		Transgender unknown		Total No.
	No.	%	No.	%	No.	%	No.	%	No.	%	
Alabama	6,299	69.1	2,694	29.6	117	1.3	1	0.0	0	0.0	9,111
Alaska	460	70.4	178	27.3	11	1.7	2	0.3	2	0.3	653
Arizona	6,707	81.2	1,432	17.3	109	1.3	6	0.1	1	0.0	8,255
Arkansas	1,816	76.0	550	23.0	21	0.9	1	0.0	0	0.0	2,388
California	45,095	82.3	8,333	15.2	1,269	2.3	100	0.2	11	0.0	54,808
Colorado	5,761	80.9	1,260	17.7	94	1.3	4	0.1	6	0.1	7,125
Connecticut	2,955	58.3	2,040	40.2	69	1.4	4	0.1	3	0.1	5,071
Delaware	1,341	65.2	696	33.9	19	0.9	0	0.0	0	0.0	2,056
District of Columbia	4,467	62.8	2,337	32.9	250	3.5	42	0.6	14	0.2	7,110
Florida	37,116	67.8	16,990	31.1	534	1.0	59	0.1	7	0.0	54,706
Georgia	16,140	70.9	6,313	27.7	261	1.1	32	0.1	6	0.0	22,752
Hawaii	957	85.6	137	12.3	20	1.8	4	0.4	0	0.0	1,118
Idaho	667	81.2	147	17.9	7	0.9	0	0.0	0	0.0	821
Illinois	18,439	74.9	5,592	22.7	505	2.1	78	0.3	14	0.1	24,628
Indiana	2,051	75.2	617	22.6	58	2.1	0	0.0	0	0.0	2,726
Iowa	1,417	76.0	429	23.0	17	0.9	1	0.1	0	0.0	1,864
Kansas	579	76.9	170	22.6	4	0.5	0	0.0	0	0.0	753
Kentucky	3,709	78.1	971	20.4	69	1.5	2	0.0	0	0.0	4,751
Louisiana	7,971	62.7	4,295	33.8	262	2.1	178	1.4	1	0.0	12,707
Maine	609	72.9	218	26.1	6	0.7	1	0.1	1	0.1	835
Maryland	9,653	60.0	6,128	38.1	221	1.4	62	0.4	12	0.1	16,076
Massachusetts	8,784	66.7	4,202	31.9	158	1.2	15	0.1	6	0.0	13,165
Michigan	6,815	75.0	2,142	23.6	121	1.3	4	0.0	0	0.0	9,082
Minnesota	3,109	68.1	1,377	30.2	74	1.6	4	0.1	2	0.0	4,566
Mississippi	2,669	64.6	1,437	34.8	27	0.7	1	0.0	0	0.0	4,134
Missouri	6,756	76.1	1,924	21.7	173	1.9	21	0.2	1	0.0	8,875
Montana	340	81.1	77	18.4	0	0.0	2	0.5	0	0.0	419
Nebraska	926	74.7	301	24.3	13	1.0	0	0.0	0	0.0	1,240
Nevada	3,144	79.2	724	18.2	76	1.9	27	0.7	1	0.0	3,972
New Hampshire	715	72.8	254	25.9	12	1.2	0	0.0	1	0.1	982
New Jersey	10,435	62.1	6,260	37.3	100	0.6	5	0.0	1	0.0	16,801
New Mexico	1,833	88.0	236	11.3	13	0.6	1	0.0	0	0.0	2,083
New York	32,940	64.5	16,476	32.3	1,467	2.9	131	0.3	34	0.1	51,048
North Carolina	11,429	67.6	5,297	31.3	159	0.9	13	0.1	3	0.0	16,901
North Dakota	172	64.2	96	35.8	0	0.0	0	0.0	0	0.0	268
Ohio	9,225	75.7	2,751	22.6	172	1.4	8	0.1	23	0.2	12,179
Oklahoma	2,495	80.4	589	19.0	19	0.6	2	0.1	0	0.0	3,105
Oregon	2,955	83.1	548	15.4	44	1.2	10	0.3	1	0.0	3,558
Pennsylvania	17,371	66.9	8,066	31.1	456	1.8	33	0.1	21	0.1	25,947
Rhode Island	1,393	67.4	653	31.6	20	1.0	1	0.0	0	0.0	2,067
South Carolina	7,652	67.3	3,609	31.7	99	0.9	9	0.1	0	0.0	11,369
South Dakota	351	68.8	157	30.8	2	0.4	0	0.0	0	0.0	510
Tennessee	9,953	72.9	3,518	25.8	170	1.2	11	0.1	3	0.0	13,655
Texas	32,033	74.0	10,675	24.7	547	1.3	10	0.0	1	0.0	43,266

Table 21a. Ryan White HIV/AIDS Program clients (non-ADAP), by gender and state, 2017—United States and 3 territories (cont.)

	Male		Female		Transgender MTF		Transgender FTM		Transgender unknown		Total No.
	No.	%	No.	%	No.	%	No.	%	No.	%	
States											
Utah	1,324	82.7	268	16.7	9	0.6	0	0.0	0	0.0	1,601
Vermont	475	81.2	107	18.3	1	0.2	2	0.3	0	0.0	585
Virginia	6,731	67.5	3,086	30.9	146	1.5	8	0.1	2	0.0	9,973
Washington	4,457	77.7	1,176	20.5	92	1.6	7	0.1	4	0.1	5,736
West Virginia	614	77.9	170	21.6	3	0.4	1	0.1	0	0.0	788
Wisconsin	3,683	74.8	1,157	23.5	80	1.6	3	0.1	1	0.0	4,924
Wyoming	147	79.5	38	20.5	0	0.0	0	0.0	0	0.0	185
Subtotal	365,135	71.1	138,898	27.1	8,176	1.6	906	0.2	183	0.0	513,298
Territories											
Guam	26	78.8	7	21.2	0	0.0	0	0.0	0	0.0	33
Puerto Rico	7,713	65.8	3,951	33.7	35	0.3	16	0.1	1	0.0	11,716
U.S. Virgin Islands	113	50.7	109	48.9	1	0.4	0	0.0	0	0.0	223
Subtotal	7,852	65.6	4,067	34.0	36	0.3	16	0.1	1	0.0	11,972
Total	372,987	71.0	142,965	27.2	8,212	1.6	922	0.2	184	0.0	525,270

Abbreviations: FTM, female-to-male; MTF, male-to-female.

Notes. Percentages shown are based on the row total. Percentages that are less than (<) 0.1 display as 0.0 due to rounding.

Data are based on provider location. Clients receiving services in multiple states were not included in state-specific totals or column subtotals and totals.

Table 21b. Ryan White HIV/AIDS Program clients (non—ADAP), by gender and eligible metropolitan area and transitional grant area, 2017—United States and 3 territories

State/Territory	EMA/TGA	Male		Female		Transgender MTF		Transgender FTM		Total No. ^b
		No.	%	No.	%	No.	%	No.	%	
Arizona	Phoenix	4,713	80.9	1,039	17.8	66	1.1	*	*	5,823
California	Los Angeles	19,203	83.4	3,166	13.8	601	2.6	54	0.2	23,025
	Oakland	2,352	70.8	864	26.0	99	3.0	6	0.2	3,321
	Orange County	1,991	85.1	301	12.9	43	1.8	*	*	2,339
	Riverside–San Bernardino	3,456	88.7	410	10.5	27	0.7	*	*	3,895
	Sacramento	2,217	78.2	549	19.4	49	1.7	20	0.7	2,836
	San Francisco	4,934	82.8	757	12.7	263	4.4	5	0.1	5,959
	San Diego	5,273	83.4	946	15.0	100	1.6	*	*	6,324
Colorado	San Jose	1,670	82.4	317	15.6	30	1.5	*	*	2,027
Connecticut	Denver	5,609	80.9	1,220	17.6	91	1.3	6	0.1	6,932
District of Columbia	Hartford	1,325	60.8	830	38.1	23	1.1	*	*	2,178
	New Haven	1,092	58.3	739	39.5	36	1.9	*	*	1,873
Florida	Washington ^b	7,662	61.6	4,415	35.5	300	2.4	46	0.4	12,439
Georgia	Ft. Lauderdale	8,163	66.9	3,900	32.0	113	0.9	17	0.1	12,194
	Jacksonville	1,491	65.4	731	32.1	53	2.3	*	*	2,279
	Miami	9,596	72.3	3,587	27.0	89	0.7	5	0.0	13,279
	Orlando	2,866	71.6	1,067	26.7	63	1.6	6	0.1	4,002
	Tampa–St. Petersburg	4,800	72.4	1,733	26.1	94	1.4	*	*	6,633
Illinois	West Palm Beach	2,251	61.1	1,412	38.3	19	0.5	*	*	3,683
Indiana	Atlanta	12,631	74.4	4,094	24.1	218	1.3	29	0.2	16,978
Louisiana	Chicago	17,254	75.4	5,063	22.1	481	2.1	75	0.3	22,887
Massachusetts	Indianapolis	2,138	75.4	638	22.5	59	2.1	*	*	2,835
Maryland	Baton Rouge	1,753	54.5	1,401	43.5	59	1.8	*	*	3,217
	New Orleans	4,561	64.4	2,157	30.5	177	2.5	182	2.6	7,077
Michigan	Baltimore	8,283	61.1	5,011	37.0	197	1.5	58	0.4	13,559
Minnesota	Boston ^b	7,787	67.1	3,649	31.4	147	1.3	15	0.1	11,603
Missouri	Detroit	4,201	72.8	1,463	25.4	101	1.8	*	*	5,768
Mississippi	Minneapolis–St. Paul ^b	3,243	68.2	1,425	30.0	78	1.6	*	*	4,752
	Kansas City ^b	2,233	78.1	571	20.0	53	1.9	*	*	2,858
Nevada	St. Louis ^b	6,040	75.7	1,748	21.9	170	2.1	24	0.3	7,983
	Las Vegas ^b	2,346	78.1	564	18.8	64	2.1	28	0.9	3,003
New Jersey	Bergen–Passaic	1,097	61.6	671	37.7	12	0.7	*	*	1,782
	Jersey City	1,370	67.0	647	31.7	26	1.3	*	*	2,044
	Middlesex	943	57.6	678	41.4	16	1.0	*	*	1,637
	Newark	4,560	60.9	2,921	39.0	10	0.1	*	*	7,492
New York	Nassau–Suffolk	1,301	47.8	1,404	51.6	17	0.6	*	*	2,723
	New York	29,603	65.7	13,906	30.9	1,406	3.1	120	0.3	45,069
North Carolina	Charlotte ^b	2,654	71.8	998	27.0	42	1.1	*	*	3,696
Ohio	Cleveland	2,742	76.3	792	22.0	58	1.6	*	*	3,594
	Columbus	5,167	76.6	1,465	21.7	86	1.3	*	*	6,743
Oregon	Portland ^b	2,250	84.9	352	13.3	38	1.4	10	0.4	2,651
Pennsylvania	Philadelphia ^b	13,295	66.0	6,386	31.7	421	2.1	30	0.1	20,153
Puerto Rico	San Juan	6,435	64.5	3,502	35.1	27	0.3	16	0.2	9,981
Tennessee	Memphis ^b	3,780	67.5	1,706	30.5	101	1.8	8	0.1	5,596
	Nashville	5,095	75.7	1,557	23.1	70	1.0	*	*	6,727
Texas	Austin	6,178	81.1	1,364	17.9	73	1.0	*	*	7,616
	Dallas	6,659	72.5	2,366	25.8	157	1.7	*	*	9,186
	Ft. Worth	2,373	71.7	892	26.9	40	1.2	6	0.2	3,311
	Houston	11,369	72.0	4,224	26.8	188	1.2	*	*	15,785
	San Antonio	2,655	80.6	570	17.3	68	2.1	*	*	3,293
Virginia	Norfolk ^b	2,167	66.9	1,011	31.2	59	1.8	*	*	3,241
Washington	Seattle	4,123	78.3	1,053	20.0	82	1.6	6	0.1	5,266

Abbreviations: EMA, eligible metropolitan area; FTM, female-to-male; MTF, male-to-female; TGA, transitional grant area.

Notes. Percentages shown are based on the row total. Percentages that are less than (<) 0.1 display as 0.0 due to rounding.

EMAs/TGAs are listed according to the primary state in which the jurisdiction resides. EMA/TGA delineations are based on provider location.

Data shown for EMAs and TGAs are not mutually exclusive; clients may have received services from providers in multiple EMAs and/or TGAs.

* To ensure confidentiality, values less than (<) 5 have been suppressed; in addition, all data in the transgender unknown category have been suppressed. Therefore, the numbers for each subpopulation may not sum to the row total.

^a Includes all clients with reported gender information.

^b The EMA/TGA service area crosses state boundaries. See Technical Notes for more information.

Table 22a-j. Male clients served by the Ryan White HIV/AIDS Program (non-ADAP), by transmission risk category and state, 2017—United States and 3 territories

	Male-to-male sexual contact		Injection drug use		Male-to-male sexual contact and injection drug use		Heterosexual contact ^a		Perinatal infection		Other ^b		Total No.
	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	
States													
Alabama	3,601	65.4	251	4.6	50	0.9	1,532	27.8	58	1.1	13	0.2	5,505
Alaska	254	60.5	39	9.3	32	7.6	87	20.7	3	0.7	5	1.2	420
Arizona	4,508	71.9	267	4.3	740	11.8	659	10.5	59	0.9	34	0.5	6,267
Arkansas	1,252	70.5	100	5.6	81	4.6	320	18.0	9	0.5	13	0.7	1,775
California	31,378	76.1	2,072	5.0	2,380	5.8	4,913	11.9	227	0.6	246	0.6	41,216
Colorado	3,595	71.0	261	5.2	519	10.2	587	11.6	72	1.4	31	0.6	5,065
Connecticut	997	39.2	653	25.7	51	2.0	790	31.1	38	1.5	12	0.5	2,541
Delaware	690	54.4	162	12.8	29	2.3	373	29.4	12	0.9	3	0.2	1,269
District of Columbia	2,131	59.0	168	4.7	18	0.5	1,194	33.1	85	2.4	13	0.4	3,609
Florida	20,996	61.3	1,000	2.9	536	1.6	10,990	32.1	562	1.6	193	0.6	34,277
Georgia	10,558	68.5	381	2.5	240	1.6	3,988	25.9	207	1.3	48	0.3	15,422
Hawaii	723	83.0	44	5.1	11	1.3	83	9.5	2	0.2	8	0.9	871
Idaho	405	65.2	48	7.7	68	11.0	89	14.3	1	0.2	10	1.6	621
Illinois	9,516	68.7	691	5.0	148	1.1	3,229	23.3	173	1.2	92	0.7	13,849
Indiana	1,494	74.3	61	3.0	26	1.3	400	19.9	9	0.4	22	1.1	2,012
Iowa	862	67.7	86	6.8	69	5.4	231	18.1	4	0.3	21	1.6	1,273
Kansas	429	76.3	31	5.5	0	0.0	90	16.0	3	0.5	9	1.6	562
Kentucky	2,613	71.8	164	4.5	160	4.4	644	17.7	25	0.7	31	0.9	3,637
Louisiana	4,056	59.6	391	5.7	143	2.1	2,120	31.2	69	1.0	23	0.3	6,802
Maine	253	71.1	29	8.1	9	2.5	54	15.2	7	2.0	4	1.1	356
Maryland	3,320	47.9	1,035	14.9	137	2.0	2,224	32.1	165	2.4	49	0.7	6,930
Massachusetts	4,562	54.8	1,432	17.2	207	2.5	1,873	22.5	164	2.0	88	1.1	8,326
Michigan	4,267	71.1	194	3.2	113	1.9	1,290	21.5	96	1.6	40	0.7	6,000
Minnesota	1,511	63.8	123	5.2	136	5.7	548	23.1	37	1.6	15	0.6	2,370
Mississippi	1,488	57.0	48	1.8	21	0.8	982	37.6	61	2.3	11	0.4	2,611
Missouri	4,985	75.3	226	3.4	20	0.3	1,270	19.2	56	0.8	66	1.0	6,623
Montana	213	71.0	25	8.3	28	9.3	30	10.0	0	0.0	4	1.3	300
Nebraska	565	63.6	60	6.8	16	1.8	222	25.0	12	1.4	13	1.5	888
Nevada	1,858	76.1	137	5.6	66	2.7	331	13.5	30	1.2	21	0.9	2,443
New Hampshire	423	66.1	60	9.4	34	5.3	101	15.8	14	2.2	8	1.3	640
New Jersey	4,171	45.8	1,236	13.6	133	1.5	3,194	35.1	300	3.3	75	0.8	9,109
New Mexico	1,444	80.7	69	3.9	118	6.6	137	7.7	7	0.4	14	0.8	1,789
New York	15,640	56.8	2,213	8.0	404	1.5	8,469	30.8	589	2.1	196	0.7	27,511
North Carolina	6,114	60.6	420	4.2	320	3.2	3,045	30.2	133	1.3	52	0.5	10,084
North Dakota	91	53.5	9	5.3	23	13.5	47	27.6	0	0.0	0	0.0	170
Ohio	5,884	74.4	292	3.7	163	2.1	1,462	18.5	55	0.7	48	0.6	7,904
Oklahoma	1,724	71.4	127	5.3	189	7.8	343	14.2	7	0.3	24	1.0	2,414
Oregon	1,729	67.4	184	7.2	345	13.4	259	10.1	16	0.6	33	1.3	2,566
Pennsylvania	8,722	57.7	1,708	11.3	434	2.9	3,866	25.6	277	1.8	110	0.7	15,117
Rhode Island	758	57.1	167	12.6	39	2.9	319	24.0	26	2.0	18	1.4	1,327
South Carolina	4,519	60.5	237	3.2	87	1.2	2,482	33.3	66	0.9	73	1.0	7,464
South Dakota	198	59.1	13	3.9	36	10.7	81	24.2	3	0.9	4	1.2	335
Tennessee	6,135	69.1	324	3.6	141	1.6	2,182	24.6	49	0.6	46	0.5	8,877
Texas	19,755	67.3	1,144	3.9	1,025	3.5	7,022	23.9	280	1.0	109	0.4	29,335

Table 22a-j. Male clients served by the Ryan White HIV/AIDS Program (non-ADAP), by transmission risk category and state, 2017—United States and 3 territories (cont.)

	Male-to-male sexual contact		Injection drug use		Male-to-male sexual contact and injection drug use		Heterosexual contact ^a		Perinatal infection		Other ^b		Total No.
	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	
States													
Utah	830	66.9	72	5.8	194	15.6	110	8.9	17	1.4	17	1.4	1,240
Vermont	313	69.1	30	6.6	29	6.4	67	14.8	8	1.8	6	1.3	453
Virginia	4,229	65.0	311	4.8	117	1.8	1,705	26.2	76	1.2	67	1.0	6,505
Washington	2,620	65.6	197	4.9	606	15.2	525	13.2	22	0.6	21	0.5	3,991
West Virginia	441	72.4	38	6.2	29	4.8	91	14.9	1	0.2	9	1.5	609
Wisconsin	2,329	70.9	160	4.9	78	2.4	617	18.8	72	2.2	31	0.9	3,287
Wyoming	85	62.5	14	10.3	21	15.4	14	10.3	2	1.5	0	0.0	136
Subtotal	211,234	65.1	19,204	5.9	10,619	3.3	77,281	23.8	4,266	1.3	2,099	0.6	324,703
Territories													
Guam	23	88.5	0	0.0	0	0.0	2	7.7	1	3.8	0	0.0	26
Puerto Rico	3,109	41.1	1,269	16.8	71	0.9	2,965	39.2	115	1.5	43	0.6	7,572
U.S. Virgin Islands	35	32.7	8	7.5	0	0.0	61	57.0	2	1.9	1	0.9	107
Subtotal	3,167	41.1	1,277	16.6	71	0.9	3,028	39.3	118	1.5	44	0.6	7,705
Total	214,401	64.5	20,481	6.2	10,690	3.2	80,309	24.2	4,384	1.3	2,143	0.6	332,408

Notes. Percentages shown are based on the row total.

Data are based on provider location. Clients receiving services in multiple states were not included in state-specific totals or column subtotals and totals.

^a Heterosexual contact with a person known to have, or to be at high risk for, HIV infection.

^b Includes hemophilia and blood transfusion.

Table 22a-ii. Female clients served by the Ryan White HIV/AIDS Program (non-ADAP), by transmission risk category and state, 2017—United States and 3 territories

	Injection drug use		Heterosexual contact ^a		Perinatal infection		Other ^b		Total No.
	No.	%	No.	%	No.	%	No.	%	
States									
Alabama	110	4.6	2,202	92.8	56	2.4	6	0.3	2,374
Alaska	35	21.1	129	77.7	1	0.6	1	0.6	166
Arizona	219	16.3	1,058	78.8	53	3.9	13	1.0	1,343
Arkansas	51	9.5	470	87.9	9	1.7	5	0.9	535
California	873	12.1	5,863	81.5	316	4.4	143	2.0	7,195
Colorado	142	13.7	784	75.7	91	8.8	18	1.7	1,035
Connecticut	303	17.4	1,351	77.7	61	3.5	23	1.3	1,738
Delaware	111	17.6	501	79.3	16	2.5	4	0.6	632
District of Columbia	136	8.1	1,399	83.7	126	7.5	10	0.6	1,671
Florida	669	4.4	13,715	89.8	688	4.5	194	1.3	15,266
Georgia	221	3.7	5,512	91.2	269	4.5	39	0.6	6,041
Hawaii	8	7.1	94	83.9	4	3.6	6	5.4	112
Idaho	21	15.3	109	79.6	3	2.2	4	2.9	137
Illinois	334	7.3	3,906	85.8	251	5.5	62	1.4	4,553
Indiana	28	4.6	552	91.2	9	1.5	16	2.6	605
Iowa	34	8.9	337	88.7	5	1.3	4	1.1	380
Kansas	10	6.0	149	88.7	5	3.0	4	2.4	168
Kentucky	87	9.2	816	86.0	28	3.0	18	1.9	949
Louisiana	252	7.3	3,091	89.9	73	2.1	21	0.6	3,437
Maine	13	10.2	105	82.0	5	3.9	5	3.9	128
Maryland	611	14.2	3,382	78.5	239	5.5	75	1.7	4,307
Massachusetts	757	19.2	2,945	74.7	171	4.3	69	1.8	3,942
Michigan	134	7.0	1,690	88.1	74	3.9	20	1.0	1,918
Minnesota	64	6.3	896	87.5	47	4.6	17	1.7	1,024
Mississippi	29	2.1	1,316	93.5	56	4.0	6	0.4	1,407
Missouri	52	2.8	1,706	92.7	62	3.4	21	1.1	1,841
Montana	13	21.7	46	76.7	0	0.0	1	1.7	60
Nebraska	21	7.4	250	87.7	9	3.2	5	1.8	285
Nevada	41	7.4	465	83.6	42	7.6	8	1.4	556
New Hampshire	36	16.1	163	73.1	16	7.2	8	3.6	223
New Jersey	632	12.0	4,235	80.4	309	5.9	89	1.7	5,265
New Mexico	39	16.7	186	79.5	6	2.6	3	1.3	234
New York	1,132	8.1	11,856	85.0	769	5.5	188	1.3	13,945
North Carolina	256	5.8	3,998	89.9	161	3.6	33	0.7	4,448
North Dakota	8	8.5	82	87.2	3	3.2	1	1.1	94
Ohio	113	4.8	2,143	90.3	101	4.3	16	0.7	2,373
Oklahoma	85	15.3	451	81.0	10	1.8	11	2.0	557
Oregon	110	23.3	350	74.0	5	1.1	8	1.7	473
Pennsylvania	933	13.3	5,709	81.2	304	4.3	81	1.2	7,027
Rhode Island	99	16.2	474	77.6	29	4.7	9	1.5	611
South Carolina	139	3.9	3,265	92.2	104	2.9	34	1.0	3,542
South Dakota	16	11.3	119	84.4	4	2.8	2	1.4	141
Tennessee	194	6.0	2,949	91.5	57	1.8	24	0.7	3,224
Texas	659	6.8	8,614	89.0	316	3.3	85	0.9	9,674
Utah	31	12.7	201	82.0	7	2.9	6	2.4	245
Vermont	16	16.0	78	78.0	2	2.0	4	4.0	100
Virginia	222	7.5	2,604	87.5	98	3.3	52	1.7	2,976
Washington	150	16.8	705	78.9	29	3.2	10	1.1	894
West Virginia	28	16.6	136	80.5	4	2.4	1	0.6	169
Wisconsin	63	6.3	826	82.4	97	9.7	17	1.7	1,003
Wyoming	10	27.8	24	66.7	2	5.6	0	0.0	36
Subtotal	10,350	8.5	104,007	85.9	5,202	4.3	1,500	1.2	121,059
Territories									
Guam	0	0.0	7	100.0	0	0.0	0	0.0	7
Puerto Rico	262	6.7	3,436	88.4	135	3.5	52	1.3	3,885
U.S. Virgin Islands	8	8.2	89	90.8	1	1.0	0	0.0	98
Subtotal	270	6.8	3,532	88.5	136	3.4	52	1.3	3,990
Total	10,620	8.5	107,539	86.0	5,338	4.3	1,552	1.2	125,049

Notes. Percentages shown are based on the row total.

Data are based on provider location. Clients receiving services in multiple states were not included in state-specific totals or column subtotals and totals.

^a Heterosexual contact with a person known to have, or to be at high risk for, HIV infection.

^b Includes hemophilia and blood transfusion.

Table 22a–iii. Transgender clients served by the Ryan White HIV/AIDS Program (non-ADAP), by transmission risk category and state, 2017—United States and 3 territories

	Sexual contact ^a		Injection drug use		Sexual contact ^a and injection drug use		Perinatal infection		Other ^b		Total No.
	No.	%	No.	%	No.	%	No.	%	No.	%	
States											
Alabama	77	97.5	1	1.3	1	1.3	0	0.0	0	0.0	79
Alaska	9	64.3	0	0.0	4	28.6	0	0.0	1	7.1	14
Arizona	83	81.4	2	2.0	17	16.7	0	0.0	0	0.0	102
Arkansas	19	95.0	0	0.0	1	5.0	0	0.0	0	0.0	20
California	1,043	84.8	36	2.9	114	9.3	29	2.4	8	0.7	1,230
Colorado	53	76.8	4	5.8	11	15.9	0	0.0	1	1.4	69
Connecticut	55	84.6	6	9.2	4	6.2	0	0.0	0	0.0	65
Delaware	17	94.4	0	0.0	1	5.6	0	0.0	0	0.0	18
District of Columbia	213	99.5	0	0.0	1	0.5	0	0.0	0	0.0	214
Florida	507	96.6	2	0.4	11	2.1	5	1.0	0	0.0	525
Georgia	261	97.0	2	0.7	1	0.4	5	1.9	0	0.0	269
Hawaii	12	100.0	0	0.0	0	0.0	0	0.0	0	0.0	12
Idaho	6	85.7	0	0.0	1	14.3	0	0.0	0	0.0	7
Illinois	295	94.9	5	1.6	9	2.9	2	0.6	0	0.0	311
Indiana	55	96.5	0	0.0	2	3.5	0	0.0	0	0.0	57
Iowa	13	81.3	2	12.5	1	6.3	0	0.0	0	0.0	16
Kansas	4	100.0	0	0.0	0	0.0	0	0.0	0	0.0	4
Kentucky	68	95.8	0	0.0	2	2.8	1	1.4	0	0.0	71
Louisiana	388	94.4	11	2.7	7	1.7	1	0.2	4	1.0	411
Maine	4	80.0	1	20.0	0	0.0	0	0.0	0	0.0	5
Maryland	114	87.0	7	5.3	5	3.8	4	3.1	1	0.8	131
Massachusetts	137	86.7	6	3.8	10	6.3	2	1.3	3	1.9	158
Michigan	108	99.1	0	0.0	0	0.0	1	0.9	0	0.0	109
Minnesota	49	90.7	1	1.9	4	7.4	0	0.0	0	0.0	54
Mississippi	27	96.4	0	0.0	0	0.0	0	0.0	1	3.6	28
Missouri	185	97.9	1	0.5	1	0.5	1	0.5	1	0.5	189
Montana	1	50.0	0	0.0	1	50.0	0	0.0	0	0.0	2
Nebraska	13	100.0	0	0.0	0	0.0	0	0.0	0	0.0	13
Nevada	77	91.7	2	2.4	3	3.6	2	2.4	0	0.0	84
New Hampshire	9	81.8	1	9.1	1	9.1	0	0.0	0	0.0	11
New Jersey	86	88.7	3	3.1	3	3.1	2	2.1	3	3.1	97
New Mexico	6	50.0	1	8.3	5	41.7	0	0.0	0	0.0	12
New York	1,116	93.3	23	1.9	41	3.4	6	0.5	10	0.8	1,196
North Carolina	151	94.4	1	0.6	7	4.4	0	0.0	1	0.6	160
North Dakota	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0
Ohio	157	92.9	0	0.0	10	5.9	1	0.6	1	0.6	169
Oklahoma	20	100.0	0	0.0	0	0.0	0	0.0	0	0.0	20
Oregon	34	75.6	2	4.4	9	20.0	0	0.0	0	0.0	45
Pennsylvania	344	92.5	4	1.1	22	5.9	1	0.3	1	0.3	372
Rhode Island	16	80.0	1	5.0	3	15.0	0	0.0	0	0.0	20
South Carolina	99	97.1	0	0.0	2	2.0	0	0.0	1	1.0	102
South Dakota	2	100.0	0	0.0	0	0.0	0	0.0	0	0.0	2
Tennessee	131	91.6	4	2.8	4	2.8	1	0.7	3	2.1	143
Texas	486	94.2	1	0.2	28	5.4	0	0.0	1	0.2	516
Utah	6	75.0	0	0.0	2	25.0	0	0.0	0	0.0	8
Vermont	3	100.0	0	0.0	0	0.0	0	0.0	0	0.0	3
Virginia	145	95.4	2	1.3	4	2.6	1	0.7	0	0.0	152
Washington	67	77.9	1	1.2	18	20.9	0	0.0	0	0.0	86
West Virginia	4	100.0	0	0.0	0	0.0	0	0.0	0	0.0	4
Wisconsin	76	95.0	1	1.3	1	1.3	2	2.5	0	0.0	80
Wyoming	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0
Subtotal	6,851	91.8	134	1.8	372	5.0	67	0.9	41	0.5	7,465
Territories											
Guam	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0
Puerto Rico	41	85.4	2	4.2	5	10.4	0	0.0	0	0.0	48
U.S. Virgin Islands	1	100.0	0	0.0	0	0.0	0	0.0	0	0.0	1
Subtotal	42	85.7	2	4.1	5	10.2	0	0.0	0	0.0	49
Total	6,893	91.7	136	1.8	377	5.0	67	0.9	41	0.5	7,514

Notes. Percentages shown are based on the row total.

Data are based on provider location. Clients receiving services in multiple states were not included in state-specific totals or column subtotals and totals.

^a Includes any sexual transmission risk category reported by transgender clients.

^b Includes hemophilia and blood transfusion.

Table 22b-i. Male clients served by the Ryan White HIV/AIDS Program (non-ADAP), by transmission risk category and eligible metropolitan area and transitional grant area, 2017—United States and 3 territories

State/Territory	EMA/TGA	Male-to-male sexual contact		Injection drug use		Male-to-male sexual contact and injection drug use		Heterosexual contact ^a		Perinatal infection		Other ^b		Total No.
		No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	
Arizona	Phoenix	3,119	72.2	155	3.6	548	12.7	433	10.0	51	1.2	13	0.3	4,319
California	Los Angeles	14,357	77.5	499	2.7	927	5.0	2,542	13.7	107	0.6	83	0.4	18,515
	Oakland	1,348	73.3	100	5.4	87	4.7	254	13.8	33	1.8	18	1.0	1,840
	Orange County	1,308	75.3	84	4.8	77	4.4	248	14.3	8	0.5	13	0.7	1,738
	Riverside–San Bernardino	2,867	83.6	88	2.6	170	5.0	288	8.4	5	0.1	10	0.3	3,428
	Sacramento	1,221	68.6	210	11.8	26	1.5	279	15.7	20	1.1	25	1.4	1,781
	San Francisco	3,175	72.5	480	11.0	503	11.5	194	4.4	6	0.1	21	0.5	4,379
	San Diego	3,940	80.9	200	4.1	311	6.4	360	7.4	25	0.5	34	0.7	4,870
	San Jose	839	73.1	58	5.1	61	5.3	182	15.9	2	0.2	5	0.4	1,147
Colorado	Denver	3,508	71.4	231	4.7	533	10.8	544	11.1	72	1.5	28	0.6	4,916
Connecticut	Hartford	469	38.4	341	28.0	36	3.0	350	28.7	19	1.6	5	0.4	1,220
	New Haven	336	39.9	248	29.4	12	1.4	234	27.8	6	0.7	7	0.8	843
District of Columbia	Washington ^c	3,690	57.7	288	4.5	55	0.9	2,193	34.3	112	1.8	62	1.0	6,400
Florida	Ft. Lauderdale	4,247	63.6	138	2.1	90	1.3	2,040	30.5	138	2.1	27	0.4	6,680
	Jacksonville	924	63.7	59	4.1	41	2.8	420	28.9	4	0.3	3	0.2	1,451
	Miami	6,075	65.5	207	2.2	144	1.6	2,662	28.7	155	1.7	31	0.3	9,274
	Orlando	1,838	67.5	78	2.9	39	1.4	722	26.5	31	1.1	16	0.6	2,724
	Tampa–St. Petersburg	3,160	66.9	187	4.0	100	2.1	1,111	23.5	109	2.3	53	1.1	4,720
	West Palm Beach	881	41.0	52	2.4	33	1.5	1,147	53.3	27	1.3	11	0.5	2,151
Georgia	Atlanta	8,755	73.1	238	2.0	211	1.8	2,577	21.5	171	1.4	22	0.2	11,974
Illinois	Chicago	8,735	68.3	599	4.7	137	1.1	3,077	24.0	174	1.4	76	0.6	12,798
Indiana	Indianapolis	1,562	74.5	62	3.0	28	1.3	415	19.8	9	0.4	22	1.0	2,098
Louisiana	Baton Rouge	595	39.7	136	9.1	53	3.5	684	45.7	28	1.9	1	0.1	1,497
	New Orleans	2,432	64.8	187	5.0	63	1.7	1,029	27.4	22	0.6	19	0.5	3,752
Maryland	Baltimore	2,804	47.9	978	16.7	125	2.1	1,756	30.0	154	2.6	32	0.5	5,849
Massachusetts	Boston ^c	4,179	56.9	1,143	15.6	197	2.7	1,601	21.8	149	2.0	81	1.1	7,350
Michigan	Detroit	2,493	67.9	126	3.4	56	1.5	906	24.7	76	2.1	13	0.4	3,670
Minnesota	Minneapolis–St. Paul ^c	1,609	64.3	127	5.1	149	6.0	563	22.5	38	1.5	15	0.6	2,501
Missouri	Kansas City ^c	1,687	76.9	66	3.0	3	0.1	400	18.2	24	1.1	14	0.6	2,194
	St. Louis ^c	4,494	75.9	176	3.0	36	0.6	1,124	19.0	37	0.6	53	0.9	5,920
	Las Vegas ^c	1,563	77.5	88	4.4	78	3.9	247	12.2	29	1.4	13	0.6	2,018
New Jersey	Bergen–Passaic	441	41.0	161	15.0	15	1.4	413	38.4	33	3.1	13	1.2	1,076
	Jersey City	729	57.5	128	10.1	4	0.3	366	28.9	32	2.5	8	0.6	1,267
	Middlesex	373	44.8	127	15.2	19	2.3	270	32.4	36	4.3	8	1.0	833
	Newark	1,587	41.3	518	13.5	50	1.3	1,509	39.3	148	3.9	32	0.8	3,844
New York	Nassau–Suffolk	552	47.8	114	9.9	26	2.3	390	33.8	57	4.9	16	1.4	1,155
	New York	14,077	57.6	1,874	7.7	334	1.4	7,482	30.6	515	2.1	167	0.7	24,449
North Carolina	Charlotte ^c	1,675	66.8	81	3.2	39	1.6	678	27.1	16	0.6	17	0.7	2,506
Ohio	Cleveland	1,800	72.3	127	5.1	48	1.9	484	19.5	21	0.8	8	0.3	2,488
	Columbus	3,174	77.4	108	2.6	118	2.9	642	15.7	29	0.7	29	0.7	4,100
Oregon	Portland ^c	1,370	72.9	101	5.4	249	13.2	132	7.0	10	0.5	18	1.0	1,880
Pennsylvania	Philadelphia ^c	6,047	55.0	1,234	11.2	300	2.7	3,108	28.3	255	2.3	47	0.4	10,991
Puerto Rico	San Juan	2,431	38.5	1,072	17.0	63	1.0	2,607	41.3	106	1.7	34	0.5	6,313

Table 22b-i. Male clients served by the Ryan White HIV/AIDS Program (non-ADAP), by transmission risk category and eligible metropolitan area and transitional grant area, 2017—United States and 3 territories (cont.)

State/Territory	EMA/TGA	Male-to-male sexual contact		Injection drug use		Male-to-male sexual contact and injection drug use		Heterosexual contact ^a		Perinatal infection		Other ^b		Total No.
		No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	
Tennessee	Memphis ^c	1,723	59.0	43	1.5	26	0.9	1,095	37.5	25	0.9	8	0.3	2,920
	Nashville	3,643	74.6	209	4.3	87	1.8	892	18.3	19	0.4	33	0.7	4,883
Texas	Austin	4,657	76.0	210	3.4	335	5.5	893	14.6	12	0.2	19	0.3	6,126
	Dallas	4,398	68.3	188	2.9	241	3.7	1,532	23.8	66	1.0	17	0.3	6,442
	Ft. Worth	1,495	64.9	118	5.1	116	5.0	566	24.6	7	0.3	3	0.1	2,305
	Houston	5,599	62.0	313	3.5	138	1.5	2,772	30.7	163	1.8	43	0.5	9,028
	San Antonio	1,942	73.5	128	4.8	103	3.9	438	16.6	16	0.6	15	0.6	2,642
Virginia	Norfolk ^c	1,400	66.5	98	4.7	39	1.9	538	25.6	14	0.7	15	0.7	2,104
	Seattle	2,388	65.0	170	4.6	613	16.7	468	12.7	19	0.5	15	0.4	3,673

Abbreviations: EMA, eligible metropolitan area; TGA, transitional grant area.

Notes. Percentages shown are based on the row total.

EMAs/TGAs are listed according to the primary state in which the jurisdiction resides. EMA/TGA delineations are based on provider location.

Data shown for EMAs and TGAs are not mutually exclusive; clients may have received services from providers in multiple EMAs and/or TGAs.

^a Heterosexual contact with a person known to have, or to be at high risk for, HIV infection.

^b Includes hemophilia and blood transfusion.

^c The EMA/TGA service area crosses state boundaries. See Technical Notes for more information.

Table 22b-ii. Female clients served by the Ryan White HIV/AIDS Program (non-ADAP), by transmission risk category and eligible metropolitan area and transitional grant area, 2017—United States and 3 territories

State/Territory	EMA/TGA	Injection drug use		Heterosexual contact ^a		Perinatal infection		Other ^b		Total No.
		No.	%	No.	%	No.	%	No.	%	
Arizona	Phoenix	158	16.3	759	78.5	44	4.6	6	0.6	967
California	Los Angeles	164	5.6	2,579	87.7	145	4.9	53	1.8	2,941
	Oakland	71	11.0	509	78.5	53	8.2	15	2.3	648
	Orange County	25	9.1	233	85.0	8	2.9	8	2.9	274
	Riverside–San Bernardino	29	7.2	361	89.6	6	1.5	7	1.7	403
	Sacramento	53	13.1	320	79.2	20	5.0	11	2.7	404
	San Francisco	230	39.7	321	55.4	16	2.8	12	2.1	579
	San Diego	94	11.1	696	82.0	42	4.9	17	2.0	849
	San Jose	19	9.0	184	87.2	3	1.4	5	2.4	211
Colorado	Denver	139	14.0	744	74.8	96	9.7	15	1.5	994
Connecticut	Hartford	165	21.8	549	72.4	32	4.2	12	1.6	758
	New Haven	103	18.7	425	77.3	17	3.1	5	0.9	550
District of Columbia	Washington ^c	215	6.3	2,958	86.2	186	5.4	71	2.1	3,430
Florida	Ft. Lauderdale	62	2.1	2,687	90.9	182	6.2	26	0.9	2,957
	Jacksonville	49	7.0	649	92.2	2	0.3	4	0.6	704
	Miami	171	5.2	2,898	87.6	195	5.9	46	1.4	3,310
	Orlando	35	3.6	884	91.7	26	2.7	19	2.0	964
	Tampa–St. Petersburg	96	5.6	1,460	85.6	114	6.7	36	2.1	1,706
	West Palm Beach	27	2.0	1,275	94.7	32	2.4	13	1.0	1,347
Georgia	Atlanta	119	3.1	3,467	90.1	234	6.1	27	0.7	3,847
Illinois	Chicago	274	6.7	3,512	85.9	245	6.0	56	1.4	4,087
Indiana	Indianapolis	31	5.0	568	90.7	10	1.6	17	2.7	626
Louisiana	Baton Rouge	107	8.6	1,102	89.0	26	2.1	3	0.2	1,238
	New Orleans	99	6.5	1,373	90.6	30	2.0	13	0.9	1,515
Maryland	Baltimore	580	16.8	2,608	75.7	212	6.2	44	1.3	3,444
Massachusetts	Boston ^c	644	19.0	2,533	74.5	155	4.6	66	1.9	3,398
Michigan	Detroit	93	7.3	1,115	87.1	59	4.6	13	1.0	1,280
Minnesota	Minneapolis–St. Paul ^c	71	6.6	933	87.1	50	4.7	17	1.6	1,071
Missouri	Kansas City ^c	15	2.7	524	92.6	20	3.5	7	1.2	566
	St. Louis ^c	57	3.4	1,539	92.9	46	2.8	14	0.8	1,656
Nevada	Las Vegas ^c	34	7.2	391	83.4	37	7.9	7	1.5	469
New Jersey	Bergen–Passaic	78	11.9	542	82.5	29	4.4	8	1.2	657
	Jersey City	51	8.7	494	84.6	22	3.8	17	2.9	584
	Middlesex	83	14.0	440	74.5	58	9.8	10	1.7	591
	Newark	239	10.3	1,893	81.7	140	6.0	45	1.9	2,317
New York	Nassau–Suffolk	108	8.3	1,085	83.7	71	5.5	32	2.5	1,296
	New York	918	7.9	9,821	85.0	666	5.8	143	1.2	11,548
North Carolina	Charlotte ^c	35	3.7	867	92.6	19	2.0	15	1.6	936
Ohio	Cleveland	36	4.9	660	90.0	33	4.5	4	0.5	733
	Columbus	37	3.2	1,044	91.3	53	4.6	10	0.9	1,144
Oregon	Portland ^c	58	20.7	216	77.1	2	0.7	4	1.4	280
Pennsylvania	Philadelphia ^c	686	13.0	4,298	81.3	263	5.0	38	0.7	5,285
Puerto Rico	San Juan	231	6.7	3,037	88.3	123	3.6	48	1.4	3,439
Tennessee	Memphis ^c	27	1.8	1,401	95.2	39	2.7	4	0.3	1,471
	Nashville	130	8.7	1,339	89.3	13	0.9	17	1.1	1,499
Texas	Austin	149	11.2	1,157	86.6	16	1.2	14	1.0	1,336
	Dallas	138	6.2	1,976	89.5	75	3.4	20	0.9	2,209
	Ft. Worth	71	8.2	778	90.0	12	1.4	3	0.3	864
	Houston	145	4.2	3,102	89.8	174	5.0	32	0.9	3,453
	San Antonio	56	9.9	478	84.8	23	4.1	7	1.2	564
Virginia	Norfolk ^c	77	7.8	878	89.0	18	1.8	13	1.3	986
Washington	Seattle	129	16.6	614	79.0	26	3.3	8	1.0	777

Abbreviations: EMA, eligible metropolitan area; TGA, transitional grant area.

Notes. Percentages shown are based on the row total.

EMAs/TGAs are listed according to the primary state in which the jurisdiction resides. EMA/TGA delineations are based on provider location.

Data shown for EMAs and TGAs are not mutually exclusive; clients may have received services from providers in multiple EMAs and/or TGAs.

^a Heterosexual contact with a person known to have, or to be at high risk for, HIV infection.

^b Includes hemophilia and blood transfusion.

^c The EMA/TGA service area crosses state boundaries. See Technical Notes for more information.

Table 22b–iii. Transgender clients served by the Ryan White HIV/AIDS Program (non-ADAP), by transmission risk category and eligible metropolitan area and transitional grant area, 2017—United States and 3 territories

State/Territory	EMA/TGA	Sexual contact ^a		Injection drug use		Sexual contact ^a and injection drug use		Perinatal infection		Other ^b		Total No.
		No.	%	No.	%	No.	%	No.	%	No.	%	
Arizona	Phoenix	54	84.4	1	1.6	9	14.1	0	0.0	0	0.0	64
California	Los Angeles	544	88.7	8	1.3	32	5.2	25	4.1	4	0.7	613
	Oakland	75	90.4	0	0.0	8	9.6	0	0.0	0	0.0	83
	Orange County	41	95.3	0	0.0	2	4.7	0	0.0	0	0.0	43
	Riverside—San Bernardino	28	96.6	0	0.0	1	3.4	0	0.0	0	0.0	29
	Sacramento	47	83.9	5	8.9	0	0.0	3	5.4	1	1.8	56
	San Francisco	155	67.1	18	7.8	57	24.7	0	0.0	1	0.4	231
	San Diego	81	84.4	3	3.1	12	12.5	0	0.0	0	0.0	96
	San Jose	25	96.2	0	0.0	1	3.8	0	0.0	0	0.0	26
Colorado	Denver	53	77.9	3	4.4	11	16.2	0	0.0	1	1.5	68
Connecticut	Hartford	17	77.3	1	4.5	4	18.2	0	0.0	0	0.0	22
	New Haven	26	81.3	5	15.6	1	3.1	0	0.0	0	0.0	32
District of Columbia	Washington ^c	251	98.8	0	0.0	2	0.8	1	0.4	0	0.0	254
Florida	Ft. Lauderdale	95	95.0	0	0.0	2	2.0	3	3.0	0	0.0	100
	Jacksonville	54	98.2	0	0.0	1	1.8	0	0.0	0	0.0	55
	Miami	85	96.6	1	1.1	2	2.3	0	0.0	0	0.0	88
	Orlando	61	100.0	0	0.0	0	0.0	0	0.0	0	0.0	61
	Tampa—St. Petersburg	92	96.8	1	1.1	1	1.1	1	1.1	0	0.0	95
	West Palm Beach	14	93.3	0	0.0	1	6.7	0	0.0	0	0.0	15
Georgia	Atlanta	219	97.3	1	0.4	1	0.4	4	1.8	0	0.0	225
Illinois	Chicago	272	94.1	5	1.7	9	3.1	3	1.0	0	0.0	289
Indiana	Indianapolis	56	96.6	0	0.0	2	3.4	0	0.0	0	0.0	58
Louisiana	Baton Rouge	51	91.1	1	1.8	3	5.4	0	0.0	1	1.8	56
	New Orleans	323	95.0	9	2.6	4	1.2	1	0.3	3	0.9	340
Maryland	Baltimore	100	86.2	7	6.0	5	4.3	3	2.6	1	0.9	116
Massachusetts	Boston ^c	124	84.9	6	4.1	11	7.5	2	1.4	3	2.1	146
Michigan	Detroit	87	96.7	0	0.0	2	2.2	1	1.1	0	0.0	90
Minnesota	Minneapolis—St. Paul ^c	52	91.2	1	1.8	4	7.0	0	0.0	0	0.0	57
Missouri	Kansas City ^c	53	98.1	1	1.9	0	0.0	0	0.0	0	0.0	54
	St. Louis ^c	182	97.8	0	0.0	2	1.1	1	0.5	1	0.5	186
Nevada	Las Vegas ^c	75	93.8	1	1.3	3	3.8	1	1.3	0	0.0	80
New Jersey	Bergen—Passaic	12	92.3	0	0.0	0	0.0	0	0.0	1	7.7	13
	Jersey City	23	95.8	0	0.0	0	0.0	0	0.0	1	4.2	24
	Middlesex	13	92.9	0	0.0	1	7.1	0	0.0	0	0.0	14
	Newark	8	72.7	0	0.0	1	9.1	2	18.2	0	0.0	11
New York	Nassau—Suffolk	11	100.0	0	0.0	0	0.0	0	0.0	0	0.0	11
	New York	1,064	93.3	23	2.0	38	3.3	5	0.4	10	0.9	1,140
North Carolina	Charlotte ^c	39	90.7	1	2.3	3	7.0	0	0.0	0	0.0	43
Ohio	Cleveland	55	94.8	0	0.0	3	5.2	0	0.0	0	0.0	58
	Columbus	71	89.9	0	0.0	6	7.6	1	1.3	1	1.3	79
Oregon	Portland ^c	32	80.0	1	2.5	7	17.5	0	0.0	0	0.0	40
Pennsylvania	Philadelphia ^c	306	91.6	5	1.5	20	6.0	2	0.6	1	0.3	334
Puerto Rico	San Juan	35	83.3	2	4.8	5	11.9	0	0.0	0	0.0	42

Table 22b–iii. Transgender clients served by the Ryan White HIV/AIDS Program (non-ADAP), by transmission risk category and eligible metropolitan area and transitional grant area, 2017—United States and 3 territories (cont.)

State/Territory	EMA/TGA	Sexual contact ^a		Injection drug use		Sexual contact ^a and injection drug use		Perinatal infection		Other ^b		Total No.
		No.	%	No.	%	No.	%	No.	%	No.	%	
Tennessee	Memphis ^c	70	97.2	0	0.0	1	1.4	0	0.0	1	1.4	72
	Nashville	63	86.3	4	5.5	3	4.1	1	1.4	2	2.7	73
Texas	Austin	62	83.8	0	0.0	12	16.2	0	0.0	0	0.0	74
	Dallas	150	94.9	0	0.0	7	4.4	0	0.0	1	0.6	158
	Ft. Worth	42	95.5	0	0.0	2	4.5	0	0.0	0	0.0	44
	Houston	152	98.1	1	0.6	2	1.3	0	0.0	0	0.0	155
	San Antonio	62	91.2	0	0.0	6	8.8	0	0.0	0	0.0	68
Virginia	Norfolk ^c	59	95.2	2	3.2	1	1.6	0	0.0	0	0.0	62
	Seattle	55	75.3	1	1.4	17	23.3	0	0.0	0	0.0	73

Abbreviations: EMA, eligible metropolitan area; TGA, transitional grant area.

Notes. Percentages shown are based on the row total.

EMAs/TGAs are listed according to the primary state in which the jurisdiction resides. EMA/TGA delineations are based on provider location.

Data shown for EMAs and TGAs are not mutually exclusive; clients may have received services from providers in multiple EMAs and/or TGAs.

^a Includes any sexual transmission risk category reported by transgender clients.

^b Includes hemophilia and blood transfusion.

^c The EMA/TGA service area crosses state boundaries. See Technical Notes for more information.

Table 23a. Ryan White HIV/AIDS Program clients (non-ADAP), by federal poverty level and state, 2017—United States and 3 territories

States	0–100% FPL		101–138% FPL		139–250% FPL		251–400% FPL		>400% FPL		Total No.
	No.	%	No.	%	No.	%	No.	%	No.	%	
Alabama	6,302	73.2	663	7.7	952	11.1	584	6.8	114	1.3	8,615
Alaska	371	69.3	51	9.5	75	14.0	27	5.0	11	2.1	535
Arizona	4,072	52.9	1,042	13.5	1,646	21.4	752	9.8	189	2.5	7,701
Arkansas	1,176	52.0	322	14.2	478	21.1	223	9.9	63	2.8	2,262
California	34,827	66.0	6,447	12.2	8,199	15.5	2,478	4.7	815	1.5	52,766
Colorado	2,908	57.7	542	10.8	1,057	21.0	431	8.6	102	2.0	5,040
Connecticut	2,662	64.3	544	13.1	705	17.0	193	4.7	33	0.8	4,137
Delaware	938	49.1	223	11.7	396	20.7	232	12.1	121	6.3	1,910
District of Columbia	4,452	71.5	485	7.8	959	15.4	255	4.1	77	1.2	6,228
Florida	30,795	59.7	6,776	13.1	10,110	19.6	3,708	7.2	226	0.4	51,615
Georgia	13,504	62.9	2,706	12.6	3,836	17.9	1,047	4.9	360	1.7	21,453
Hawaii	616	55.1	185	16.5	247	22.1	57	5.1	13	1.2	1,118
Idaho	327	41.9	100	12.8	190	24.3	87	11.1	77	9.9	781
Illinois	14,721	65.2	2,204	9.8	2,303	10.2	1,012	4.5	2,349	10.4	22,589
Indiana	1,578	58.7	332	12.3	659	24.5	116	4.3	5	0.2	2,690
Iowa	716	42.3	186	11.0	455	26.9	261	15.4	73	4.3	1,691
Kansas	398	52.9	65	8.6	142	18.9	104	13.8	43	5.7	752
Kentucky	2,487	54.3	555	12.1	867	18.9	495	10.8	179	3.9	4,583
Louisiana	6,376	62.5	1,329	13.0	1,774	17.4	558	5.5	159	1.6	10,196
Maine	267	50.1	84	15.8	121	22.7	53	9.9	8	1.5	533
Maryland	8,127	67.4	1,558	12.9	1,468	12.2	606	5.0	300	2.5	12,059
Massachusetts	7,543	60.9	1,584	12.8	1,748	14.1	809	6.5	708	5.7	12,392
Michigan	4,634	57.3	982	12.1	1,454	18.0	660	8.2	355	4.4	8,085
Minnesota	2,328	59.5	438	11.2	762	19.5	310	7.9	72	1.8	3,910
Mississippi	2,750	67.2	499	12.2	681	16.7	126	3.1	34	0.8	4,090
Missouri	4,884	57.3	991	11.6	1,819	21.4	756	8.9	69	0.8	8,519
Montana	211	57.7	46	12.6	64	17.5	28	7.7	17	4.6	366
Nebraska	621	50.3	192	15.6	310	25.1	100	8.1	11	0.9	1,234
Nevada	1,621	53.4	465	15.3	668	22.0	274	9.0	9	0.3	3,037
New Hampshire	371	40.1	100	10.8	217	23.4	160	17.3	78	8.4	926
New Jersey	10,176	64.8	1,837	11.7	2,339	14.9	950	6.1	398	2.5	15,700
New Mexico	721	41.5	229	13.2	454	26.1	265	15.2	70	4.0	1,739
New York	34,549	71.2	4,442	9.1	6,046	12.5	2,307	4.8	1,212	2.5	48,556
North Carolina	8,175	57.4	2,145	15.1	2,963	20.8	774	5.4	193	1.4	14,250
North Dakota	100	37.3	32	11.9	76	28.4	59	22.0	1	0.4	268
Ohio	5,819	54.6	1,323	12.4	2,158	20.2	982	9.2	380	3.6	10,662
Oklahoma	1,602	53.5	402	13.4	682	22.8	262	8.8	45	1.5	2,993
Oregon	1,513	50.1	413	13.7	625	20.7	347	11.5	119	3.9	3,017
Pennsylvania	14,168	62.3	2,451	10.8	3,559	15.6	1,516	6.7	1,056	4.6	22,750
Rhode Island	1,309	65.2	181	9.0	298	14.8	123	6.1	97	4.8	2,008
South Carolina	6,456	57.0	1,301	11.5	2,190	19.3	1,018	9.0	368	3.2	11,333
South Dakota	232	45.8	60	11.9	136	26.9	65	12.8	13	2.6	506
Tennessee	6,738	53.9	1,316	10.5	2,439	19.5	1,756	14.0	254	2.0	12,503
Texas	27,042	63.6	5,207	12.2	7,447	17.5	2,274	5.3	563	1.3	42,533
Utah	636	48.7	174	13.3	342	26.2	105	8.0	50	3.8	1,307
Vermont	213	36.4	110	18.8	117	20.0	79	13.5	66	11.3	585
Virginia	4,875	51.7	1,304	13.8	2,004	21.3	1,008	10.7	235	2.5	9,426
Washington	2,622	50.8	600	11.6	1,027	19.9	594	11.5	321	6.2	5,164
West Virginia	363	48.7	148	19.8	152	20.4	61	8.2	22	2.9	746
Wisconsin	2,969	61.6	574	11.9	754	15.6	334	6.9	188	3.9	4,819
Wyoming	58	33.3	30	17.2	44	25.3	24	13.8	18	10.3	174
Subtotal	292,919	61.9	55,975	11.8	80,214	17.0	31,405	6.6	12,339	2.6	472,852
Territories											
Guam	18	54.5	1	3.0	13	39.4	1	3.0	0	0.0	33
Puerto Rico	10,139	87.7	535	4.6	624	5.4	176	1.5	86	0.7	11,560
U.S. Virgin Islands	87	39.0	88	39.5	35	15.7	8	3.6	5	2.2	223
Subtotal	10,244	86.7	624	5.3	672	5.7	185	1.6	91	0.8	11,816
Total	303,163	62.6	56,599	11.7	80,886	16.7	31,590	6.5	12,430	2.6	484,668

Abbreviation: FPL, federal poverty level.

Notes. Percentages shown are based on the row total.

Data are based on provider location. Clients receiving services in multiple states were not included in state-specific totals or column subtotals and totals.

Table 23b. Ryan White HIV/AIDS Program clients (non-ADAP), by federal poverty level and eligible metropolitan area and transitional grant area, 2017—United States and 3 territories

State/Territory	EMA/TGA	0–100% FPL		101–138% FPL		139–250% FPL		251–400% FPL		>400% FPL		Total No.
		No.	%	No.	%	No.	%	No.	%	No.	%	
Arizona	Phoenix	3,005	56.1	673	12.6	1,134	21.2	490	9.1	55	1.0	5,357
California	Los Angeles	15,335	68.5	2,563	11.5	3,152	14.1	1,047	4.7	284	1.3	22,381
	Oakland	2,163	69.6	288	9.3	461	14.8	149	4.8	45	1.4	3,106
	Orange County	1,076	46.2	292	12.5	642	27.6	259	11.1	60	2.6	2,329
	Riverside–San Bernardino	2,192	56.3	750	19.3	815	20.9	123	3.2	15	0.4	3,895
	Sacramento	1,931	70.1	290	10.5	375	13.6	86	3.1	72	2.6	2,754
	San Francisco	3,903	66.1	808	13.7	905	15.3	224	3.8	67	1.1	5,907
	San Diego	4,509	76.0	523	8.8	661	11.1	183	3.1	58	1.0	5,934
	San Jose	905	57.0	215	13.5	297	18.7	143	9.0	27	1.7	1,587
Colorado	Denver	2,953	61.0	494	10.2	969	20.0	332	6.9	92	1.9	4,840
Connecticut	Hartford	1,262	66.4	228	12.0	307	16.1	91	4.8	14	0.7	1,902
	New Haven	911	68.8	170	12.8	179	13.5	52	3.9	12	0.9	1,324
District of Columbia	Washington ^a	6,846	61.9	1,189	10.8	1,973	17.8	836	7.6	213	1.9	11,057
Florida	Ft. Lauderdale	7,752	71.4	1,114	10.3	1,519	14.0	448	4.1	30	0.3	10,863
	Jacksonville	1,579	71.4	238	10.8	285	12.9	105	4.8	3	0.1	2,210
	Miami	6,834	52.4	1,960	15.0	3,122	23.9	1,106	8.5	18	0.1	13,040
	Orlando	2,408	62.5	511	13.3	709	18.4	219	5.7	3	0.1	3,850
	Tampa–St. Petersburg	3,875	58.9	827	12.6	1,317	20.0	530	8.1	34	0.5	6,583
	West Palm Beach	2,084	57.3	522	14.3	719	19.8	293	8.1	21	0.6	3,639
Georgia	Atlanta	9,988	62.7	1,945	12.2	2,926	18.4	797	5.0	278	1.7	15,934
Illinois	Chicago	13,956	66.7	1,932	9.2	1,885	9.0	813	3.9	2,326	11.1	20,912
Indiana	Indianapolis	1,671	59.7	341	12.2	665	23.8	116	4.1	5	0.2	2,798
Louisiana	Baton Rouge	1,617	70.4	232	10.1	333	14.5	105	4.6	9	0.4	2,296
	New Orleans	3,705	62.1	745	12.5	1,059	17.8	391	6.6	66	1.1	5,966
Maryland	Baltimore	7,054	71.3	1,202	12.2	1,015	10.3	384	3.9	232	2.3	9,887
Massachusetts	Boston ^a	6,519	60.1	1,453	13.4	1,524	14.0	715	6.6	638	5.9	10,849
Michigan	Detroit	3,346	66.0	513	10.1	793	15.7	323	6.4	92	1.8	5,067
Minnesota	Minneapolis–St. Paul ^a	2,477	60.5	452	11.0	776	18.9	318	7.8	73	1.8	4,096
Missouri	Kansas City ^a	1,512	52.9	317	11.1	661	23.1	329	11.5	38	1.3	2,857
	St. Louis ^a	4,531	59.4	909	11.9	1,547	20.3	596	7.8	45	0.6	7,628
Nevada	Las Vegas ^a	1,556	59.9	352	13.5	488	18.8	192	7.4	10	0.4	2,598
New Jersey	Bergen–Passaic	1,133	65.0	220	12.6	259	14.9	100	5.7	32	1.8	1,744
	Jersey City	1,201	63.2	229	12.0	296	15.6	135	7.1	40	2.1	1,901
	Middlesex	927	60.4	211	13.7	240	15.6	120	7.8	38	2.5	1,536
	Newark	5,256	71.1	763	10.3	944	12.8	335	4.5	90	1.2	7,388
New York	Nassau–Suffolk	1,138	55.5	303	14.8	365	17.8	207	10.1	37	1.8	2,050
	New York	31,926	73.8	3,365	7.8	5,150	11.9	1,757	4.1	1,086	2.5	43,284
North Carolina	Charlotte ^a	1,692	48.4	509	14.6	983	28.1	273	7.8	39	1.1	3,496
Ohio	Cleveland	2,034	61.9	333	10.1	474	14.4	287	8.7	160	4.9	3,288
Oregon	Portland ^a	1,072	50.6	265	12.5	417	19.7	264	12.5	100	4.7	2,118
Pennsylvania	Philadelphia ^a	11,208	66.9	1,696	10.1	2,293	13.7	928	5.5	630	3.8	16,755
Puerto Rico	San Juan	9,028	91.7	342	3.5	371	3.8	80	0.8	22	0.2	9,843

Table 23b. Ryan White HIV/AIDS Program clients (non-ADAP), by federal poverty level and eligible metropolitan area and transitional grant area, 2017—United States and 3 territories (cont.)

State/Territory	EMA/TGA	0–100% FPL		101–138% FPL		139–250% FPL		251–400% FPL		>400% FPL		Total No.
		No.	%	No.	%	No.	%	No.	%	No.	%	
Tennessee	Memphis ^a	2,995	67.0	428	9.6	648	14.5	345	7.7	57	1.3	4,473
	Nashville	3,240	48.4	639	9.6	1,420	21.2	1,205	18.0	187	2.8	6,691
Texas	Austin	4,588	60.2	890	11.7	1,521	20.0	472	6.2	145	1.9	7,616
	Dallas	6,352	72.2	985	11.2	1,197	13.6	227	2.6	37	0.4	8,798
	Ft. Worth	1,892	58.1	458	14.1	622	19.1	231	7.1	51	1.6	3,254
	Houston	10,328	66.6	1,799	11.6	2,470	15.9	764	4.9	141	0.9	15,502
	San Antonio	1,886	57.4	428	13.0	687	20.9	229	7.0	58	1.8	3,288
Virginia	Norfolk ^a	1,908	59.8	418	13.1	619	19.4	241	7.6	4	0.1	3,190
	Seattle	2,481	51.1	548	11.3	941	19.4	570	11.7	312	6.4	4,852

Abbreviations: EMA, eligible metropolitan area; FPL, federal poverty level; TGA, transitional grant area.

Notes. Percentages shown are based on the row total.

EMAs/TGAs are listed according to the primary state in which the jurisdiction resides. EMA/TGA delineations are based on provider location.

Data shown for EMAs and TGAs are not mutually exclusive; clients may have received services from providers in multiple EMAs and/or TGAs.

^a The EMA/TGA service area crosses state boundaries. See Technical Notes for more information.

**Table 24a. Ryan White HIV/AIDS Program clients (non-ADAP), by housing status and state, 2017—
United States and 3 territories**

	Stable		Temporary		Unstable		Total No.
	No.	%	No.	%	No.	%	
States							
Alabama	7,871	87.2	395	4.4	759	8.4	9,025
Alaska	450	82.6	39	7.2	56	10.3	545
Arizona	7,118	91.9	201	2.6	423	5.5	7,742
Arkansas	2,055	91.1	145	6.4	56	2.5	2,256
California	43,922	82.5	5,312	10.0	3,975	7.5	53,209
Colorado	4,701	82.9	810	14.3	160	2.8	5,671
Connecticut	4,148	87.6	383	8.1	202	4.3	4,733
Delaware	1,954	95.6	33	1.6	58	2.8	2,045
District of Columbia	4,901	81.4	489	8.1	631	10.5	6,021
Florida	45,976	89.2	3,907	7.6	1,664	3.2	51,547
Georgia	20,256	94.9	381	1.8	702	3.3	21,339
Hawaii	1,021	91.4	44	3.9	52	4.7	1,117
Idaho	744	91.4	31	3.8	39	4.8	814
Illinois	20,594	90.0	1,623	7.1	668	2.9	22,885
Indiana	2,441	90.6	136	5.0	118	4.4	2,695
Iowa	1,632	93.2	61	3.5	58	3.3	1,751
Kansas	716	96.5	11	1.5	15	2.0	742
Kentucky	4,347	93.5	175	3.8	128	2.8	4,650
Louisiana	9,809	90.7	660	6.1	345	3.2	10,814
Maine	495	92.4	25	4.7	16	3.0	536
Maryland	11,280	92.4	574	4.7	351	2.9	12,205
Massachusetts	10,762	84.4	1,189	9.3	802	6.3	12,753
Michigan	7,814	95.0	200	2.4	210	2.6	8,224
Minnesota	3,235	80.9	532	13.3	234	5.8	4,001
Mississippi	3,743	94.9	140	3.5	63	1.6	3,946
Missouri	7,350	85.9	715	8.4	494	5.8	8,559
Montana	372	89.9	15	3.6	27	6.5	414
Nebraska	1,116	90.2	40	3.2	81	6.5	1,237
Nevada	2,686	82.1	154	4.7	431	13.2	3,271
New Hampshire	893	94.7	40	4.2	10	1.1	943
New Jersey	13,510	85.0	1,814	11.4	578	3.6	15,902
New Mexico	1,897	95.6	61	3.1	26	1.3	1,984
New York	39,573	80.9	4,962	10.1	4,410	9.0	48,945
North Carolina	13,813	93.9	536	3.6	363	2.5	14,712
North Dakota	249	92.9	13	4.9	6	2.2	268
Ohio	9,386	87.5	835	7.8	506	4.7	10,727
Oklahoma	2,849	95.0	60	2.0	89	3.0	2,998
Oregon	2,854	88.3	155	4.8	223	6.9	3,232
Pennsylvania	20,304	87.4	1,643	7.1	1,288	5.5	23,235
Rhode Island	1,719	85.2	226	11.2	73	3.6	2,018
South Carolina	10,894	96.1	329	2.9	111	1.0	11,334
South Dakota	459	90.7	21	4.2	26	5.1	506
Tennessee	11,081	87.7	1,118	8.8	443	3.5	12,642
Texas	35,124	81.7	6,231	14.5	1,633	3.8	42,988
Utah	1,122	85.8	123	9.4	63	4.8	1,308
Vermont	544	93.0	30	5.1	11	1.9	585
Virginia	9,260	96.7	164	1.7	156	1.6	9,580
Washington	3,960	75.7	317	6.1	954	18.2	5,231
West Virginia	762	96.8	16	2.0	9	1.1	787
Wisconsin	4,267	87.7	231	4.7	367	7.5	4,865
Wyoming	141	81.5	22	12.7	10	5.8	173
Subtotal	418,170	87.2	37,367	7.8	24,173	5.0	479,710
Territories							
Guam	30	90.9	3	9.1	0	0.0	33
Puerto Rico	11,214	96.9	288	2.5	66	0.6	11,568
U.S. Virgin Islands	218	97.8	3	1.3	2	0.9	223
Subtotal	11,462	96.9	294	2.5	68	0.6	11,824
Total	429,632	87.4	37,661	7.7	24,241	4.9	491,534

Notes. Percentages shown are based on the row total.

Data are based on provider location. Clients receiving services in multiple states were not included in state-specific totals or column subtotals and totals.

Table 24b. Ryan White HIV/AIDS Program clients (non-ADAP), by housing status and eligible metropolitan area and transitional grant area, 2017—United States and 3 territories

State/Territory	EMA/TGA	Stable		Temporary		Unstable		Total No.
		No.	%	No.	%	No.	%	
Arizona	Phoenix	4,855	90.7	82	1.5	413	7.7	5,350
California	Los Angeles	19,680	87.0	1,070	4.7	1,874	8.3	22,624
	Oakland	2,469	79.0	323	10.3	334	10.7	3,126
	Orange County	1,944	83.4	274	11.8	112	4.8	2,330
	Riverside–San Bernardino	3,305	85.0	356	9.2	226	5.8	3,887
	Sacramento	2,334	84.7	159	5.8	264	9.6	2,757
	San Francisco	4,257	72.0	1,275	21.6	380	6.4	5,912
	San Diego	4,636	74.9	1,074	17.4	480	7.8	6,190
	San Jose	1,143	71.1	351	21.8	113	7.0	1,607
Colorado	Denver	4,422	80.8	853	15.6	200	3.7	5,475
Connecticut	Hartford	1,670	82.0	264	13.0	103	5.1	2,037
	New Haven	1,526	87.2	122	7.0	102	5.8	1,750
District of Columbia	Washington ^a	9,504	87.1	634	5.8	768	7.0	10,906
Florida	Ft. Lauderdale	8,378	76.8	2,400	22.0	127	1.2	10,905
	Jacksonville	2,059	92.9	98	4.4	60	2.7	2,217
	Miami	11,735	92.0	252	2.0	771	6.0	12,758
	Orlando	3,284	85.3	386	10.0	178	4.6	3,848
	Tampa–St. Petersburg	5,836	88.6	511	7.8	243	3.7	6,590
	West Palm Beach	3,274	90.2	192	5.3	165	4.5	3,631
Georgia	Atlanta	14,442	92.2	424	2.7	790	5.0	15,656
Illinois	Chicago	18,905	89.1	1,636	7.7	665	3.1	21,206
Indiana	Indianapolis	2,505	89.4	154	5.5	144	5.1	2,803
Louisiana	Baton Rouge	2,715	94.8	89	3.1	61	2.1	2,865
	New Orleans	5,171	86.7	555	9.3	238	4.0	5,964
Maryland	Baltimore	9,149	91.3	537	5.4	330	3.3	10,016
Massachusetts	Boston ^a	9,216	82.3	1,213	10.8	769	6.9	11,198
Michigan	Detroit	4,917	94.6	151	2.9	128	2.5	5,196
Minnesota	Minneapolis–St. Paul ^a	3,334	79.6	574	13.7	279	6.7	4,187
Missouri	Kansas City ^a	2,399	85.9	249	8.9	146	5.2	2,794
	St. Louis ^a	6,624	85.7	600	7.8	504	6.5	7,728
Nevada	Las Vegas ^a	2,185	82.8	199	7.5	256	9.7	2,640
New Jersey	Bergen–Passaic	1,607	91.0	75	4.2	83	4.7	1,765
	Jersey City	1,767	93.0	62	3.3	72	3.8	1,901
	Middlesex	1,324	83.6	117	7.4	142	9.0	1,583
	Newark	5,425	73.4	1,604	21.7	362	4.9	7,391
New York	Nassau–Suffolk	1,863	91.0	148	7.2	37	1.8	2,048
	New York	34,957	79.5	4,496	10.2	4,513	10.3	43,966
North Carolina	Charlotte ^a	3,242	92.7	127	3.6	128	3.7	3,497
Ohio	Cleveland	2,923	89.0	163	5.0	200	6.1	3,286
	Columbus	4,783	85.5	545	9.7	264	4.7	5,592
Oregon	Portland ^a	1,975	85.0	151	6.5	197	8.5	2,323
Pennsylvania	Philadelphia ^a	14,644	85.2	1,315	7.6	1,233	7.2	17,192
Puerto Rico	San Juan	9,452	96.0	320	3.2	78	0.8	9,850
Tennessee	Memphis ^a	4,145	89.9	228	4.9	236	5.1	4,609
	Nashville	5,561	83.1	927	13.9	205	3.1	6,693
Texas	Austin	6,617	86.9	589	7.7	410	5.4	7,616
	Dallas	5,464	59.9	3,045	33.4	606	6.6	9,115
	Ft. Worth	2,885	87.1	328	9.9	98	3.0	3,311
	Houston	12,338	79.2	2,600	16.7	641	4.1	15,579
	San Antonio	3,013	91.5	125	3.8	154	4.7	3,292
Virginia	Norfolk ^a	3,017	94.7	79	2.5	91	2.9	3,187
Washington	Seattle	3,558	73.6	288	6.0	991	20.5	4,837

Abbreviations: EMA, eligible metropolitan area; TGA, transitional grant area.

Notes. Percentages shown are based on the row total.

EMAs/TGAs are listed according to the primary state in which the jurisdiction resides. EMA/TGA delineations are based on provider location.

Data shown for EMAs and TGAs are not mutually exclusive; clients may have received services from providers in multiple EMAs and/or TGAs.

^a The EMA/TGA service area crosses state boundaries. See Technical Notes for more information.

Section 4.

State- and EMA/TGA-Level Data: Retention in Care and Viral Suppression

Table 25a. Retention in care among Ryan White HIV/AIDS Program clients (non-ADAP), by year and state, 2013–2017—United States and 3 territories

States	2013			2014			2015			2016			2017		
	Retained		Total No.	Retained											
	No.	%		No.	%		No.	%		No.	%		No.	%	
Alabama	3,958	3,527	89.1	3,636	3,107	85.5	4,743	4,074	85.9	4,441	3,834	86.3	7,136	6,194	86.8
Alaska	297	213	71.7	305	221	72.5	312	230	73.7	335	268	80.0	346	253	73.1
Arizona	2,393	2,024	84.6	1,963	1,467	74.7	2,149	1,718	79.9	2,300	1,825	79.3	3,765	2,654	70.5
Arkansas	982	700	71.3	784	500	63.8	637	499	78.3	690	579	83.9	627	514	82.0
California	30,615	23,266	76.0	26,668	19,399	72.7	34,617	26,061	75.3	32,938	26,541	80.6	32,118	26,424	82.3
Colorado	3,328	2,697	81.0	3,442	2,827	82.1	3,960	3,286	83.0	3,943	3,241	82.2	4,050	3,329	82.2
Connecticut	3,624	3,099	85.5	3,413	2,907	85.2	3,660	3,152	86.1	3,604	3,077	85.4	3,194	2,522	79.0
Delaware	1,492	1,307	87.6	1,459	1,276	87.5	1,489	1,272	85.4	1,530	1,285	84.0	1,514	1,308	86.4
District of Columbia	5,485	4,576	83.4	5,017	4,151	82.7	4,998	4,204	84.1	5,252	4,284	81.6	5,702	4,002	70.2
Florida	26,666	20,137	75.5	27,136	22,132	81.6	29,226	23,126	79.1	29,062	24,029	82.7	30,590	24,826	81.2
Georgia	17,166	14,562	84.8	17,184	14,872	86.5	17,818	15,107	84.8	18,258	15,665	85.8	18,928	15,792	83.4
Hawaii	433	292	67.4	365	265	72.6	521	372	71.4	591	472	79.9	443	336	75.8
Idaho	227	189	83.3	180	141	78.3	606	486	80.2	632	519	82.1	695	566	81.4
Illinois	12,984	10,118	77.9	12,442	9,781	78.6	14,240	11,016	77.4	14,903	11,362	76.2	15,837	12,227	77.2
Indiana	713	458	64.2	2,474	1,836	74.2	2,613	1,982	75.9	1,794	1,463	81.5	1,769	1,378	77.9
Iowa	607	461	75.9	475	383	80.6	1,070	845	79.0	1,187	934	78.7	1,355	1,113	82.1
Kansas	517	449	86.8	384	336	87.5	713	604	84.7	662	599	90.5	389	309	79.4
Kentucky	2,552	2,040	79.9	2,359	2,022	85.7	3,302	2,803	84.9	3,635	2,941	80.9	3,854	3,005	78.0
Louisiana	5,304	3,880	73.2	4,845	3,430	70.8	6,399	4,323	67.6	6,333	4,725	74.6	7,537	6,013	79.8
Maine	507	433	85.4	499	424	85.0	501	422	84.2	496	398	80.2	388	236	60.8
Maryland	8,850	7,209	81.5	7,383	6,009	81.4	10,236	8,428	82.3	9,910	8,151	82.3	9,872	8,109	82.1
Massachusetts	6,232	5,508	88.4	6,636	5,710	86.0	6,866	5,804	84.5	7,043	5,989	85.0	6,570	5,340	81.3
Michigan	4,651	3,601	77.4	4,308	3,238	75.2	5,906	4,460	75.5	5,999	4,537	75.6	6,102	4,558	74.7
Minnesota	2,361	1,960	83.0	1,924	1,488	77.3	1,969	1,624	82.5	2,000	1,588	79.4	2,020	1,565	77.5
Mississippi	1,516	1,204	79.4	1,359	1,156	85.1	2,554	2,159	84.5	3,464	2,656	76.7	3,516	2,902	82.5
Missouri	1,929	1,478	76.6	1,529	854	55.9	3,692	2,950	79.9	3,561	2,669	75.0	3,716	2,901	78.1
Montana	167	139	83.2	188	145	77.1	211	173	82.0	302	227	75.2	310	238	76.8
Nebraska	439	379	86.3	400	347	86.8	790	635	80.4	719	596	82.9	799	557	69.7
Nevada	1,150	791	68.8	1,147	710	61.9	1,632	1,066	65.3	1,713	1,183	69.1	2,108	1,632	77.4
New Hampshire	352	158	44.9	143	100	69.9	605	430	71.1	652	525	80.5	763	552	72.3
New Jersey	9,809	8,357	85.2	8,636	6,969	80.7	9,498	7,661	80.7	9,367	7,496	80.0	8,596	7,098	82.6
New Mexico	1,450	1,254	86.5	1,598	1,357	84.9	1,575	1,279	81.2	1,274	766	60.1	1,686	1,512	89.7
New York	26,632	22,414	84.2	26,623	22,564	84.8	31,086	26,685	85.8	32,142	27,500	85.6	30,822	26,254	85.2
North Carolina	9,773	8,223	84.1	9,421	7,937	84.2	12,394	10,288	83.0	12,420	10,249	82.5	12,937	10,747	83.1
North Dakota	0	—	—	0	—	—	79	0	0.0	99	79	79.8	107	89	83.2
Ohio	6,653	5,051	75.9	6,433	4,373	68.0	6,575	4,806	73.1	7,214	5,436	75.4	7,279	5,293	72.7
Oklahoma	1,819	1,370	75.3	1,790	1,330	74.3	1,934	1,293	66.9	2,004	1,521	75.9	2,224	1,532	68.9
Oregon	1,406	1,173	83.4	1,083	908	83.8	1,109	923	83.2	1,177	957	81.3	1,154	950	82.3
Pennsylvania	16,525	13,932	84.3	15,576	13,217	84.9	17,724	15,098	85.2	18,561	15,698	84.6	18,777	15,888	84.6
Rhode Island	1,486	1,259	84.7	1,446	1,229	85.0	1,505	1,233	81.9	1,561	1,278	81.9	1,618	1,323	81.8
South Carolina	8,343	7,304	87.5	8,266	7,200	87.1	8,879	7,663	86.3	9,167	7,792	85.0	9,628	8,195	85.1
South Dakota	230	97	42.2	266	172	64.7	241	202	83.8	310	209	67.4	307	235	76.5
Tennessee	3,633	3,078	84.7	4,475	3,662	81.8	8,089	6,670	82.5	8,318	7,045	84.7	8,306	6,941	83.6
Texas	20,438	16,401	80.2	20,289	15,328	75.5	28,803	22,629	78.6	30,614	24,285	79.3	29,628	22,335	75.4

Table 25a. Retention in care among Ryan White HIV/AIDS Program clients (non-ADAP), by year and state, 2013–2017—United States and 3 territories (cont.)

	2013			2014			2015			2016			2017		
	Total No.	No.	%												
States															
Utah	589	504	85.6	523	422	80.7	1,365	1,093	80.1	1,443	1,182	81.9	1,325	1,116	84.2
Vermont	404	351	86.9	405	340	84.0	396	327	82.6	401	333	83.0	422	344	81.5
Virginia	5,703	4,553	79.8	4,859	3,311	68.1	4,835	3,399	70.3	5,138	3,722	72.4	7,262	5,408	74.5
Washington	1,983	1,111	56.0	1,977	1,589	80.4	2,785	1,939	69.6	3,178	2,553	80.3	3,308	2,725	82.4
West Virginia	690	528	76.5	678	518	76.4	655	514	78.5	660	488	73.9	637	421	66.1
Wisconsin	1,542	1,227	79.6	1,996	1,654	82.9	2,251	1,829	81.3	2,410	1,965	81.5	2,556	2,038	79.7
Wyoming	122	79	64.8	98	70	71.4	74	38	51.4	120	55	45.8	87	22	25.3
Subtotal	266,727	215,121	80.7	256,485	205,384	80.1	309,887	248,880	80.3	315,527	256,771	81.4	324,679	261,821	80.6
Territories															
Guam	23	19	82.6	23	16	69.6	28	11	39.3	30	25	83.3	29	23	79.3
Puerto Rico	8,517	7,855	92.2	8,713	8,005	91.9	9,484	8,774	92.5	8,582	8,031	93.6	9,249	8,236	89.0
U.S. Virgin Islands	157	113	72.0	201	150	74.6	194	154	79.4	201	179	89.1	209	158	75.6
Subtotal	8,697	7,987	91.8	8,937	8,171	91.4	9,706	8,939	92.1	8,813	8,235	93.4	9,487	8,417	88.7
Total	275,424	223,108	81.0	265,422	213,555	80.5	319,593	257,819	80.7	324,340	265,006	81.7	334,166	270,238	80.9

Retention in care was based on data for PLWH who had at least 1 outpatient ambulatory health services visit by September 1 of the measurement year, with a second visit at least 90 days after.

Note. Data are based on provider location. Clients receiving services in multiple states were not included in state-specific totals or column subtotals and totals.

Table 25b. Retention in care among Ryan White HIV/AIDS Program clients, by year and eligible metropolitan area and transitional grant area, 2013–2017—United States and 3 territories

State/Territory	EMA/TGA	2013			2014			2015			2016			2017		
		Retained		Total No.	Retained											
		No.	%		No.	%		No.	%		No.	%		No.	%	
Arizona	Phoenix	1,020	891	87.4	849	499	58.8	969	720	74.3	2,366	1,876	79.3	2,157	1,304	60.5
California	Los Angeles	11,327	8,574	75.7	9,722	7,278	74.9	18,421	12,632	68.6	16,952	13,492	79.6	15,373	12,718	82.7
	Oakland	2,315	1,310	56.6	1,808	1,013	56.0	1,129	800	70.9	1,309	891	68.1	1,405	922	65.6
	Orange County	1,297	1,165	89.8	1,106	789	71.3	1,097	931	84.9	792	685	86.5	784	678	86.5
	Riverside–San Bernardino	1,446	859	59.4	738	380	51.5	803	601	74.8	911	703	77.2	1,140	850	74.6
	Sacramento	2,209	1,911	86.5	2,542	1,904	74.9	2,590	2,197	84.8	2,269	1,794	79.1	2,385	2,275	95.4
	San Francisco	2,914	1,957	67.2	2,554	1,537	60.2	3,579	2,884	80.6	1,710	1,320	77.2	1,566	1,112	71.0
	San Diego	4,541	3,752	82.6	4,687	3,751	80.0	4,890	3,990	81.6	4,997	4,340	86.9	5,064	4,308	85.1
	San Jose	698	546	78.2	627	280	44.7	566	498	88.0	1,152	947	82.2	1,153	976	84.6
Colorado	Denver	3,124	2,549	81.6	3,403	2,792	82.0	3,829	3,162	82.6	3,647	2,995	82.1	3,921	3,214	82.0
Connecticut	Hartford	1,769	1,532	86.6	1,775	1,524	85.9	1,846	1,619	87.7	1,850	1,565	84.6	1,349	1,113	82.5
District of Columbia	New Haven	1,329	1,144	86.1	1,299	1,111	85.5	1,515	1,326	87.5	1,530	1,315	85.9	1,159	765	66.0
	Washington ^a	8,639	7,216	83.5	8,651	7,007	81.0	8,855	7,355	83.1	8,990	7,284	81.0	9,155	6,636	72.5
Florida	Ft. Lauderdale	4,626	3,759	81.3	4,922	4,021	81.7	6,912	5,009	72.5	4,383	3,305	75.4	4,908	3,640	74.2
	Jacksonville	2,872	2,398	83.5	2,984	2,383	79.9	1,414	1,124	79.5	2,149	1,721	80.1	1,474	1,119	75.9
	Miami	7,332	5,513	75.2	7,632	6,166	80.8	7,188	5,424	75.5	7,725	6,209	80.4	7,328	5,803	79.2
	Orlando	2,223	880	39.6	2,397	1,970	82.2	1,867	1,452	77.8	1,962	1,655	84.4	2,312	1,963	84.9
	Tampa–St. Petersburg	3,658	2,885	78.9	3,497	2,883	82.4	3,836	3,256	84.9	3,933	3,483	88.6	4,177	3,626	86.8
	West Palm Beach	941	577	61.3	1,912	1,593	83.3	1,912	1,635	85.5	2,034	1,768	86.9	1,956	1,715	87.7
Georgia	Atlanta	10,372	9,020	87.0	10,739	9,300	86.6	11,379	9,555	84.0	11,947	10,256	85.8	13,640	11,349	83.2
Illinois	Chicago	11,531	8,969	77.8	11,674	9,292	79.6	13,918	10,794	77.6	14,246	10,894	76.5	15,497	12,009	77.5
Indiana	Indianapolis	763	497	65.1	2,685	2,000	74.5	2,857	2,176	76.2	1,904	1,554	81.6	1,852	1,441	77.8
Louisiana	Baton Rouge	1,606	1,037	64.6	1,910	1,236	64.7	2,188	1,575	72.0	1,514	1,039	68.6	1,964	1,514	77.1
	New Orleans	2,454	1,812	73.8	2,574	1,832	71.2	3,640	2,329	64.0	4,136	3,225	78.0	4,352	3,582	82.3
Maryland	Baltimore	7,493	6,151	82.1	5,955	4,994	83.9	8,605	7,153	83.1	8,409	7,065	84.0	8,812	7,354	83.5
Massachusetts	Boston ^a	4,908	4,293	87.5	5,339	4,576	85.7	5,559	4,664	83.9	5,599	4,735	84.6	5,331	4,249	79.7
Michigan	Detroit	2,364	1,741	73.6	2,098	1,463	69.7	3,732	2,664	71.4	3,900	2,810	72.1	4,093	2,905	71.0
Minnesota	Minneapolis–St. Paul ^a	2,343	1,952	83.3	1,981	1,511	76.3	2,085	1,711	82.1	2,063	1,635	79.3	2,140	1,652	77.2
Missouri	Kansas City ^a	1,121	965	86.1	646	262	40.6	1,385	1,036	74.8	918	628	68.4	864	606	70.1
	St. Louis ^a	1,701	1,322	77.7	1,676	988	58.9	3,388	2,773	81.8	3,574	2,823	79.0	4,141	3,330	80.4
Nevada	Las Vegas ^a	644	336	52.2	837	424	50.7	1,242	732	58.9	1,189	719	60.5	1,653	1,147	69.4
New Jersey	Bergen–Passaic	821	696	84.8	629	528	83.9	1,319	1,021	77.4	1,200	1,037	86.4	1,202	1,051	87.4
	Jersey City	1,521	1,381	90.8	1,545	1,410	91.3	1,503	1,378	91.7	1,480	1,342	90.7	1,486	1,338	90.0
	Middlesex	743	644	86.7	703	519	73.8	793	689	86.9	843	716	84.9	869	742	85.4
	Newark	3,596	2,895	80.5	3,232	2,365	73.2	2,336	1,497	64.1	2,242	1,539	68.6	2,177	1,595	73.3
New York	Nassau–Suffolk	1,030	853	82.8	1,127	877	77.8	1,258	1,033	82.1	1,207	895	74.2	1,093	883	80.8
	New York	22,495	18,892	84.0	23,083	19,474	84.4	27,909	23,943	85.8	28,590	24,610	86.1	27,450	23,571	85.9
North Carolina	Charlotte ^a	2,118	1,747	82.5	2,101	1,761	83.8	2,361	1,911	80.9	2,641	2,164	81.9	2,858	2,390	83.6
Ohio	Cleveland	2,486	1,892	76.1	2,174	1,474	67.8	1,715	1,269	74.0	2,195	1,700	77.4	2,294	1,736	75.7
	Columbus	2,956	2,293	77.6	2,510	1,784	71.1	2,949	2,133	72.3	3,286	2,446	74.4	3,318	2,295	69.2
Oregon	Portland ^a	1,415	1,182	83.5	1,199	993	82.8	2,348	1,941	82.7	1,249	1,011	80.9	1,253	1,023	81.6
Pennsylvania	Philadelphia ^a	12,524	10,701	85.4	12,695	10,885	85.7	13,357	11,401	85.4	13,673	11,451	83.7	14,129	11,927	84.4
Puerto Rico	San Juan	5,681	5,227	92.0	5,767	5,260	91.2	8,271	7,640	92.4	7,943	7,475	94.1	7,633	6,779	88.8

Table 25b. Retention in care among Ryan White HIV/AIDS Program clients, by year and eligible metropolitan area and transitional grant area, 2013–2017—United States and 3 territories (cont.)

State/Territory	EMA/TGA	2013			2014			2015			2016			2017		
		Retained		Total No.	Retained											
		No.	%		No.	%		No.	%		No.	%		No.	%	
Tennessee	Memphis ^a	2,118	1,866	88.1	1,996	1,728	86.6	3,350	2,800	83.6	3,438	2,997	87.2	3,570	3,098	86.8
	Nashville	1,118	922	82.5	1,865	1,521	81.6	4,055	3,362	82.9	4,740	3,967	83.7	3,973	3,263	82.1
Texas	Austin	1,620	1,371	84.6	1,587	1,387	87.4	4,419	3,799	86.0	4,529	3,969	87.6	5,611	4,653	82.9
	Dallas	4,343	3,683	84.8	4,598	3,783	82.3	6,222	5,058	81.3	6,745	5,514	81.7	6,947	5,702	82.1
	Ft. Worth	1,573	1,361	86.5	1,557	1,347	86.5	2,106	1,623	77.1	2,145	1,752	81.7	2,054	1,136	55.3
	Houston	6,411	4,670	72.8	7,065	5,007	70.9	9,495	6,982	73.5	9,919	7,291	73.5	10,458	7,687	73.5
	San Antonio	1,505	1,264	84.0	1,444	785	54.4	3,139	2,630	83.8	3,377	2,771	82.1	1,612	1,159	71.9
Virginia	Norfolk ^a	1,313	874	66.6	1,067	458	42.9	885	526	59.4	946	593	62.7	2,414	1,477	61.2
Washington	Seattle	1,215	493	40.6	1,352	1,118	82.7	2,171	1,580	72.8	2,680	2,162	80.7	2,845	2,341	82.3

Abbreviations: EMA, eligible metropolitan area; TGA, transitional grant area.

Retention in care was based on data for PLWH who had at least 1 outpatient ambulatory health services visit by September 1 of the measurement year, with a second visit at least 90 days after.

Notes. EMAs/TGAs are listed according to the primary state in which the jurisdiction resides. EMA/TGA delineations are based on provider location.

Data shown for individual EMAs and TGAs are not mutually exclusive; clients may have received services from providers in multiple EMAs and/or TGAs.

^a The EMA/TGA service area crosses state boundaries. See Technical Notes for more information.

Table 26a. Viral suppression among Ryan White HIV/AIDS Program clients (non-ADAP), by year and state, 2013–2017—United States and 3 territories

	2013			2014			2015			2016			2017		
	Total No.	Viral suppression No.	%	Total No.	Viral suppression No.	%	Total No.	Viral suppression No.	%	Total No.	Viral suppression No.	%	Total No.	Viral suppression No.	%
States															
Alabama	4,179	3,104	74.3	3,885	2,846	73.3	4,975	3,987	80.1	4,682	3,762	80.4	7,491	6,341	84.6
Alaska	299	235	78.6	316	263	83.2	338	289	85.5	355	313	88.2	374	330	88.2
Arizona	2,163	1,884	87.1	2,065	1,785	86.4	2,280	2,046	89.7	1,723	1,586	92.0	3,902	3,512	90.0
Arkansas	1,009	791	78.4	695	570	82.0	658	499	75.8	730	562	77.0	657	479	72.9
California	30,443	24,955	82.0	26,109	21,914	83.9	33,995	28,601	84.1	32,683	28,228	86.4	32,592	28,462	87.3
Colorado	3,498	2,886	82.5	3,619	3,101	85.7	3,902	3,387	86.8	3,855	3,408	88.4	4,181	3,694	88.4
Connecticut	3,713	3,028	81.6	3,521	3,013	85.6	3,755	3,247	86.5	3,623	3,201	88.4	3,227	2,864	88.8
Delaware	1,552	1,239	79.8	1,527	1,276	83.6	1,582	1,337	84.5	1,575	1,369	86.9	1,568	1,373	87.6
District of Columbia	5,659	4,354	76.9	4,926	4,096	83.2	5,049	4,326	85.7	5,285	4,383	82.9	5,739	4,760	82.9
Florida	24,842	19,313	77.7	27,644	22,439	81.2	30,401	24,988	82.2	30,300	25,271	83.4	32,210	27,379	85.0
Georgia	17,543	13,222	75.4	17,725	13,846	78.1	18,699	14,925	79.8	18,954	15,424	81.4	19,701	16,282	82.6
Hawaii	293	221	75.4	497	424	85.3	581	520	89.5	625	564	90.2	503	445	88.5
Idaho	241	210	87.1	190	173	91.1	649	607	93.5	685	641	93.6	738	702	95.1
Illinois	13,433	10,718	79.8	12,964	10,676	82.4	14,651	12,056	82.3	15,412	13,019	84.5	16,772	14,467	86.3
Indiana	721	501	69.5	2,204	1,890	85.8	2,689	2,333	86.8	1,863	1,602	86.0	1,849	1,603	86.7
Iowa	666	556	83.5	501	458	91.4	1,148	1,026	89.4	1,314	1,184	90.1	1,480	1,356	91.6
Kansas	533	423	79.4	436	352	80.7	758	632	83.4	726	607	83.6	403	355	88.1
Kentucky	2,694	2,142	79.5	2,409	2,030	84.3	3,437	2,899	84.3	3,863	3,393	87.8	4,036	3,581	88.7
Louisiana	5,615	3,566	63.5	5,235	3,701	70.7	6,638	5,060	76.2	6,864	5,590	81.4	7,890	6,599	83.6
Maine	516	463	89.7	504	456	90.5	492	455	92.5	494	457	92.5	397	371	93.5
Maryland	8,583	6,757	78.7	7,389	5,923	80.2	10,750	8,992	83.6	10,600	9,067	85.5	10,071	8,737	86.8
Massachusetts	6,641	5,662	85.3	6,750	5,979	88.6	7,062	6,352	89.9	7,242	6,636	91.6	6,699	6,199	92.5
Michigan	4,871	3,924	80.6	4,627	3,865	83.5	6,526	5,520	84.6	6,565	5,669	86.4	6,625	5,845	88.2
Minnesota	2,419	2,084	86.2	1,979	1,741	88.0	2,003	1,762	88.0	2,034	1,809	88.9	1,766	1,589	90.0
Mississippi	1,552	1,080	69.6	1,461	1,081	74.0	2,656	2,089	78.7	3,607	2,983	82.7	3,766	3,119	82.8
Missouri	2,199	1,687	76.7	1,746	1,384	79.3	4,137	3,517	85.0	3,934	3,303	84.0	4,066	3,483	85.7
Montana	190	169	88.9	202	188	93.1	222	199	89.6	308	271	88.0	332	301	90.7
Nebraska	469	379	80.8	416	354	85.1	846	755	89.2	765	693	90.6	849	770	90.7
Nevada	1,187	811	68.3	1,282	859	67.0	1,836	1,345	73.3	1,797	1,515	84.3	2,305	1,970	85.5
New Hampshire	408	365	89.5	147	124	84.4	627	571	91.1	690	637	92.3	804	732	91.0
New Jersey	10,438	7,941	76.1	9,032	7,247	80.2	10,029	8,248	82.2	9,870	8,447	85.6	9,124	7,795	85.4
New Mexico	1,603	1,393	86.9	1,651	1,481	89.7	1,659	1,511	91.1	1,564	1,438	91.9	1,755	1,563	89.1
New York	26,905	21,141	78.6	29,341	23,456	79.9	31,884	26,790	84.0	33,460	28,684	85.7	31,556	27,320	86.6
North Carolina	10,311	8,070	78.3	10,072	8,176	81.2	13,023	11,160	85.7	13,113	11,169	85.2	13,679	11,842	86.6
North Dakota	70	62	88.6	70	67	95.7	73	67	91.8	95	88	92.6	107	104	97.2
Ohio	7,050	5,461	77.5	6,870	5,554	80.8	7,024	5,911	84.2	7,600	6,551	86.2	7,779	6,772	87.1
Oklahoma	1,918	1,502	78.3	1,931	1,579	81.8	1,980	1,660	83.8	2,105	1,817	86.3	2,337	2,007	85.9
Oregon	1,491	1,232	82.6	1,140	965	84.6	1,181	1,018	86.2	1,241	1,067	86.0	1,206	1,068	88.6
Pennsylvania	17,120	13,900	81.2	16,014	13,475	84.1	18,304	15,880	86.8	19,223	16,712	86.9	19,444	17,300	89.0
Rhode Island	1,520	1,317	86.6	1,462	1,291	88.3	1,565	1,408	90.0	1,639	1,504	91.8	1,683	1,544	91.7
South Carolina	8,730	6,943	79.5	8,762	7,162	81.7	9,272	7,778	83.9	9,653	8,176	84.7	10,126	8,682	85.7
South Dakota	178	152	85.4	222	189	85.1	233	207	88.8	303	274	90.4	308	278	90.3
Tennessee	3,814	2,817	73.9	4,684	3,678	78.5	8,600	7,042	81.9	8,771	7,269	82.9	8,794	7,358	83.7
Texas	22,076	16,335	74.0	21,871	17,068	78.0	30,826	24,411	79.2	32,613	26,124	80.1	31,849	25,619	80.4

Table 26a. Viral suppression among Ryan White HIV/AIDS Program clients (non-ADAP), by year and state, 2013–2017—United States and 3 territories (cont.)

	2013			2014			2015			2016			2017		
	Viral suppression		Total No.	Viral suppression											
	Total No.	No.		Total No.	No.		Total No.	No.		Total No.	No.		Total No.	No.	%
States															
Utah	618	482	78.0	534	423	79.2	1,430	1,264	88.4	1,494	1,333	89.2	1,258	1,129	89.7
Vermont	421	385	91.4	428	402	93.9	418	396	94.7	421	401	95.2	438	412	94.1
Virginia	6,022	4,994	82.9	5,431	4,673	86.0	5,220	4,510	86.4	5,526	4,767	86.3	7,706	6,606	85.7
Washington	2,073	1,738	83.8	2,019	1,782	88.3	2,979	2,640	88.6	3,311	2,983	90.1	3,427	3,084	90.0
West Virginia	719	612	85.1	692	600	86.7	690	612	88.7	715	657	91.9	675	611	90.5
Wisconsin	1,809	1,473	81.4	2,184	1,869	85.6	2,428	2,113	87.0	2,592	2,319	89.5	2,729	2,433	89.2
Wyoming	135	111	82.2	120	101	84.2	54	44	81.5	124	105	84.7	88	85	96.6
Subtotal	273,152	214,790	78.6	267,501	218,045	81.5	322,214	268,992	83.5	328,586	279,032	84.9	339,061	291,312	85.9
Territories															
Guam	22	13	59.1	19	10	52.6	31	12	38.7	32	18	56.3	31	21	67.7
Puerto Rico	8,681	6,790	78.2	8,833	7,267	82.3	9,691	8,169	84.3	8,722	7,652	87.7	9,193	8,066	87.7
U.S. Virgin Islands	179	131	73.2	215	161	74.9	199	146	73.4	205	158	77.1	206	179	86.9
Subtotal	8,882	6,934	78.1	9,067	7,438	82.0	9,921	8,327	83.9	8,959	7,828	87.4	9,430	8,266	87.7
Total	282,034	221,724	78.6	276,568	225,483	81.5	332,135	277,319	83.5	337,545	286,860	85.0	348,491	299,578	86.0

Viral suppression was based on data for PLWH who had at least 1 outpatient ambulatory health services visit during the measurement year and whose most recent viral load test result was <200 copies/mL.

Note. Data are based on provider location. Clients receiving services in multiple states were not included in state-specific totals or column subtotals and totals.

Table 26b. Viral suppression among Ryan White HIV/AIDS Program clients, by year and eligible metropolitan area and transitional grant area, 2013–2017—United States and 3 territories

State/Territory	EMA/TGA	2013			2014			2015			2016			2017		
		Viral suppression			Viral suppression			Viral suppression			Viral suppression			Viral suppression		
		Total No.	No.	%	Total No.	No.	%	Total No.	No.	%	Total No.	No.	%	Total No.	No.	%
Arizona	Phoenix	723	632	87.4	936	748	79.9	1,035	885	85.5	1,790	1,639	91.6	2,250	1,982	88.1
	Los Angeles	11,914	9,536	80.0	10,067	8,322	82.7	17,664	14,271	80.8	16,358	13,899	85.0	15,542	13,400	86.2
	Oakland	1,556	1,273	81.8	1,172	990	84.5	876	719	82.1	956	828	86.6	1,489	1,317	88.4
	Orange County	1,360	1,147	84.3	1,119	958	85.6	1,143	1,013	88.6	845	734	86.9	838	756	90.2
	Riverside–San Bernardino	1,460	1,220	83.6	782	641	82.0	831	687	82.7	1,034	862	83.4	1,237	1,062	85.9
	Sacramento	2,270	1,820	80.2	2,360	1,921	81.4	2,757	2,342	84.9	2,395	2,010	83.9	2,139	1,840	86.0
	San Francisco	2,561	2,072	80.9	2,370	1,912	80.7	3,679	3,108	84.5	1,752	1,476	84.2	1,763	1,500	85.1
	San Diego	4,699	4,037	85.9	4,628	4,032	87.1	4,948	4,442	89.8	5,099	4,598	90.2	5,062	4,531	89.5
Colorado	San Jose	734	606	82.6	687	572	83.3	603	523	86.7	1,235	1,104	89.4	1,199	1,080	90.1
	Denver	3,276	2,703	82.5	3,588	3,055	85.1	3,744	3,217	85.9	3,527	3,082	87.4	4,030	3,539	87.8
Connecticut	Hartford	1,808	1,459	80.7	1,816	1,561	86.0	1,898	1,629	85.8	1,800	1,593	88.5	1,360	1,200	88.2
	New Haven	1,357	1,124	82.8	1,335	1,199	89.8	1,565	1,390	88.8	1,526	1,354	88.7	1,136	1,014	89.3
District of Columbia	Washington ^a	8,896	7,035	79.1	8,870	7,395	83.4	9,117	7,729	84.8	9,218	7,752	84.1	9,451	7,834	82.9
Florida	Ft. Lauderdale	4,549	3,648	80.2	5,097	4,317	84.7	7,249	5,974	82.4	4,931	4,075	82.6	5,251	4,419	84.2
	Jacksonville	2,761	1,990	72.1	3,149	2,419	76.8	1,494	1,208	80.9	2,173	1,715	78.9	1,536	1,236	80.5
	Miami	6,617	4,924	74.4	7,511	6,000	79.9	7,111	5,879	82.7	7,784	6,434	82.7	7,704	6,551	85.0
	Orlando	2,213	1,803	81.5	2,570	2,056	80.0	1,955	1,639	83.8	2,121	1,779	83.9	2,458	2,082	84.7
	Tampa–St. Petersburg	3,741	2,906	77.7	3,718	2,967	79.8	4,348	3,441	79.1	4,059	3,380	83.3	4,429	3,746	84.6
	West Palm Beach	141	141	100.0	1,902	1,538	80.9	1,917	1,597	83.3	2,048	1,672	81.6	1,968	1,700	86.4
Georgia	Atlanta	10,447	7,972	76.3	11,081	8,613	77.7	11,862	9,408	79.3	12,296	9,966	81.1	14,196	11,626	81.9
Illinois	Chicago	11,947	9,487	79.4	12,150	9,956	81.9	14,255	11,707	82.1	14,673	12,373	84.3	16,386	14,142	86.3
Indiana	Indianapolis	778	543	69.8	2,420	2,068	85.5	2,960	2,553	86.3	1,981	1,697	85.7	1,936	1,667	86.1
Louisiana	Baton Rouge	1,692	1,207	71.3	2,057	1,570	76.3	2,255	1,595	70.7	1,680	1,278	76.1	2,020	1,635	80.9
	New Orleans	2,605	1,536	59.0	2,767	1,976	71.4	3,691	2,890	78.3	4,491	3,755	83.6	4,566	3,920	85.9
Maryland	Baltimore	7,253	5,717	78.8	5,742	4,604	80.2	9,040	7,606	84.1	9,047	7,761	85.8	8,900	7,754	87.1
Massachusetts	Boston ^a	5,276	4,508	85.4	5,392	4,777	88.6	5,698	5,105	89.6	5,761	5,273	91.5	5,452	5,044	92.5
Michigan	Detroit	2,455	1,820	74.1	2,254	1,729	76.7	4,204	3,400	80.9	4,382	3,625	82.7	4,501	3,840	85.3
Minnesota	Minneapolis–St. Paul ^a	2,411	2,077	86.1	2,037	1,786	87.7	2,124	1,861	87.6	2,104	1,862	88.5	1,889	1,685	89.2
	Kansas City ^a	1,196	932	77.9	682	566	83.0	1,490	1,247	83.7	1,034	861	83.3	994	856	86.1
Missouri	St. Louis ^a	1,847	1,431	77.5	1,897	1,491	78.6	3,674	3,072	83.6	3,901	3,263	83.6	4,517	3,815	84.5
	Las Vegas ^a	785	461	58.7	998	587	58.8	1,563	1,102	70.5	1,300	1,057	81.3	1,920	1,631	84.9
New Jersey	Bergen–Passaic	872	586	67.2	654	527	80.6	1,301	1,016	78.1	1,281	1,073	83.8	1,261	1,094	86.8
	Jersey City	1,561	1,249	80.0	1,608	1,368	85.1	1,560	1,315	84.3	1,531	1,359	88.8	1,543	1,337	86.6
	Middlesex	799	651	81.5	732	599	81.8	827	722	87.3	860	767	89.2	912	799	87.6
	Newark	4,038	2,911	72.1	3,456	2,598	75.2	2,672	2,075	77.7	2,526	2,055	81.4	2,535	2,066	81.5
New York	Nassau–Suffolk	1,097	883	80.5	1,336	1,087	81.4	1,318	1,166	88.5	1,291	1,154	89.4	1,037	866	83.5
	New York	22,509	17,470	77.6	24,005	19,232	80.1	28,554	23,781	83.3	29,778	25,381	85.2	28,460	24,594	86.4
North Carolina	Charlotte ^a	2,236	1,642	73.4	2,333	1,905	81.7	2,583	2,146	83.1	2,850	2,363	82.9	3,061	2,599	84.9
Ohio	Cleveland	2,675	2,117	79.1	2,358	1,922	81.5	1,866	1,596	85.5	2,439	2,104	86.3	2,562	2,233	87.2
	Columbus	3,025	2,407	79.6	2,643	2,209	83.6	3,136	2,698	86.0	3,399	2,943	86.6	3,423	2,982	87.1
Oregon	Portland ^a	1,501	1,242	82.7	1,277	1,078	84.4	2,515	2,170	86.3	1,324	1,139	86.0	1,310	1,157	88.3
Pennsylvania	Philadelphia ^a	12,970	10,301	79.4	13,226	10,922	82.6	13,740	11,732	85.4	14,217	12,241	86.1	14,640	12,830	87.6
Puerto Rico	San Juan	5,791	4,492	77.6	5,881	4,740	80.6	8,405	7,068	84.1	8,068	7,020	87.0	7,572	6,628	87.5

Table 26b. Viral suppression among Ryan White HIV/AIDS Program clients, by year and eligible metropolitan area and transitional grant area, 2013–2017—United States and 3 territories (cont.)

State/Territory	EMA/TGA	2013			2014			2015			2016			2017		
		Viral suppression			Viral suppression			Viral suppression			Viral suppression			Viral suppression		
		Total No.	No.	%												
Tennessee	Memphis ^a	2,210	1,531	69.3	2,092	1,464	70.0	3,529	2,625	74.4	3,611	2,726	75.5	3,739	2,878	77.0
	Nashville	1,195	941	78.7	1,872	1,553	83.0	4,302	3,654	84.9	5,019	4,359	86.8	4,212	3,671	87.2
Texas	Austin	1,723	1,288	74.8	1,727	1,346	77.9	4,660	3,796	81.5	4,776	4,010	84.0	5,944	5,072	85.3
	Dallas	4,643	3,500	75.4	4,700	3,655	77.8	6,633	5,148	77.6	7,320	5,834	79.7	7,347	5,898	80.3
	Ft. Worth	1,640	1,284	78.3	1,665	1,331	79.9	2,231	1,787	80.1	2,263	1,797	79.4	2,197	1,803	82.1
	Houston	7,287	5,338	73.3	7,799	6,031	77.3	10,421	8,141	78.1	10,730	8,439	78.6	11,345	8,903	78.5
	San Antonio	1,579	1,129	71.5	1,536	1,158	75.4	3,312	2,616	79.0	3,514	2,751	78.3	1,816	1,365	75.2
Virginia	Norfolk ^a	1,406	1,069	76.0	1,192	902	75.7	1,050	796	75.8	1,091	823	75.4	2,598	2,161	83.2
	Seattle	1,259	1,037	82.4	1,395	1,223	87.7	2,359	2,089	88.6	2,802	2,526	90.1	2,939	2,652	90.2

Abbreviations: EMA, eligible metropolitan area; TGA, transitional grant area.

Viral suppression was based on data for PLWH who had at least 1 outpatient ambulatory health services visit during the measurement year and whose most recent viral load test result was <200 copies/mL.

Notes. EMAs/TGAs are listed according to the primary state in which the jurisdiction resides. EMA/TGA delineations are based on provider location.

Data shown for individual EMAs and TGAs are not mutually exclusive; clients may have received services from providers in multiple EMAs and/or TGAs.

^a The EMA/TGA service area crosses state boundaries. See Technical Notes for more information.

Table 27a. Retention in care among Ryan White HIV/AIDS Program clients (non-ADAP), by age group and state, 2017—United States and 3 territories

	<13 yrs			13–24 yrs			25–34 yrs			35–44 yrs			45–54 yrs			55–64 yrs			≥65 yrs		
	Total No.	Retained		Total No.	Retained		Total No.	Retained		Total No.	Retained		Total No.	Retained		Total No.	Retained		Total No.	Retained	
States																					
Alabama	14	13	92.9	403	337	83.6	1,508	1,237	82.0	1,499	1,281	85.5	1,952	1,720	88.1	1,380	1,261	91.4	380	345	90.8
Alaska	0	—	—	12	10	83.3	56	37	66.1	66	49	74.2	107	82	76.6	87	61	70.1	18	14	77.8
Arizona	21	21	100.0	145	101	69.7	521	309	59.3	804	543	67.5	1,149	815	70.9	842	638	75.8	283	227	80.2
Arkansas	1	1	100.0	31	24	77.4	126	99	78.6	153	125	81.7	198	159	80.3	95	87	91.6	23	19	82.6
California	61	56	91.8	859	651	75.8	5,119	3,860	75.4	6,926	5,567	80.4	9,949	8,299	83.4	7,155	6,206	86.7	2,048	1,784	87.1
Colorado	44	43	97.7	135	115	85.2	607	460	75.8	875	683	78.1	1,249	1,042	83.4	882	760	86.2	258	226	87.6
Connecticut	7	7	100.0	86	68	79.1	309	211	68.3	509	396	77.8	984	768	78.0	1,018	824	80.9	281	248	88.3
Delaware	1	1	100.0	30	24	80.0	183	140	76.5	225	186	82.7	473	419	88.6	444	396	89.2	157	141	89.8
District of Columbia	41	31	75.6	253	173	68.4	991	609	61.5	1,020	663	65.0	1,558	1,124	72.1	1,403	1,059	75.5	436	343	78.7
Florida	75	69	92.0	1,338	1,014	75.8	5,076	3,813	75.1	5,879	4,667	79.4	9,090	7,527	82.8	7,162	6,059	84.6	1,970	1,677	85.1
Georgia	60	55	91.7	966	740	76.6	4,069	3,151	77.4	3,779	3,102	82.1	5,143	4,386	85.3	3,811	3,360	88.2	1,100	998	90.7
Hawaii	0	—	—	8	5	62.5	46	24	52.2	79	54	68.4	139	107	77.0	134	117	87.3	37	29	78.4
Idaho	1	1	100.0	14	13	92.9	95	74	77.9	163	124	76.1	205	168	82.0	172	144	83.7	45	42	93.3
Illinois	52	11	21.2	730	501	68.6	3,255	2,312	71.0	3,357	2,556	76.1	4,305	3,444	80.0	3,260	2,649	81.3	878	754	85.9
Indiana	0	—	—	82	56	68.3	415	303	73.0	430	346	80.5	471	374	79.4	297	238	80.1	74	61	82.4
Iowa	1	1	100.0	51	43	84.3	211	162	76.8	296	233	78.7	411	340	82.7	314	272	86.6	71	62	87.3
Kansas	0	—	—	5	4	80.0	39	24	61.5	54	38	70.4	130	108	83.1	119	100	84.0	42	35	83.3
Kentucky	8	8	100.0	125	94	75.2	691	507	73.4	843	644	76.4	1,156	902	78.0	804	660	82.1	227	190	83.7
Louisiana	15	12	80.0	323	239	74.0	1,521	1,113	73.2	1,777	1,396	78.6	1,984	1,607	81.0	1,518	1,303	85.8	399	343	86.0
Maine	1	0	0.0	8	5	62.5	33	12	36.4	76	41	53.9	134	71	53.0	100	78	78.0	36	29	80.6
Maryland	29	23	79.3	341	276	80.9	1,526	1,134	74.3	1,640	1,279	78.0	2,824	2,345	83.0	2,694	2,319	86.1	817	733	89.7
Massachusetts	20	17	85.0	210	153	72.9	764	590	77.2	1,129	898	79.5	2,113	1,724	81.6	1,785	1,487	83.3	549	471	85.8
Michigan	16	14	87.5	326	243	74.5	1,167	790	67.7	1,147	814	71.0	1,723	1,306	75.8	1,337	1,074	80.3	386	317	82.1
Minnesota	0	—	—	35	24	68.6	328	219	66.8	474	362	76.4	639	505	79.0	419	344	82.1	125	111	88.8
Mississippi	4	4	100.0	190	141	74.2	642	502	78.2	809	644	79.6	1,009	865	85.7	672	587	87.4	189	158	83.6
Missouri	24	22	91.7	222	163	73.4	858	617	71.9	787	599	76.1	983	785	79.9	674	576	85.5	168	139	82.7
Montana	0	—	—	8	5	62.5	37	27	73.0	67	47	70.1	100	79	79.0	83	65	78.3	15	15	100.0
Nebraska	8	7	87.5	29	18	62.1	114	70	61.4	201	137	68.2	250	178	71.2	158	115	72.8	39	32	82.1
Nevada	1	1	100.0	84	50	59.5	442	297	67.2	469	346	73.8	595	485	81.5	402	350	87.1	115	103	89.6
New Hampshire	4	1	25.0	14	8	57.1	75	52	69.3	136	96	70.6	252	185	73.4	219	163	74.4	63	47	74.6
New Jersey	38	36	94.7	339	266	78.5	1,244	965	77.6	1,419	1,138	80.2	2,431	1,976	81.3	2,368	2,053	86.7	755	662	87.7
New Mexico	2	2	100.0	45	39	86.7	227	194	85.5	292	252	86.3	463	415	89.6	480	441	91.9	177	169	95.5
New York	38	31	81.6	1,140	913	80.1	4,988	3,958	79.4	5,430	4,538	83.6	8,856	7,659	86.5	7,695	6,760	87.8	2,674	2,394	89.5
North Carolina	48	45	93.8	579	449	77.5	2,341	1,853	79.2	2,464	2,017	81.9	3,801	3,172	83.5	2,826	2,441	86.4	878	770	87.7
North Dakota	0	—	—	8	8	100.0	23	17	73.9	26	20	76.9	32	26	81.3	17	17	100.0	1	1	100.0
Ohio	24	20	83.3	341	214	62.8	1,499	984	65.6	1,395	994	71.3	2,063	1,558	75.5	1,533	1,182	77.1	424	341	80.4
Oklahoma	1	1	100.0	93	61	65.6	495	331	66.9	483	324	67.1	658	463	70.4	410	289	70.5	84	63	75.0
Oregon	0	—	—	21	17	81.0	220	163	74.1	280	229	81.8	370	312	84.3	219	191	87.2	44	38	86.4
Pennsylvania	56	52	92.9	685	572	83.5	2,778	2,165	77.9	3,186	2,597	81.5	5,744	4,879	84.9	4,817	4,264	88.5	1,511	1,359	89.9
Rhode Island	0	—	—	22	16	72.7	184	131	71.2	305	238	78.0	533	442	82.9	461	400	86.8	113	96	85.0
South Carolina	18	18	100.0	396	322	81.3	1,645	1,306	79.4	1,780	1,487	83.5	2,902	2,503	86.3	2,205	1,958	88.8	681	600	88.1
South Dakota	4	4	100.0	10	7	70.0	39	30	76.9	85	64	75.3	92	72	78.3	62	47	75.8	15	11	73.3
Tennessee	15	15	100.0	411	330	80.3	1,597	1,255	78.6	1,760	1,431	81.3	2,501	2,159	86.3	1,659	1,435	86.5	362	316	87.3
Texas	72	63	87.5	1,429	1,027	71.9	6,684	4,781	71.5	7,160	5,370	75.0	7,989	6,144	76.9	5,068	3,980	78.5	1,225	969	79.1

Table 27a. Retention in care among Ryan White HIV/AIDS Program clients (non-ADAP), by age group and state, 2017—United States and 3 territories (cont.)

	<13 yrs			13–24 yrs			25–34 yrs			35–44 yrs			45–54 yrs			55–64 yrs			≥65 yrs		
	Total No.	Retained		Total No.	Retained		Total No.	Retained		Total No.	Retained		Total No.	Retained		Total No.	Retained		Total No.	Retained	
States																					
Utah	0	—	—	34	27	79.4	212	168	79.2	315	270	85.7	370	304	82.2	243	219	90.1	76	68	89.5
Vermont	0	—	—	7	4	57.1	23	21	91.3	60	47	78.3	168	139	82.7	122	96	78.7	42	37	88.1
Virginia	12	10	83.3	277	195	70.4	1,372	924	67.3	1,423	1,043	73.3	2,042	1,547	75.8	1,663	1,297	78.0	473	392	82.9
Washington	1	0	0.0	71	51	71.8	527	412	78.2	754	606	80.4	1,096	900	82.1	689	607	88.1	170	149	87.6
West Virginia	0	—	—	12	7	58.3	79	44	55.7	125	85	68.0	216	144	66.7	161	108	67.1	44	33	75.0
Wisconsin	3	3	100.0	132	96	72.7	470	355	75.5	504	392	77.8	795	633	79.6	527	454	86.1	125	105	84.0
Wyoming	1	0	0.0	4	2	50.0	13	6	46.2	28	10	35.7	20	2	10.0	14	1	7.1	7	1	14.3
Subtotal	842	719	85.4	13,119	9,921	75.6	57,484	42,818	74.5	64,943	51,068	78.6	94,417	77,368	81.9	72,679	61,592	84.7	21,110	18,267	86.5
Territories																					
Guam	0	—	—	2	1	50.0	8	6	75.0	4	4	100.0	8	8	100.0	7	4	57.1	0	—	—
Puerto Rico	5	5	100.0	207	171	82.6	897	759	84.6	1,451	1,228	84.6	2,905	2,599	89.5	2,702	2,466	91.3	1,081	1,007	93.2
U.S. Virgin Islands	2	1	50.0	3	2	66.7	14	11	78.6	33	22	66.7	64	51	79.7	69	55	79.7	24	16	66.7
Subtotal	7	6	85.7	212	174	82.1	919	776	84.4	1,488	1,254	84.3	2,977	2,658	89.3	2,778	2,525	90.9	1,105	1,023	92.6
Total	849	725	85.4	13,331	10,095	75.7	58,403	43,594	74.6	66,431	52,322	78.8	97,394	80,026	82.2	75,457	64,117	85.0	22,215	19,290	86.8

Retention in care was based on data for PLWH who had at least 1 outpatient ambulatory health services visit by September 1 of the measurement year, with a second visit at least 90 days after.

Note. Data are based on provider location. Clients receiving services in multiple states were not included in state-specific totals or column subtotals and totals.

Table 27b. Retention in care among Ryan White HIV/AIDS Program clients (non-ADAP), by age group and eligible metropolitan area and transitional grant area, 2017—United States and 3 territories

State/Territory	EMA/TGA	<13 yrs			13–24 yrs			25–34 yrs			35–44 yrs			45–54 yrs			55–64 yrs			≥65 yrs		
		Total	Retained	%	Total	Retained	%	Total	Retained	%	Total	Retained	%	Total	Retained	%	Total	Retained	%	Total	Retained	%
		No.	No.	%	No.	No.	%	No.	No.	%	No.	No.	%	No.	No.	%	No.	No.	%	No.	No.	%
Arizona	Phoenix	22	21	95.5	109	77	70.6	392	211	53.8	546	344	63.0	631	380	60.2	361	215	59.6	96	56	58.3
California	Los Angeles	20	17	85.0	407	292	71.7	2,655	1,989	74.9	3,527	2,842	80.6	4,791	4,061	84.8	3,101	2,740	88.4	872	777	89.1
	Oakland	14	14	100.0	79	58	73.4	230	147	63.9	258	166	64.3	362	229	63.3	335	233	69.6	127	75	59.1
	Orange County	0	—	—	19	16	84.2	170	133	78.2	282	245	86.9	220	203	92.3	79	69	87.3	14	12	85.7
	Riverside—San Bernardino	0	—	—	48	32	66.7	256	189	73.8	259	205	79.2	339	253	74.6	208	149	71.6	30	22	73.3
	Sacramento	8	8	100.0	86	79	91.9	378	349	92.3	407	386	94.8	740	708	95.7	620	600	96.8	146	145	99.3
	San Francisco	2	2	100.0	43	38	88.4	273	188	68.9	321	220	68.5	481	344	71.5	326	226	69.3	120	94	78.3
	San Diego	10	10	100.0	94	74	78.7	726	551	75.9	1,025	845	82.4	1,600	1,371	85.7	1,264	1,140	90.2	344	316	91.9
	San Jose	0	—	—	16	11	68.8	175	151	86.3	268	223	83.2	372	306	82.3	251	223	88.8	71	62	87.3
Colorado	Denver	47	46	97.9	140	114	81.4	622	471	75.7	850	664	78.1	1,187	990	83.4	836	717	85.8	239	212	88.7
Connecticut	Hartford	7	7	100.0	44	39	88.6	118	83	70.3	189	147	77.8	414	334	80.7	443	378	85.3	134	125	93.3
	New Haven	0	—	—	27	16	59.3	114	66	57.9	172	112	65.1	357	237	66.4	395	263	66.6	94	71	75.5
District of Columbia	Washington ^a	46	36	78.3	380	266	70.0	1,614	1,040	64.4	1,822	1,285	70.5	2,537	1,873	73.8	2,110	1,624	77.0	646	512	79.3
Florida	Ft. Lauderdale	14	13	92.9	249	179	71.9	876	611	69.7	1,061	757	71.3	1,410	1,052	74.6	1,080	866	80.2	218	162	74.3
	Jacksonville	0	—	—	61	46	75.4	283	190	67.1	322	233	72.4	424	331	78.1	312	258	82.7	72	61	84.7
	Miami	28	25	89.3	359	285	79.4	1,370	1,040	75.9	1,409	1,088	77.2	2,098	1,700	81.0	1,650	1,333	80.8	414	332	80.2
	Orlando	0	—	—	114	84	73.7	458	384	83.8	498	410	82.3	731	637	87.1	410	354	86.3	101	94	93.1
	Tampa—St. Petersburg	19	19	100.0	251	204	81.3	772	616	79.8	787	681	86.5	1,158	1,046	90.3	930	826	88.8	260	234	90.0
	West Palm Beach	2	1	50.0	50	39	78.0	235	185	78.7	359	303	84.4	604	542	89.7	527	478	90.7	179	167	93.3
Georgia	Atlanta	59	55	93.2	794	624	78.6	3,235	2,507	77.5	2,862	2,328	81.3	3,544	3,039	85.8	2,508	2,212	88.2	638	584	91.5
Illinois	Chicago	52	12	23.1	734	510	69.5	3,262	2,329	71.4	3,293	2,516	76.4	4,176	3,352	80.3	3,125	2,556	81.8	855	734	85.8
Indiana	Indianapolis	0	—	—	88	61	69.3	448	327	73.0	451	361	80.0	489	389	79.6	302	242	80.1	74	61	82.4
Louisiana	Baton Rouge	13	11	84.6	98	69	70.4	357	238	66.7	496	376	75.8	503	395	78.5	399	340	85.2	98	85	86.7
	New Orleans	0	—	—	148	111	75.0	928	729	78.6	990	802	81.0	1,164	962	82.6	895	779	87.0	227	199	87.7
Maryland	Baltimore	27	21	77.8	313	258	82.4	1,355	1,024	75.6	1,400	1,110	79.3	2,513	2,116	84.2	2,470	2,157	87.3	733	668	91.1
Massachusetts	Boston ^a	20	17	85.0	194	146	75.3	672	516	76.8	945	743	78.6	1,716	1,372	80.0	1,373	1,115	81.2	411	340	82.7
Michigan	Detroit	16	14	87.5	269	196	72.9	888	580	65.3	749	490	65.4	1,079	775	71.8	856	656	76.6	236	194	82.2
Minnesota	Minneapolis—St. Paul ^a	0	—	—	45	31	68.9	363	244	67.2	498	380	76.3	667	524	78.6	436	357	81.9	131	116	88.5
Missouri	Kansas City ^a	0	—	—	45	20	44.4	232	149	64.2	214	151	70.6	220	164	74.5	129	102	79.1	24	20	83.3
	St. Louis ^a	24	22	91.7	249	195	78.3	963	717	74.5	884	691	78.2	1,104	907	82.2	747	652	87.3	170	146	85.9
Nevada	Las Vegas ^a	1	1	100.0	81	44	54.3	408	247	60.5	401	270	67.3	444	331	74.5	259	210	81.1	59	44	74.6
New Jersey	Bergen—Passaic	1	1	100.0	41	32	78.0	161	133	82.6	194	170	87.6	340	291	85.6	363	334	92.0	101	89	88.1
	Jersey City	2	1	50.0	36	34	94.4	234	209	89.3	273	237	86.8	420	373	88.8	392	363	92.6	129	121	93.8
	Middlesex	6	6	100.0	44	37	84.1	128	98	76.6	133	108	81.2	267	230	86.1	224	202	90.2	67	61	91.0
	Newark	25	23	92.0	153	112	73.2	406	278	68.5	412	299	72.6	567	409	72.1	470	354	75.3	144	120	83.3
New York	Nassau—Suffolk	0	—	—	89	79	88.8	139	102	73.4	141	106	75.2	299	248	82.9	300	244	81.3	125	104	83.2
	New York	38	31	81.6	1,069	856	80.1	4,714	3,787	80.3	4,989	4,222	84.6	7,742	6,767	87.4	6,613	5,849	88.4	2,284	2,058	90.1
North Carolina	Charlotte ^a	0	—	—	156	116	74.4	760	613	80.7	572	475	83.0	795	678	85.3	457	401	87.7	118	107	90.7
Ohio	Cleveland	3	2	66.7	91	54	59.3	374	246	65.8	394	286	72.6	704	556	79.0	573	454	79.2	155	138	89.0
	Columbus	20	17	85.0	163	103	63.2	783	510	65.1	680	468	68.8	891	643	72.2	605	427	70.6	176	127	72.2
Oregon	Portland ^a	0	—	—	23	18	78.3	250	185	74.0	312	255	81.7	395	330	83.5	227	196	86.3	46	39	84.8
Pennsylvania	Philadelphia ^a	46	46	100.0	578	493	85.3	2,336	1,835	78.6	2,408	1,942	80.6	4,162	3,538	85.0	3,517	3,103	88.2	1,082	970	89.6
Puerto Rico	San Juan	5	5	100.0	176	144	81.8	716	608	84.9	1,172	991	84.6	2,428	2,158	88.9	2,220	2,019	90.9	915	853	93.2

Table 27b. Retention in care among Ryan White HIV/AIDS Program clients (non-ADAP), by age group and eligible metropolitan area and transitional grant area, 2017—United States and 3 territories (cont.)

State/Territory	EMA/TGA	<13 yrs			13–24 yrs			25–34 yrs			35–44 yrs			45–54 yrs			55–64 yrs			≥65 yrs		
		Total No.	Retained No.	%	Total No.	Retained No.	%	Total No.	Retained No.	%	Total No.	Retained No.	%	Total No.	Retained No.	%	Total No.	Retained No.	%	Total No.	Retained No.	%
Tennessee	Memphis ^a	15	15	100.0	263	230	87.5	787	626	79.5	846	727	85.9	940	841	89.5	586	537	91.6	133	122	91.7
	Nashville	0	—	—	136	99	72.8	776	608	78.4	787	627	79.7	1,262	1,061	84.1	826	707	85.6	186	161	86.6
Texas	Austin	0	—	—	206	162	78.6	1,210	933	77.1	1,309	1,081	82.6	1,617	1,354	83.7	1,016	892	87.8	253	231	91.3
	Dallas	35	33	94.3	331	244	73.7	1,486	1,162	78.2	1,659	1,360	82.0	1,907	1,580	82.9	1,229	1,060	86.2	300	263	87.7
	Ft. Worth	0	—	—	99	80	80.8	526	349	66.3	488	288	59.0	532	266	50.0	347	136	39.2	62	17	27.4
	Houston	37	31	83.8	518	370	71.4	2,339	1,616	69.1	2,575	1,852	71.9	2,757	2,080	75.4	1,785	1,398	78.3	446	339	76.0
	San Antonio	0	—	—	125	90	72.0	514	359	69.8	438	315	71.9	369	272	73.7	153	114	74.5	13	9	69.2
Virginia	Norfolk ^a	0	—	—	137	86	62.8	555	311	56.0	481	294	61.1	609	374	61.4	513	327	63.7	119	85	71.4
Washington	Seattle	0	—	—	55	42	76.4	456	356	78.1	662	532	80.4	943	776	82.3	595	519	87.2	134	116	86.6

Abbreviations: EMA, eligible metropolitan area; TGA, transitional grant area.

Retention in care was based on data for PLWH who had at least 1 outpatient ambulatory health services visit by September 1 of the measurement year, with a second visit at least 90 days after.

Notes. EMAs/TGAs are listed according to the primary state in which the jurisdiction resides. EMA/TGA delineations are based on provider location.

Data shown for individual EMAs and TGAs are not mutually exclusive; clients may have received services from providers in multiple EMAs and/or TGAs.

^a The EMA/TGA service area crosses state boundaries. See Technical Notes for more information.

Table 28a. Viral suppression among Ryan White HIV/AIDS Program clients (non-ADAP), by age group and state, 2017—United States and 3 territories

	<13 yrs			13–24 yrs			25–34 yrs			35–44 yrs			45–54 yrs			55–64 yrs			≥65 yrs		
	Total No.	Viral suppression		Total No.	Viral suppression		Total No.	Viral suppression		Total No.	Viral suppression		Total No.	Viral suppression		Total No.	Viral suppression		Total No.	Viral suppression	
		No.	%		No.	%		No.	%		No.	%		No.	%		No.	%		No.	%
States																					
Alabama	14	13	92.9	451	334	74.1	1,623	1,276	78.6	1,592	1,294	81.3	1,999	1,758	87.9	1,422	1,300	91.4	390	366	93.8
Alaska	0	—	—	15	13	86.7	60	52	86.7	77	64	83.1	107	96	89.7	98	89	90.8	17	16	94.1
Arizona	21	20	95.2	155	126	81.3	561	474	84.5	839	739	88.1	1,178	1,060	90.0	862	821	95.2	286	272	95.1
Arkansas	0	—	—	37	25	67.6	140	91	65.0	155	116	74.8	201	143	71.1	98	80	81.6	26	24	92.3
California	59	57	96.6	946	733	77.5	5,437	4,485	82.5	7,070	6,055	85.6	9,950	8,764	88.1	7,105	6,450	90.8	2,024	1,917	94.7
Colorado	47	45	95.7	157	117	74.5	644	529	82.1	923	788	85.4	1,266	1,142	90.2	879	814	92.6	265	259	97.7
Connecticut	7	7	100.0	94	71	75.5	313	263	84.0	524	449	85.7	993	882	88.8	1,016	932	91.7	280	260	92.9
Delaware	1	1	100.0	34	28	82.4	199	160	80.4	237	192	81.0	482	429	89.0	460	418	90.9	154	144	93.5
District of Columbia	42	33	78.6	267	171	64.0	1,009	758	75.1	1,033	842	81.5	1,569	1,334	85.0	1,394	1,225	87.9	425	397	93.4
Florida	77	60	77.9	1,493	1,058	70.9	5,541	4,244	76.6	6,272	5,152	82.1	9,463	8,308	87.8	7,368	6,677	90.6	1,996	1,880	94.2
Georgia	56	42	75.0	1,074	734	68.3	4,377	3,252	74.3	3,943	3,199	81.1	5,273	4,523	85.8	3,861	3,481	90.2	1,117	1,051	94.1
Hawaii	0	—	—	8	7	87.5	66	54	81.8	86	72	83.7	154	137	89.0	144	131	91.0	45	44	97.8
Idaho	1	1	100.0	15	13	86.7	105	96	91.4	175	167	95.4	213	206	96.7	182	174	95.6	47	45	95.7
Illinois	24	18	75.0	818	604	73.8	3,550	2,803	79.0	3,603	3,094	85.9	4,509	4,005	88.8	3,360	3,095	92.1	908	848	93.4
Indiana	0	—	—	91	67	73.6	451	370	82.0	454	393	86.6	481	428	89.0	298	276	92.6	74	69	93.2
Iowa	1	0	0.0	63	50	79.4	241	209	86.7	330	295	89.4	440	411	93.4	332	323	97.3	73	68	93.2
Kansas	0	—	—	8	6	75.0	42	31	73.8	59	50	84.7	134	118	88.1	119	113	95.0	41	37	90.2
Kentucky	8	7	87.5	141	119	84.4	741	624	84.2	882	763	86.5	1,213	1,086	89.5	820	763	93.0	231	219	94.8
Louisiana	16	8	50.0	361	277	76.7	1,630	1,263	77.5	1,855	1,520	81.9	2,064	1,766	85.6	1,562	1,391	89.1	402	374	93.0
Maine	1	1	100.0	8	8	100.0	35	32	91.4	76	67	88.2	135	125	92.6	105	101	96.2	37	37	100.0
Maryland	29	24	82.8	381	282	74.0	1,586	1,261	79.5	1,684	1,435	85.2	2,868	2,540	88.6	2,710	2,426	89.5	813	769	94.6
Massachusetts	22	20	90.9	228	178	78.1	828	723	87.3	1,170	1,066	91.1	2,129	2,002	94.0	1,785	1,689	94.6	537	521	97.0
Michigan	16	15	93.8	366	293	80.1	1,310	1,049	80.1	1,243	1,086	87.4	1,846	1,666	90.2	1,435	1,343	93.6	409	393	96.1
Minnesota	0	—	—	40	34	85.0	287	237	82.6	420	368	87.6	553	509	92.0	351	330	94.0	115	111	96.5
Mississippi	4	4	100.0	227	179	78.9	739	556	75.2	867	711	82.0	1,048	882	84.2	689	612	88.8	191	174	91.1
Missouri	26	23	88.5	267	202	75.7	976	761	78.0	872	731	83.8	1,049	945	90.1	701	652	93.0	175	169	96.6
Montana	0	—	—	11	8	72.7	38	28	73.7	72	64	88.9	108	103	95.4	88	83	94.3	15	15	100.0
Nebraska	9	8	88.9	34	27	79.4	135	119	88.1	209	185	88.5	258	237	91.9	166	156	94.0	38	38	100.0
Nevada	5	5	100.0	106	82	77.4	506	411	81.2	503	427	84.9	637	552	86.7	428	379	88.6	120	114	95.0
New Hampshire	4	4	100.0	17	12	70.6	80	69	86.3	145	126	86.9	269	244	90.7	224	215	96.0	65	62	95.4
New Jersey	38	31	81.6	368	262	71.2	1,386	1,088	78.5	1,527	1,269	83.1	2,535	2,203	86.9	2,482	2,219	89.4	786	721	91.7
New Mexico	4	4	100.0	55	48	87.3	244	208	85.2	304	263	86.5	482	414	85.9	487	459	94.3	179	167	93.3
New York	43	38	88.4	1,245	959	77.0	5,262	4,272	81.2	5,589	4,772	85.4	9,028	7,849	86.9	7,723	6,922	89.6	2,665	2,507	94.1
North Carolina	48	44	91.7	634	495	78.1	2,554	2,022	79.2	2,623	2,203	84.0	3,967	3,482	87.8	2,942	2,731	92.8	911	865	95.0
North Dakota	0	—	—	8	8	100.0	21	21	100.0	27	26	96.3	31	30	96.8	18	17	94.4	2	2	100.0
Ohio	23	21	91.3	398	288	72.4	1,644	1,296	78.8	1,529	1,322	86.5	2,169	1,947	89.8	1,585	1,490	94.0	431	408	94.7
Oklahoma	1	1	100.0	100	73	73.0	531	432	81.4	503	424	84.3	684	600	87.7	429	393	91.6	89	84	94.4
Oregon	0	—	—	23	15	65.2	234	199	85.0	294	250	85.0	387	351	90.7	224	209	93.3	44	44	100.0
Pennsylvania	56	56	100.0	739	571	77.3	2,954	2,408	81.5	3,344	2,884	86.2	5,919	5,338	90.2	4,904	4,579	93.4	1,528	1,464	95.8
Rhode Island	0	—	—	28	20	71.4	202	166	82.2	323	287	88.9	553	522	94.4	466	440	94.4	111	109	98.2
South Carolina	18	15	83.3	444	333	75.0	1,795	1,437	80.1	1,899	1,562	82.3	3,016	2,622	86.9	2,264	2,071	91.5	689	641	93.0
South Dakota	5	4	80.0	10	7	70.0	43	30	69.8	84	76	90.5	89	87	97.8	61	58	95.1	16	16	100.0
Tennessee	15	11	73.3	465	355	76.3	1,749	1,334	76.3	1,857	1,518	81.7	2,626	2,260	86.1	1,710	1,532	89.6	371	347	93.5
Texas	73	53	72.6	1,649	1,138	69.0	7,380	5,431	73.6	7,700	6,101	79.2	8,511	7,066	83.0	5,253	4,643	88.4	1,282	1,186	92.5

Table 28a. Viral suppression among Ryan White HIV/AIDS Program clients (non-ADAP), by age group and state, 2017—United States and 3 territories (cont.)

	<13 yrs			13–24 yrs			25–34 yrs			35–44 yrs			45–54 yrs			55–64 yrs			≥65 yrs		
	Total	Viral suppression		Total	Viral suppression		Total	Viral suppression		Total	Viral suppression		Total	Viral suppression		Total	Viral suppression		Total	Viral suppression	
	No.	No.	%	No.	No.	%	No.	No.	%	No.	No.	%	No.	No.	%	No.	No.	%	No.	No.	%
States																					
Utah	0	—	—	37	25	67.6	216	188	87.0	316	275	87.0	367	331	90.2	250	239	95.6	72	71	98.6
Vermont	0	—	—	11	7	63.6	29	24	82.8	60	58	96.7	167	158	94.6	126	122	96.8	45	43	95.6
Virginia	14	14	100.0	330	236	71.5	1,503	1,194	79.4	1,513	1,263	83.5	2,147	1,892	88.1	1,722	1,557	90.4	477	450	94.3
Washington	1	1	100.0	81	62	76.5	572	503	87.9	780	685	87.8	1,114	1,003	90.0	714	668	93.6	165	162	98.2
West Virginia	0	—	—	15	10	66.7	80	70	87.5	134	116	86.6	222	202	91.0	174	164	94.3	50	49	98.0
Wisconsin	3	3	100.0	153	123	80.4	523	430	82.2	540	478	88.5	829	767	92.5	554	512	92.4	127	120	94.5
Wyoming	0	—	—	4	4	100.0	12	11	91.7	26	25	96.2	22	22	100.0	15	15	100.0	9	8	88.9
Subtotal	832	712	85.6	14,710	10,897	74.1	62,184	49,044	78.9	68,342	57,367	83.9	97,454	85,547	87.8	74,165	67,579	91.1	21,365	20,157	94.3
Territories																					
Guam	0	—	—	2	0	0.0	9	7	77.8	5	2	40.0	8	5	62.5	7	7	100.0	0	—	—
Puerto Rico	5	3	60.0	211	155	73.5	887	722	81.4	1,460	1,216	83.3	2,885	2,523	87.5	2,681	2,455	91.6	1,063	991	93.2
U.S. Virgin Islands	2	2	100.0	2	2	100.0	13	8	61.5	34	27	79.4	64	54	84.4	68	64	94.1	23	22	95.7
Subtotal	7	5	71.4	215	157	73.0	909	737	81.1	1,499	1,245	83.1	2,957	2,582	87.3	2,756	2,526	91.7	1,086	1,013	93.3
Total	839	717	85.5	14,925	11,054	74.1	63,093	49,781	78.9	69,841	58,612	83.9	100,411	88,129	87.8	76,921	70,105	91.1	22,451	21,170	94.3

Viral suppression was based on data for PLWH who had at least 1 outpatient ambulatory health services visit during the measurement year and whose most recent viral load test result was <200 copies/mL.

Note. Data are based on provider location. Clients receiving services in multiple states were not included in state-specific totals or column subtotals and totals.

Table 28b. Viral suppression among Ryan White HIV/AIDS Program clients (non-ADAP), by age group and eligible metropolitan area and transitional grant area, 2017—United States and 3 territories

State/Territory	EMA/TGA	<13 yrs			13–24 yrs			25–34 yrs			35–44 yrs			45–54 yrs			55–64 yrs			≥65 yrs		
		Viral suppression			Viral suppression			Viral suppression			Viral suppression			Viral suppression			Viral suppression			Viral suppression		
		Total No.	No.	%	Total No.	No.	%	Total No.	No.	%	Total No.	No.	%	Total No.	No.	%	Total No.	No.	%	Total No.	No.	%
Arizona	Phoenix	22	21	95.5	115	89	77.4	415	348	83.9	571	501	87.7	651	577	88.6	376	352	93.6	100	94	94.0
California	Los Angeles	19	17	89.5	446	334	74.9	2,842	2,331	82.0	3,571	3,051	85.4	4,786	4,166	87.0	3,044	2,719	89.3	834	782	93.8
	Oakland	14	14	100.0	84	71	84.5	244	196	80.3	274	235	85.8	384	352	91.7	347	317	91.4	142	132	93.0
	Orange County	0	—	—	22	20	90.9	192	164	85.4	296	271	91.6	233	216	92.7	81	73	90.1	14	12	85.7
	Riverside–San Bernardino	0	—	—	54	44	81.5	286	237	82.9	286	243	85.0	363	310	85.4	218	199	91.3	30	29	96.7
	Sacramento	8	8	100.0	86	63	73.3	342	265	77.5	368	309	84.0	655	581	88.7	545	488	89.5	135	126	93.3
	San Francisco	2	2	100.0	56	44	78.6	307	249	81.1	372	309	83.1	530	448	84.5	368	328	89.1	128	120	93.8
	San Diego	10	10	100.0	106	84	79.2	746	651	87.3	1,031	896	86.9	1,581	1,413	89.4	1,249	1,151	92.2	338	325	96.2
	San Jose	0	—	—	17	15	88.2	185	164	88.6	283	249	88.0	377	331	87.8	264	252	95.5	73	69	94.5
Colorado	Denver	50	48	96.0	161	121	75.2	659	537	81.5	890	754	84.7	1,193	1,072	89.9	833	770	92.4	244	237	97.1
Connecticut	Hartford	7	7	100.0	46	34	73.9	120	94	78.3	197	168	85.3	410	364	88.8	446	406	91.0	134	127	94.8
	New Haven	0	—	—	31	24	77.4	113	97	85.8	171	146	85.4	351	313	89.2	381	354	92.9	89	80	89.9
District of Columbia	Washington ^a	47	35	74.5	414	268	64.7	1,686	1,279	75.9	1,906	1,553	81.5	2,613	2,231	85.4	2,143	1,873	87.4	642	595	92.7
Florida	Ft. Lauderdale	14	13	92.9	268	193	72.0	965	727	75.3	1,142	929	81.3	1,487	1,314	88.4	1,151	1,034	89.8	224	209	93.3
	Jacksonville	0	—	—	68	42	61.8	304	217	71.4	345	263	76.2	432	366	84.7	317	281	88.6	70	67	95.7
	Miami	29	19	65.5	394	276	70.1	1,510	1,196	79.2	1,525	1,281	84.0	2,173	1,902	87.5	1,659	1,494	90.1	414	383	92.5
	Orlando	0	—	—	137	111	81.0	501	389	77.6	533	431	80.9	761	678	89.1	426	381	89.4	100	92	92.0
	Tampa–St. Petersburg	19	17	89.5	278	199	71.6	836	633	75.7	837	688	82.2	1,233	1,091	88.5	961	865	90.0	265	253	95.5
	West Palm Beach	2	1	50.0	48	35	72.9	237	187	78.9	351	289	82.3	617	539	87.4	539	491	91.1	174	158	90.8
Georgia	Atlanta	55	43	78.2	869	591	68.0	3,499	2,575	73.6	2,968	2,397	80.8	3,624	3,116	86.0	2,533	2,289	90.4	648	615	94.9
Illinois	Chicago	24	18	75.0	819	611	74.6	3,547	2,817	79.4	3,526	3,029	85.9	4,368	3,884	88.9	3,218	2,959	92.0	884	824	93.2
Indiana	Indianapolis	0	—	—	97	71	73.2	485	394	81.2	476	407	85.5	501	445	88.8	303	281	92.7	74	69	93.2
Louisiana	Baton Rouge	14	7	50.0	107	69	64.5	369	273	74.0	502	401	79.9	523	433	82.8	403	360	89.3	102	92	90.2
	New Orleans	0	—	—	169	134	79.3	995	812	81.6	1,043	878	84.2	1,206	1,055	87.5	924	825	89.3	229	216	94.3
Maryland	Baltimore	27	24	88.9	350	266	76.0	1,406	1,123	79.9	1,411	1,209	85.7	2,524	2,238	88.7	2,458	2,204	89.7	724	690	95.3
Massachusetts	Boston ^a	22	20	90.9	208	165	79.3	730	638	87.4	987	907	91.9	1,725	1,622	94.0	1,379	1,302	94.4	401	390	97.3
Michigan	Detroit	16	15	93.8	298	232	77.9	1,011	780	77.2	827	694	83.9	1,165	1,023	87.8	927	851	91.8	257	245	95.3
Minnesota	Minneapolis–St. Paul ^a	0	—	—	50	39	78.0	322	266	82.6	446	387	86.8	583	534	91.6	368	343	93.2	120	116	96.7
Missouri	Kansas City ^a	0	—	—	60	42	70.0	268	222	82.8	259	221	85.3	243	222	91.4	137	123	89.8	27	26	96.3
	St. Louis ^a	26	23	88.5	292	222	76.0	1,094	830	75.9	976	808	82.8	1,178	1,041	88.4	778	723	92.9	173	168	97.1
Nevada	Las Vegas ^a	5	5	100.0	105	83	79.0	486	385	79.2	450	384	85.3	504	438	86.9	301	270	89.7	69	66	95.7
New Jersey	Bergen–Passaic	1	0	0.0	44	30	68.2	178	142	79.8	210	178	84.8	349	308	88.3	372	337	90.6	106	98	92.5
	Jersey City	2	2	100.0	40	28	70.0	252	210	83.3	285	247	86.7	436	371	85.1	401	361	90.0	127	118	92.9
	Middlesex	6	6	100.0	45	38	84.4	140	113	80.7	140	118	84.3	279	251	90.0	232	207	89.2	70	66	94.3
	Newark	25	20	80.0	170	108	63.5	494	370	74.9	486	391	80.5	641	545	85.0	551	482	87.5	168	150	89.3
New York	Nassau–Suffolk	2	2	100.0	78	59	75.6	141	112	79.4	130	115	88.5	295	248	84.1	276	233	84.4	115	97	84.3
	New York	41	36	87.8	1,177	909	77.2	5,008	4,067	81.2	5,200	4,426	85.1	7,982	6,934	86.9	6,741	6,033	89.5	2,310	2,188	94.7
North Carolina	Charlotte ^a	0	—	—	171	126	73.7	825	665	80.6	619	512	82.7	832	741	89.1	488	439	90.0	126	116	92.1
Ohio	Cleveland	3	3	100.0	119	84	70.6	429	332	77.4	456	392	86.0	767	684	89.2	618	579	93.7	170	159	93.5
	Columbus	19	17	89.5	182	129	70.9	838	671	80.1	707	627	88.7	908	810	89.2	602	567	94.2	167	161	96.4
Oregon	Portland ^a	0	—	—	24	16	66.7	265	225	84.9	329	280	85.1	413	374	90.6	233	217	93.1	46	45	97.8
Pennsylvania	Philadelphia ^a	46	46	100.0	613	479	78.1	2,490	1,993	80.0	2,525	2,141	84.8	4,292	3,827	89.2	3,584	3,307	92.3	1,090	1,037	95.1
Puerto Rico	San Juan	5	3	60.0	176	128	72.7	705	561	79.6	1,176	972	82.7	2,403	2,105	87.6	2,207	2,024	91.7	899	834	92.8

Table 28b. Viral suppression among Ryan White HIV/AIDS Program clients (non-ADAP), by age group and eligible metropolitan area and transitional grant area, 2017—United States and 3 territories (cont.)

State/Territory	EMA/TGA	<13 yrs			13–24 yrs			25–34 yrs			35–44 yrs			45–54 yrs			55–64 yrs			≥65 yrs		
		Total No.	No.	%	Total No.	No.	%	Total No.	No.	%	Total No.	No.	%	Total No.	No.	%	Total No.	No.	%	Total No.	No.	%
Tennessee	Memphis ^a	15	11	73.3	297	223	75.1	841	579	68.8	872	647	74.2	977	774	79.2	600	517	86.2	137	127	92.7
	Nashville	0	—	—	155	122	78.7	848	701	82.7	840	712	84.8	1,318	1,180	89.5	858	775	90.3	193	181	93.8
Texas	Austin	0	—	—	244	178	73.0	1,315	1,063	80.8	1,395	1,177	84.4	1,685	1,453	86.2	1,043	951	91.2	262	250	95.4
	Dallas	36	26	72.2	377	267	70.8	1,617	1,193	73.8	1,758	1,379	78.4	1,995	1,649	82.7	1,257	1,104	87.8	307	280	91.2
	Ft. Worth	0	—	—	111	86	77.5	579	458	79.1	521	413	79.3	559	473	84.6	361	314	87.0	66	59	89.4
	Houston	37	27	73.0	597	382	64.0	2,588	1,821	70.4	2,796	2,159	77.2	2,988	2,432	81.4	1,869	1,649	88.2	469	432	92.1
	San Antonio	0	—	—	136	96	70.6	585	395	67.5	492	375	76.2	414	335	80.9	172	147	85.5	17	17	100.0
Virginia	Norfolk ^a	0	—	—	161	113	70.2	629	489	77.7	507	410	80.9	643	559	86.9	539	478	88.7	119	112	94.1
	Seattle	0	—	—	62	49	79.0	494	438	88.7	684	600	87.7	953	863	90.6	616	574	93.2	130	128	98.5

Abbreviations: EMA, eligible metropolitan area; TGA, transitional grant area.

Viral suppression was based on data for PLWH who had at least 1 outpatient ambulatory health services visit during the measurement year and whose most recent viral load test result was <200 copies/mL.

Notes. EMAs/TGAs are listed according to the primary state in which the jurisdiction resides. EMA/TGA delineations are based on provider location.

Data shown for individual EMAs and TGAs are not mutually exclusive; clients may have received services from providers in multiple EMAs and/or TGAs.

^a The EMA/TGA service area crosses state boundaries. See Technical Notes for more information.

Table 29a. Retention in care among Ryan White HIV/AIDS Program clients (non-ADAP), by race/ethnicity and state, 2017—United States and 3 territories

	American Indian/ Alaska Native			Asian			Black/African American			Hispanic/Latino ^a			Native Hawaiian/ Pacific Islander			White			Multiple races		
	Total No.	Retained No.	%	Total No.	Retained No.	%	Total No.	Retained No.	%	Total No.	Retained No.	%	Total No.	Retained No.	%	Total No.	Retained No.	%	Total No.	Retained No.	%
States																					
Alabama	34	26	76.5	13	11	84.6	4,927	4,251	86.3	175	162	92.6	3	2	66.7	1,931	1,693	87.7	48	45	93.8
Alaska	164	113	68.9	12	10	83.3	48	35	72.9	23	19	82.6	1	1	100.0	93	70	75.3	3	3	100.0
Arizona	67	44	65.7	62	47	75.8	533	331	62.1	1,439	1,077	74.8	7	1	14.3	1,569	1,096	69.9	86	57	66.3
Arkansas	0	—	—	0	—	—	372	296	79.6	23	21	91.3	1	0	0.0	215	182	84.7	16	15	93.8
California	188	150	79.8	1,193	987	82.7	6,162	4,909	79.7	15,445	12,940	83.8	129	102	79.1	8,604	7,028	81.7	218	173	79.4
Colorado	32	25	78.1	65	54	83.1	786	647	82.3	1,049	886	84.5	4	4	100.0	2,030	1,648	81.2	61	49	80.3
Connecticut	4	3	75.0	15	9	60.0	1,344	1,102	82.0	1,264	1,002	79.3	3	3	100.0	531	382	71.9	25	21	84.0
Delaware	1	1	100.0	2	2	100.0	967	826	85.4	110	93	84.5	1	0	0.0	423	378	89.4	10	8	80.0
District of Columbia	16	9	56.3	32	25	78.1	4,723	3,375	71.5	500	298	59.6	5	4	80.0	357	243	68.1	4	2	50.0
Florida	32	27	84.4	191	157	82.2	15,566	12,471	80.1	7,768	6,464	83.2	19	18	94.7	6,704	5,456	81.4	293	230	78.5
Georgia	18	12	66.7	119	98	82.4	14,670	12,195	83.1	1,045	902	86.3	9	9	100.0	2,900	2,442	84.2	155	128	82.6
Hawaii	6	6	100.0	77	61	79.2	36	26	72.2	66	48	72.7	73	55	75.3	153	122	79.7	32	18	56.3
Idaho	9	7	77.8	9	6	66.7	71	58	81.7	96	80	83.3	0	—	—	498	406	81.5	10	8	80.0
Illinois	39	28	71.8	230	175	76.1	8,405	6,472	77.0	3,589	2,923	81.4	8	7	87.5	3,413	2,509	73.5	127	100	78.7
Indiana	1	0	0.0	77	67	87.0	963	762	79.1	179	151	84.4	1	0	0.0	526	381	72.4	19	16	84.2
Iowa	4	4	100.0	45	40	88.9	359	293	81.6	123	104	84.6	4	3	75.0	801	653	81.5	19	16	84.2
Kansas	0	—	—	7	6	85.7	61	40	65.6	36	28	77.8	1	1	100.0	278	229	82.4	6	5	83.3
Kentucky	6	4	66.7	34	30	88.2	1,367	1,002	73.3	268	221	82.5	3	3	100.0	2,126	1,713	80.6	50	32	64.0
Louisiana	5	4	80.0	17	14	82.4	5,601	4,467	79.8	287	236	82.2	2	1	50.0	1,569	1,247	79.5	54	43	79.6
Maine	3	2	66.7	2	0	0.0	57	7	12.3	19	11	57.9	0	—	—	280	198	70.7	21	18	85.7
Maryland	11	8	72.7	49	45	91.8	8,043	6,672	83.0	423	345	81.6	3	3	100.0	1,124	861	76.6	131	109	83.2
Massachusetts	12	10	83.3	149	126	84.6	1,655	1,338	80.8	1,994	1,678	84.2	3	2	66.7	2,622	2,095	79.9	61	43	70.5
Michigan	21	17	81.0	47	37	78.7	3,950	2,886	73.1	311	237	76.2	2	2	100.0	1,671	1,309	78.3	97	67	69.1
Minnesota	48	36	75.0	36	23	63.9	1,010	796	78.8	260	209	80.4	4	3	75.0	639	481	75.3	23	17	73.9
Mississippi	10	7	70.0	10	6	60.0	2,872	2,378	82.8	50	47	94.0	0	—	—	561	454	80.9	11	8	72.7
Missouri	7	7	100.0	31	25	80.6	2,145	1,729	80.6	252	197	78.2	3	1	33.3	1,210	895	74.0	68	47	69.1
Montana	27	19	70.4	1	1	100.0	16	16	100.0	12	7	58.3	0	—	—	248	191	77.0	6	4	66.7
Nebraska	9	8	88.9	26	23	88.5	232	159	68.5	158	111	70.3	1	0	0.0	365	252	69.0	7	3	42.9
Nevada	11	7	63.6	68	49	72.1	476	308	64.7	663	538	81.1	5	3	60.0	837	686	82.0	48	41	85.4
New Hampshire	1	0	0.0	12	9	75.0	106	75	70.8	104	78	75.0	0	—	—	532	389	73.1	7	1	14.3
New Jersey	4	3	75.0	111	97	87.4	4,221	3,391	80.3	2,774	2,403	86.6	6	5	83.3	1,439	1,167	81.1	41	32	78.0
New Mexico	64	56	87.5	13	12	92.3	88	74	84.1	745	672	90.2	5	5	100.0	728	660	90.7	19	16	84.2
New York	95	84	88.4	665	601	90.4	13,614	11,579	85.1	10,798	9,280	85.9	40	32	80.0	4,690	3,936	83.9	349	300	86.0
North Carolina	126	108	85.7	94	87	92.6	8,488	6,985	82.3	1,082	962	88.9	6	5	83.3	3,063	2,544	83.1	69	53	76.8
North Dakota	1	1	100.0	3	2	66.7	50	42	84.0	7	5	71.4	0	—	—	42	36	85.7	4	3	75.0
Ohio	12	6	50.0	68	58	85.3	3,697	2,654	71.8	434	309	71.2	6	3	50.0	2,957	2,188	74.0	100	72	72.0
Oklahoma	128	88	68.8	49	36	73.5	530	344	64.9	216	146	67.6	2	1	50.0	1,214	849	69.9	85	68	80.0
Oregon	9	6	66.7	37	31	83.8	114	91	79.8	226	195	86.3	3	2	66.7	658	537	81.6	106	87	82.1
Pennsylvania	27	22	81.5	195	170	87.2	10,099	8,555	84.7	2,823	2,426	85.9	15	11	73.3	5,386	4,515	83.8	201	167	83.1
Rhode Island	10	7	70.0	27	24	88.9	424	340	80.2	413	348	84.3	0	—	—	731	596	81.5	13	8	61.5
South Carolina	16	15	93.8	17	14	82.4	7,023	5,992	85.3	347	296	85.3	5	4	80.0	2,156	1,823	84.6	58	46	79.3
South Dakota	25	16	64.0	4	3	75.0	108	90	83.3	25	22	88.0	0	—	—	139	102	73.4	6	2	33.3
Tennessee	13	7	53.8	55	48	87.3	5,027	4,207	83.7	372	320	86.0	3	3	100.0	2,799	2,325	83.1	37	31	83.8
Texas	62	39	62.9	384	304	79.2	12,833	9,431	73.5	10,480	8,292	79.1	32	23	71.9	5,672	4,131	72.8	164	114	69.5

Table 29a. Retention in care among Ryan White HIV/AIDS Program clients (non-ADAP), by race/ethnicity and state, 2017—United States and 3 territories (cont.)

	American Indian/ Alaska Native			Asian			Black/African American			Hispanic/Latino ^a			Native Hawaiian/ Pacific Islander			White			Multiple races		
	Total No.	Retained No.	%	Total No.	Retained No.	%	Total No.	Retained No.	%	Total No.	Retained No.	%	Total No.	Retained No.	%	Total No.	Retained No.	%	Total No.	Retained No.	%
States																					
Utah	20	16	80.0	49	43	87.8	128	103	80.5	304	261	85.9	5	5	100.0	810	683	84.3	8	5	62.5
Vermont	3	3	100.0	9	7	77.8	45	40	88.9	17	17	100.0	1	0	0.0	345	275	79.7	2	2	100.0
Virginia	8	4	50.0	114	89	78.1	4,717	3,423	72.6	706	574	81.3	8	8	100.0	1,633	1,257	77.0	75	52	69.3
Washington	79	63	79.7	148	123	83.1	854	716	83.8	591	482	81.6	24	21	87.5	1,524	1,253	82.2	24	22	91.7
West Virginia	1	0	0.0	2	1	50.0	117	79	67.5	13	9	69.2	0	—	—	497	327	65.8	7	5	71.4
Wisconsin	27	18	66.7	42	38	90.5	1,146	911	79.5	383	324	84.6	4	3	75.0	911	709	77.8	27	23	85.2
Wyoming	6	0	0.0	1	0	0.0	7	1	14.3	11	5	45.5	0	—	—	59	15	25.4	3	1	33.3
Subtotal	1,522	1,146	75.3	4,718	3,931	83.3	160,853	128,970	80.2	70,498	58,461	82.9	460	359	78.0	82,263	65,617	79.8	3,114	2,436	78.2
Territories																					
Guam	0	—	—	5	4	80.0	1	0	0.0	1	0	0.0	17	15	88.2	3	2	66.7	2	2	100.0
Puerto Rico	0	—	—	1	1	100.0	15	12	80.0	9,168	8,170	89.1	1	0	0.0	47	39	83.0	11	10	90.9
U.S. Virgin Islands	0	—	—	1	1	100.0	119	86	72.3	79	62	78.5	0	—	—	10	9	90.0	0	—	—
Subtotal	0	—	—	7	6	85.7	135	98	72.6	9,248	8,232	89.0	18	15	83.3	60	50	83.3	13	12	92.3
Total	1,522	1,146	75.3	4,725	3,937	83.3	160,988	129,068	80.2	79,746	66,693	83.6	478	374	78.2	82,323	65,667	79.8	3,127	2,448	78.3

Retention in care was based on data for PLWH who had at least 1 outpatient ambulatory health services visit by September 1 of the measurement year, with a second visit at least 90 days after.

Note. Data are based on provider location. Clients receiving services in multiple states were not included in state-specific totals or column subtotals and totals.

^a Hispanics/Latinos can be of any race.

Table 29b. Retention in care among Ryan White HIV/AIDS Program clients (non-ADAP), by race/ethnicity and eligible metropolitan area and transitional grant area, 2017—United States and 3 territories

State/Territory	EMA/TGA	American Indian/ Alaska Native			Asian			Black/African American			Hispanic/Latino ^a			Native Hawaiian/ Pacific Islander			White		
		Total No.	Retained		Total No.	Retained		Total No.	Retained		Total No.	Retained		Total No.	Retained		Total No.	Retained	
Arizona	Phoenix	21	10	47.6	50	34	68.0	406	229	56.4	910	622	68.4	6	1	16.7	707	370	52.3
California	Los Angeles	40	33	82.5	541	461	85.2	3,587	2,876	80.2	8,387	7,061	84.2	42	31	73.8	2,710	2,203	81.3
	Oakland	11	9	81.8	89	64	71.9	549	340	61.9	411	300	73.0	11	5	45.5	297	189	63.6
	Orange County	*	—	—	32	28	87.5	19	15	78.9	670	593	88.5	*	—	—	60	39	65.0
	Riverside–San Bernardino	5	4	80.0	21	17	81.0	177	130	73.4	628	483	76.9	*	—	—	306	214	69.9
	Sacramento	30	28	93.3	73	72	98.6	557	537	96.4	491	465	94.7	20	20	100.0	1,120	1,063	94.9
	San Francisco	22	15	68.2	87	57	65.5	298	201	67.4	609	478	78.5	7	4	57.1	505	327	64.8
	San Diego	24	19	79.2	147	116	78.9	614	510	83.1	2,275	1,987	87.3	19	16	84.2	1,868	1,576	84.4
	San Jose	*	—	—	131	118	90.1	147	129	87.8	573	481	83.9	11	9	81.8	278	227	81.7
Colorado	Denver	28	20	71.4	63	53	84.1	828	677	81.8	993	839	84.5	*	—	—	1,920	1,555	81.0
Connecticut	Hartford	*	—	—	7	5	71.4	516	418	81.0	556	474	85.3	*	—	—	252	198	78.6
	New Haven	*	—	—	7	4	57.1	461	352	76.4	430	260	60.5	*	—	—	242	142	58.7
District of Columbia	Washington ^b	17	9	52.9	124	96	77.4	7,034	5,107	72.6	1,147	824	71.8	8	7	87.5	739	533	72.1
Florida	Ft. Lauderdale	*	—	—	26	18	69.2	2,897	2,140	73.9	892	688	77.1	*	—	—	956	696	72.8
	Jacksonville	*	—	—	22	18	81.8	975	726	74.5	89	74	83.1	*	—	—	374	288	77.0
	Miami	*	—	—	17	13	76.5	3,200	2,474	77.3	3,626	2,945	81.2	*	—	—	451	348	77.2
	Orlando	*	—	—	16	14	87.5	1,052	889	84.5	746	641	85.9	*	—	—	481	406	84.4
	Tampa–St. Petersburg	6	5	83.3	40	36	90.0	1,916	1,650	86.1	911	815	89.5	*	—	—	1,263	1,083	85.7
	West Palm Beach	*	—	—	13	9	69.2	1,307	1,164	89.1	361	324	89.8	*	—	—	268	213	79.5
Georgia	Atlanta	12	9	75.0	101	81	80.2	10,758	8,924	83.0	860	737	85.7	8	8	100.0	1,787	1,502	84.1
Illinois	Chicago	36	26	72.2	232	177	76.3	8,302	6,418	77.3	3,588	2,926	81.5	7	6	85.7	3,180	2,342	73.6
Indiana	Indianapolis	*	—	—	82	72	87.8	1,011	794	78.5	188	160	85.1	*	—	—	547	398	72.8
Louisiana	Baton Rouge	*	—	—	7	6	85.7	1,765	1,381	78.2	37	25	67.6	*	—	—	146	99	67.8
	New Orleans	5	4	80.0	12	10	83.3	2,990	2,462	82.3	246	209	85.0	*	—	—	1,074	875	81.5
Maryland	Baltimore	11	8	72.7	36	33	91.7	7,160	6,039	84.3	294	254	86.4	*	—	—	1,094	847	77.4
Massachusetts	Boston ^b	11	10	90.9	142	120	84.5	1,394	1,115	80.0	1,350	1,095	81.1	*	—	—	2,301	1,816	78.9
Michigan	Detroit	*	—	—	13	10	76.9	3,405	2,443	71.7	136	91	66.9	*	—	—	502	339	67.5
Minnesota	Minneapolis–St. Paul ^b	49	37	75.5	37	24	64.9	1,066	839	78.7	277	223	80.5	*	—	—	682	508	74.5
Missouri	Kansas City ^b	*	—	—	11	7	63.6	360	244	67.8	172	139	80.8	*	—	—	304	206	67.8
	St. Louis ^b	11	11	100.0	36	30	83.3	2,400	1,958	81.6	282	235	83.3	*	—	—	1,340	1,046	78.1
Nevada	Las Vegas ^b	6	3	50.0	60	43	71.7	518	326	62.9	589	459	77.9	5	3	60.0	442	287	64.9
New Jersey	Bergen–Passaic	*	—	—	9	9	100.0	535	452	84.5	540	490	90.7	*	—	—	117	99	84.6
	Jersey City	*	—	—	41	40	97.6	612	542	88.6	691	628	90.9	*	—	—	138	125	90.6
	Middlesex	*	—	—	18	14	77.8	369	306	82.9	355	316	89.0	*	—	—	121	101	83.5
	Newark	*	—	—	12	9	75.0	1,411	1,014	71.9	618	471	76.2	*	—	—	129	97	75.2
New York	Nassau–Suffolk	*	—	—	20	18	90.0	536	453	84.5	206	168	81.6	*	—	—	325	239	73.5
	New York	82	74	90.2	624	565	90.5	12,207	10,446	85.6	10,393	8,957	86.2	39	32	82.1	3,210	2,774	86.4
North Carolina	Charlotte ^b	9	7	77.8	27	24	88.9	2,021	1,690	83.6	273	236	86.4	*	—	—	502	414	82.5
Ohio	Cleveland	*	—	—	12	11	91.7	1,298	958	73.8	226	172	76.1	*	—	—	735	579	78.8
	Columbus	6	3	50.0	36	31	86.1	1,518	1,053	69.4	150	86	57.3	5	2	40.0	1,528	1,067	69.8
Oregon	Portland ^b	10	7	70.0	38	31	81.6	127	98	77.2	241	209	86.7	*	—	—	725	586	80.8
Pennsylvania	Philadelphia ^b	14	10	71.4	153	137	89.5	9,225	7,815	84.7	1,946	1,649	84.7	9	6	66.7	2,602	2,160	83.0
Puerto Rico	San Juan	*	—	—	*	—	—	16	13	81.3	7,560	6,719	88.9	*	—	—	40	34	85.0

Table 29b. Retention in care among Ryan White HIV/AIDS Program clients (non-ADAP), by race/ethnicity and eligible metropolitan area and transitional grant area, 2017—United States and 3 territories (cont.)

State/Territory	EMA/TGA	American Indian/ Alaska Native			Asian			Black/African American			Hispanic/Latino ^a			Native Hawaiian/ Pacific Islander			White		
		Total No.	Retained		Total No.	Retained		Total No.	Retained		Total No.	Retained		Total No.	Retained		Total No.	Retained	
			No.	%		No.	%		No.	%		No.	%		No.	%		No.	%
Tennessee	Memphis ^b	*	—	—	*	—	—	3,196	2,767	86.6	85	77	90.6	*	—	—	254	224	88.2
	Nashville	5	4	80.0	43	36	83.7	1,815	1,476	81.3	249	214	85.9	*	—	—	1,850	1,524	82.4
Texas	Austin	13	10	76.9	58	55	94.8	2,144	1,733	80.8	1,611	1,416	87.9	10	9	90.0	1,736	1,399	80.6
	Dallas	13	9	69.2	101	83	82.2	3,723	2,987	80.2	1,818	1,599	88.0	15	10	66.7	1,207	963	79.8
	Ft. Worth	8	3	37.5	37	24	64.9	1,000	513	51.3	478	340	71.1	*	—	—	518	245	47.3
	Houston	16	8	50.0	141	108	76.6	5,610	4,038	72.0	3,299	2,568	77.8	5	3	60.0	1,354	943	69.6
	San Antonio	5	4	80.0	16	10	62.5	290	207	71.4	1,031	746	72.4	*	—	—	263	188	71.5
Virginia	Norfolk ^b	*	—	—	14	9	64.3	1,791	1,083	60.5	113	73	64.6	*	—	—	458	286	62.4
	Seattle	60	49	81.7	141	115	81.6	799	671	84.0	445	365	82.0	19	16	84.2	1,310	1,072	81.8

Abbreviations: EMA, eligible metropolitan area; TGA, transitional grant area.

Retention in care was based on data for PLWH who had at least 1 outpatient ambulatory health services visit by September 1 of the measurement year, with a second visit at least 90 days after.

Notes. EMAs/TGAs are listed according to the primary state in which the jurisdiction resides. EMA/TGA delineations are based on provider location.

Data shown for individual EMAs and TGAs are not mutually exclusive; clients may have received services from providers in multiple EMAs and/or TGAs.

* To ensure confidentiality, values less than (<) 5 have been suppressed; in addition, all data for clients of multiple races have been suppressed.

^a Hispanics/Latinos can be of any race.

^b The EMA/TGA service area crosses state boundaries. See Technical Notes for more information.

Table 30a. Viral suppression among Ryan White HIV/AIDS Program clients (non-ADAP), by race/ethnicity and state, 2017—United States and 3 territories

	American Indian/ Alaska Native			Asian			Black/African American			Hispanic/Latino ^a			Native Hawaiian/ Pacific Islander			White			Multiple races			
	Total No.	Viral suppression		Total No.	Viral suppression		Total No.	Viral suppression		Total No.	Viral suppression		Total No.	Viral suppression		Total No.	Viral suppression		Total No.	Viral suppression		
		No.	%		No.	%		No.	%		No.	%		No.	%		No.	%		No.	%	
States																						
Alabama	37	31	83.8	17	15	88.2	5,167	4,276	82.8	185	163	88.1	4	4	100.0	2,026	1,805	89.1	50	43	86.0	
Alaska	179	156	87.2	14	10	71.4	50	46	92.0	28	25	89.3	2	2	100.0	96	86	89.6	3	3	100.0	
Arizona	112	102	91.1	65	62	95.4	536	474	88.4	1,489	1,325	89.0	7	4	57.1	1,598	1,459	91.3	91	83	91.2	
Arkansas	0	—	—	2	1	50.0	383	283	73.9	26	17	65.4	1	0	0.0	228	165	72.4	17	13	76.5	
California	190	162	85.3	1,241	1,152	92.8	6,275	5,123	81.6	15,713	13,923	88.6	134	120	89.6	8,601	7,626	88.7	235	193	82.1	
Colorado	33	24	72.7	64	62	96.9	802	706	88.0	1,087	948	87.2	5	5	100.0	2,100	1,875	89.3	60	50	83.3	
Connecticut	3	1	33.3	14	13	92.9	1,369	1,191	87.0	1,283	1,140	88.9	3	2	66.7	525	488	93.0	27	26	96.3	
Delaware	1	1	100.0	2	2	100.0	998	845	84.7	119	106	89.1	2	1	50.0	436	408	93.6	10	10	100.0	
District of Columbia	17	11	64.7	31	29	93.5	4,748	3,899	82.1	514	442	86.0	5	5	100.0	352	312	88.6	4	3	75.0	
Florida	35	26	74.3	203	189	93.1	16,297	13,229	81.2	8,251	7,367	89.3	23	19	82.6	7,077	6,282	88.8	301	254	84.4	
Georgia	18	15	83.3	119	112	94.1	15,289	12,367	80.9	1,084	973	89.8	10	8	80.0	2,999	2,655	88.5	163	140	85.9	
Hawaii	7	7	100.0	91	84	92.3	36	35	97.2	75	69	92.0	84	65	77.4	168	152	90.5	42	33	78.6	
Idaho	10	10	100.0	9	8	88.9	74	70	94.6	104	99	95.2	0	—	—	528	504	95.5	10	9	90.0	
Illinois	38	33	86.8	241	226	93.8	8,815	7,197	81.6	3,756	3,448	91.8	10	9	90.0	3,753	3,421	91.2	134	111	82.8	
Indiana	1	1	100.0	78	74	94.9	1,026	863	84.1	189	165	87.3	0	—	—	531	479	90.2	20	19	95.0	
Iowa	5	5	100.0	48	45	93.8	392	344	87.8	132	120	90.9	4	4	100.0	877	818	93.3	22	20	90.9	
Kansas	0	—	—	7	6	85.7	67	57	85.1	37	31	83.8	1	1	100.0	283	253	89.4	8	7	87.5	
Kentucky	9	7	77.8	37	35	94.6	1,448	1,218	84.1	288	269	93.4	3	3	100.0	2,199	2,003	91.1	52	46	88.5	
Louisiana	7	6	85.7	21	19	90.5	5,856	4,784	81.7	310	282	91.0	3	2	66.7	1,640	1,463	89.2	51	41	80.4	
Maine	3	3	100.0	1	1	100.0	58	54	93.1	20	17	85.0	0	—	—	282	264	93.6	22	22	100.0	
Maryland	9	9	100.0	54	49	90.7	8,193	7,061	86.2	445	392	88.1	4	3	75.0	1,141	1,034	90.6	128	110	85.9	
Massachusetts	15	14	93.3	153	146	95.4	1,678	1,518	90.5	2,050	1,876	91.5	3	3	100.0	2,661	2,516	94.6	67	61	91.0	
Michigan	22	21	95.5	51	47	92.2	4,310	3,648	84.6	343	320	93.3	2	2	100.0	1,787	1,708	95.6	107	96	89.7	
Minnesota	42	36	85.7	29	24	82.8	907	802	88.4	253	238	94.1	4	4	100.0	510	468	91.8	21	17	81.0	
Mississippi	10	6	60.0	10	6	60.0	3,096	2,528	81.7	53	45	84.9	0	—	—	584	521	89.2	11	11	100.0	
Missouri	7	7	100.0	33	29	87.9	2,357	1,963	83.3	273	244	89.4	3	3	100.0	1,314	1,169	89.0	79	68	86.1	
Montana	27	24	88.9	2	2	100.0	17	16	94.1	15	13	86.7	0	—	—	264	241	91.3	7	5	71.4	
Nebraska	8	8	100.0	27	26	96.3	245	215	87.8	166	148	89.2	1	1	100.0	392	362	92.3	8	8	100.0	
Nevada	10	9	90.0	75	71	94.7	561	450	80.2	736	638	86.7	7	5	71.4	853	746	87.5	58	46	79.3	
New Hampshire	1	1	100.0	13	12	92.3	115	101	87.8	110	93	84.5	0	—	—	556	518	93.2	8	7	87.5	
New Jersey	5	3	60.0	115	107	93.0	4,518	3,707	82.0	2,941	2,571	87.4	6	4	66.7	1,500	1,368	91.2	39	35	89.7	
New Mexico	73	61	83.6	15	15	100.0	88	72	81.8	774	685	88.5	5	4	80.0	753	689	91.5	19	16	84.2	
New York	96	81	84.4	688	646	93.9	13,869	11,640	83.9	11,209	9,805	87.5	38	34	89.5	4,695	4,309	91.8	359	299	83.3	
North Carolina	135	113	83.7	99	94	94.9	9,004	7,611	84.5	1,139	1,038	91.1	6	5	83.3	3,205	2,903	90.6	82	70	85.4	
North Dakota	1	1	100.0	2	2	100.0	52	49	94.2	7	7	100.0	0	—	—	41	41	100.0	4	4	100.0	
Ohio	13	11	84.6	79	73	92.4	3,988	3,300	82.7	476	426	89.5	5	5	100.0	3,107	2,859	92.0	105	94	89.5	
Oklahoma	130	104	80.0	50	48	96.0	573	451	78.7	227	202	89.0	2	2	100.0	1,267	1,127	89.0	88	73	83.0	
Oregon	10	8	80.0	39	38	97.4	120	93	77.5	239	219	91.6	3	3	100.0	687	619	90.1	107	87	81.3	
Pennsylvania	28	20	71.4	197	188	95.4	10,466	9,057	86.5	2,926	2,603	89.0	19	15	78.9	5,572	5,219	93.7	204	171	83.8	
Rhode Island	10	9	90.0	30	28	93.3	433	381	88.0	434	392	90.3	1	1	100.0	760	720	94.7	14	12	85.7	
South Carolina	16	14	87.5	21	20	95.2	7,383	6,198	83.9	373	327	87.7	5	4	80.0	2,258	2,056	91.1	62	55	88.7	
South Dakota	22	17	77.3	4	4	100.0	112	101	90.2	26	21	80.8	0	—	—	138	132	95.7	6	3	50.0	
Tennessee	16	12	75.0	60	58	96.7	5,312	4,226	79.6	387	337	87.1	4	4	100.0	2,975	2,685	90.3	38	34	89.5	
Texas	68	50	73.5	411	370	90.0	13,791	10,610	76.9	11,300	9,388	83.1	33	30	90.9	6,063	5,025	82.9	181	144	79.6	

Table 30a. Viral suppression among Ryan White HIV/AIDS Program clients (non-ADAP), by race/ethnicity and state, 2017—United States and 3 territories (cont.)

	American Indian/ Alaska Native			Asian			Black/African American			Hispanic/Latino ^a			Native Hawaiian/ Pacific Islander			White			Multiple races			
	Total No.	Viral suppression		Total No.	Viral suppression		Total No.	Viral suppression		Total No.	Viral suppression		Total No.	Viral suppression		Total No.	Viral suppression		Total No.	Viral suppression		
	States	No.	%	No.	%	No.	No.	%	No.	No.	%	No.	No.	%	No.	No.	%	No.	No.	%	Total No.	No.
States																						
Utah	18	17	94.4	46	42	91.3	116	96	82.8	293	257	87.7	5	5	100.0	770	702	91.2	9	9	100.0	
Vermont	3	3	100.0	9	8	88.9	47	42	89.4	17	17	100.0	1	1	100.0	358	338	94.4	3	3	100.0	
Virginia	9	9	100.0	123	108	87.8	5,003	4,218	84.3	750	630	84.0	9	9	100.0	1,732	1,570	90.6	79	61	77.2	
Washington	84	72	85.7	152	140	92.1	895	784	87.6	612	564	92.2	27	24	88.9	1,568	1,421	90.6	27	21	77.8	
West Virginia	1	1	100.0	2	2	100.0	122	99	81.1	14	14	100.0	0	—	—	529	489	92.4	7	6	85.7	
Wisconsin	28	26	92.9	44	43	97.7	1,228	1,053	85.7	400	346	86.5	4	4	100.0	977	915	93.7	28	28	100.0	
Wyoming	5	5	100.0	1	1	100.0	9	9	100.0	12	12	100.0	0	—	—	59	56	94.9	2	2	100.0	
Subtotal	1,627	1,373	84.4	4,939	4,592	93.0	168,294	139,160	82.7	73,690	64,797	87.9	498	429	86.1	85,375	77,044	90.2	3,279	2,782	84.8	
Territories																						
Guam	0	—	—	7	5	71.4	1	0	0.0	1	1	100.0	17	11	64.7	3	3	100.0	2	1	50.0	
Puerto Rico	0	—	—	1	1	100.0	16	14	87.5	9,109	7,996	87.8	1	1	100.0	47	42	89.4	13	7	53.8	
U.S. Virgin Islands	0	—	—	1	1	100.0	119	104	87.4	75	63	84.0	0	—	—	11	11	100.0	0	—	—	
Subtotal	0	—	—	9	7	77.8	136	118	86.8	9,185	8,060	87.8	18	12	66.7	61	56	91.8	15	8	53.3	
Total	1,627	1,373	84.4	4,948	4,599	92.9	168,430	139,278	82.7	82,875	72,857	87.9	516	441	85.5	85,436	77,100	90.2	3,294	2,790	84.7	

Viral suppression was based on data for PLWH who had at least 1 outpatient ambulatory health services visit during the measurement year and whose most recent viral load test result was <200 copies/mL.

Note. Data are based on provider location. Clients receiving services in multiple states were not included in state-specific totals or column subtotals and totals.

^a Hispanics/Latinos can be of any race.

Table 30b. Viral suppression among Ryan White HIV/AIDS Program clients (non-ADAP), by race/ethnicity and eligible metropolitan area and transitional grant area, 2017—United States and 3 territories

State/Territory	EMA/TGA	American Indian/ Alaska Native			Asian			Black/African American			Hispanic/Latino ^a			Native Hawaiian/ Pacific Islander			White		
		Total No.	Viral suppression		Total No.	Viral suppression		Total No.	Viral suppression		Total No.	Viral suppression		Total No.	Viral suppression		Total No.	Viral suppression	
			No.	%		No.	%		No.	%		No.	%		No.	%		No.	%
Arizona	Phoenix	63	61	96.8	52	50	96.2	408	348	85.3	936	811	86.6	6	4	66.7	722	651	90.2
California	Los Angeles	42	33	78.6	555	519	93.5	3,642	2,917	80.1	8,409	7,379	87.8	46	41	89.1	2,771	2,449	88.4
	Oakland	11	9	81.8	96	92	95.8	601	507	84.4	413	374	90.6	11	9	81.8	324	297	91.7
	Orange County	*	—	—	35	32	91.4	26	24	92.3	711	642	90.3	*	—	—	63	55	87.3
	Riverside–San Bernardino	5	5	100.0	23	22	95.7	200	156	78.0	681	608	89.3	*	—	—	323	269	83.3
	Sacramento	31	28	90.3	68	61	89.7	504	415	82.3	445	385	86.5	19	17	89.5	976	856	87.7
	San Francisco	26	21	80.8	105	97	92.4	351	280	79.8	677	601	88.8	10	8	80.0	555	463	83.4
	San Diego	24	20	83.3	146	125	85.6	601	505	84.0	2,294	2,101	91.6	18	17	94.4	1,835	1,648	89.8
	San Jose	*	—	—	140	134	95.7	150	132	88.0	594	527	88.7	11	9	81.8	291	266	91.4
Colorado	Denver	28	19	67.9	62	60	96.8	847	740	87.4	1,019	882	86.6	*	—	—	1,977	1,758	88.9
Connecticut	Hartford	*	—	—	7	7	100.0	523	452	86.4	562	494	87.9	*	—	—	249	230	92.4
	New Haven	*	—	—	7	7	100.0	466	409	87.8	425	374	88.0	*	—	—	225	213	94.7
District of Columbia	Washington ^b	18	12	66.7	127	115	90.6	7,255	5,967	82.2	1,196	1,003	83.9	8	8	100.0	756	653	86.4
Florida	Ft. Lauderdale	*	—	—	27	27	100.0	3,065	2,494	81.4	960	859	89.5	6	4	66.7	1,053	923	87.7
	Jacksonville	*	—	—	22	20	90.9	1,010	781	77.3	87	82	94.3	*	—	—	399	339	85.0
	Miami	5	2	40.0	20	18	90.0	3,325	2,652	79.8	3,864	3,448	89.2	*	—	—	462	408	88.3
	Orlando	*	—	—	18	17	94.4	1,109	899	81.1	801	709	88.5	*	—	—	511	441	86.3
	Tampa–St. Petersburg	7	5	71.4	43	41	95.3	2,037	1,647	80.9	962	851	88.5	*	—	—	1,338	1,164	87.0
	West Palm Beach	*	—	—	13	12	92.3	1,310	1,116	85.2	372	335	90.1	*	—	—	267	233	87.3
Georgia	Atlanta	12	9	75.0	99	93	93.9	11,213	8,969	80.0	890	806	90.6	9	7	77.8	1,846	1,637	88.7
Illinois	Chicago	35	30	85.7	241	225	93.4	8,698	7,126	81.9	3,747	3,435	91.7	9	8	88.9	3,498	3,186	91.1
Indiana	Indianapolis	*	—	—	84	80	95.2	1,075	896	83.3	198	171	86.4	*	—	—	554	498	89.9
Louisiana	Baton Rouge	*	—	—	8	7	87.5	1,812	1,463	80.7	38	30	78.9	*	—	—	151	130	86.1
	New Orleans	7	6	85.7	12	12	100.0	3,131	2,611	83.4	266	251	94.4	*	—	—	1,128	1,021	90.5
Maryland	Baltimore	9	9	100.0	42	37	88.1	7,205	6,237	86.6	311	277	89.1	*	—	—	1,110	1,007	90.7
Massachusetts	Boston ^b	11	11	100.0	147	140	95.2	1,417	1,273	89.8	1,394	1,278	91.7	*	—	—	2,346	2,217	94.5
Michigan	Detroit	*	—	—	14	12	85.7	3,746	3,138	83.8	151	139	92.1	*	—	—	549	513	93.4
Minnesota	Minneapolis–St. Paul ^b	43	37	86.0	29	24	82.8	966	844	87.4	269	252	93.7	*	—	—	554	505	91.2
Missouri	Kansas City ^b	*	—	—	12	10	83.3	422	358	84.8	184	168	91.3	*	—	—	353	303	85.8
	St. Louis ^b	11	10	90.9	39	33	84.6	2,630	2,165	82.3	298	264	88.6	*	—	—	1,455	1,273	87.5
Nevada	Las Vegas ^b	8	7	87.5	68	64	94.1	612	493	80.6	673	586	87.1	7	6	85.7	503	435	86.5
New Jersey	Bergen–Passaic	*	—	—	11	10	90.9	559	472	84.4	568	502	88.4	*	—	—	122	109	89.3
	Jersey City	*	—	—	40	39	97.5	635	531	83.6	718	636	88.6	*	—	—	146	129	88.4
	Middlesex	*	—	—	20	19	95.0	383	320	83.6	370	331	89.5	*	—	—	133	123	92.5
	Newark	*	—	—	14	12	85.7	1,653	1,306	79.0	709	612	86.3	*	—	—	151	131	86.8
New York	Nassau–Suffolk	*	—	—	17	13	76.5	489	411	84.0	209	171	81.8	*	—	—	316	267	84.5
	New York	83	69	83.1	648	613	94.6	12,630	10,586	83.8	10,832	9,484	87.6	37	33	89.2	3,295	3,030	92.0
North Carolina	Charlotte ^b	10	10	100.0	26	25	96.2	2,170	1,785	82.3	294	272	92.5	*	—	—	533	482	90.4
Ohio	Cleveland	*	—	—	14	14	100.0	1,459	1,209	82.9	260	231	88.8	*	—	—	804	757	94.2
	Columbus	7	6	85.7	45	39	86.7	1,591	1,323	83.2	147	131	89.1	*	—	—	1,548	1,408	91.0
Oregon	Portland ^b	11	9	81.8	41	40	97.6	131	102	77.9	254	233	91.7	*	—	—	760	680	89.5
Pennsylvania	Philadelphia ^b	14	11	78.6	156	152	97.4	9,551	8,223	86.1	2,019	1,785	88.4	12	9	75.0	2,703	2,495	92.3
Puerto Rico	San Juan	*	—	—	*	—	—	17	15	88.2	7,497	6,567	87.6	*	—	—	40	35	87.5

Table 30b. Viral suppression among Ryan White HIV/AIDS Program clients (non-ADAP), by race/ethnicity and eligible metropolitan area and transitional grant area, 2017—United States and 3 territories (cont.)

State/Territory	EMA/TGA	American Indian/ Alaska Native			Asian			Black/African American			Hispanic/Latino ^a			Native Hawaiian/ Pacific Islander			White		
		Viral suppression		Total No.	Viral suppression		Total No.	Viral suppression		Total No.	Viral suppression		Total No.	Viral suppression		Total No.	Viral suppression		
		Total No.	No.		Total No.	No.		Total No.	No.		Total No.	No.		Total No.	No.		Total No.	No.	
Tennessee	Memphis ^b	6	4	66.7	*	—	—	3,339	2,534	75.9	91	77	84.6	*	—	—	270	234	86.7
	Nashville	6	4	66.7	47	46	97.9	1,926	1,602	83.2	257	222	86.4	*	—	—	1,963	1,785	90.9
Texas	Austin	12	7	58.3	62	58	93.5	2,271	1,869	82.3	1,711	1,507	88.1	10	9	90.0	1,830	1,587	86.7
	Dallas	14	7	50.0	104	94	90.4	3,957	3,051	77.1	1,896	1,607	84.8	15	13	86.7	1,283	1,058	82.5
	Ft. Worth	8	7	87.5	38	35	92.1	1,084	861	79.4	509	433	85.1	*	—	—	543	454	83.6
	Houston	20	16	80.0	153	140	91.5	6,109	4,614	75.5	3,557	2,914	81.9	5	5	100.0	1,468	1,188	80.9
	San Antonio	5	4	80.0	19	17	89.5	321	238	74.1	1,159	868	74.9	*	—	—	304	233	76.6
Virginia	Norfolk ^b	*	—	—	16	14	87.5	1,927	1,571	81.5	122	108	88.5	*	—	—	494	439	88.9
	Washington	65	59	90.8	146	135	92.5	831	727	87.5	463	428	92.4	21	19	90.5	1,343	1,219	90.8

Abbreviations: EMA, eligible metropolitan area; TGA, transitional grant area.

Viral suppression was based on data for PLWH who had at least 1 outpatient ambulatory health services visit during the measurement year and whose most recent viral load test result was <200 copies/mL.

Notes. EMAs/TGAs are listed according to the primary state in which the jurisdiction resides. EMA/TGA delineations are based on provider location.

Data shown for individual EMAs and TGAs are not mutually exclusive; clients may have received services from providers in multiple EMAs and/or TGAs.

* To ensure confidentiality, values less than (<) 5 have been suppressed; in addition, all data for clients of multiple races have been suppressed.

^a Hispanics/Latinos can be of any race.

^b The EMA/TGA service area crosses state boundaries. See Technical Notes for more information.

Table 31a. Retention in care among Ryan White HIV/AIDS Program clients (non-ADAP), by federal poverty level and state, 2017—United States and 3 territories

	0–100% FPL			101–138% FPL			139–250% FPL			251–400% FPL			>400% FPL		
	Total No.	Retained		Total No.	Retained		Total No.	Retained		Total No.	Retained		Total No.	Retained	
States															
Alabama	5,077	4,425	87.2	430	394	91.6	723	630	87.1	462	390	84.4	65	59	90.8
Alaska	250	184	73.6	32	22	68.8	42	30	71.4	11	10	90.9	6	5	83.3
Arizona	2,105	1,429	67.9	486	360	74.1	666	493	74.0	292	226	77.4	137	111	81.0
Arkansas	391	331	84.7	78	64	82.1	71	63	88.7	25	17	68.0	46	28	60.9
California	21,908	17,986	82.1	3,544	2,981	84.1	4,216	3,496	82.9	1,222	957	78.3	426	346	81.2
Colorado	1,888	1,606	85.1	361	317	87.8	504	414	82.1	244	205	84.0	62	47	75.8
Connecticut	1,860	1,603	86.2	345	286	82.9	482	395	82.0	124	98	79.0	25	23	92.0
Delaware	740	636	85.9	178	151	84.8	304	263	86.5	181	164	90.6	96	83	86.5
District of Columbia	3,932	2,777	70.6	434	321	74.0	857	606	70.7	214	144	67.3	64	39	60.9
Florida	19,341	15,688	81.1	3,789	3,150	83.1	5,185	4,263	82.2	1,686	1,353	80.2	154	129	83.8
Georgia	11,405	9,423	82.6	2,425	2,112	87.1	3,392	2,933	86.5	950	796	83.8	334	276	82.6
Hawaii	265	206	77.7	62	42	67.7	84	64	76.2	23	15	65.2	9	9	100.0
Idaho	257	211	82.1	84	72	85.7	172	148	86.0	80	63	78.8	72	55	76.4
Illinois	10,354	8,200	79.2	1,495	1,134	75.9	1,333	999	74.9	570	403	70.7	1,886	1,403	74.4
Indiana	1,053	820	77.9	218	171	78.4	416	324	77.9	77	61	79.2	4	2	50.0
Iowa	540	430	79.6	156	129	82.7	373	308	82.6	224	192	85.7	62	54	87.1
Kansas	184	141	76.6	37	31	83.8	79	65	82.3	65	54	83.1	23	18	78.3
Kentucky	2,014	1,546	76.8	462	380	82.3	713	570	79.9	405	319	78.8	154	129	83.8
Louisiana	4,000	3,175	79.4	871	704	80.8	1,229	1,017	82.8	399	320	80.2	133	116	87.2
Maine	204	96	47.1	70	52	74.3	80	62	77.5	30	23	76.7	3	3	100.0
Maryland	6,130	5,016	81.8	1,189	1,022	86.0	1,028	861	83.8	424	354	83.5	235	197	83.8
Massachusetts	3,579	2,952	82.5	823	679	82.5	837	667	79.7	449	365	81.3	543	413	76.1
Michigan	3,388	2,473	73.0	725	576	79.4	1,108	816	73.6	556	445	80.0	303	229	75.6
Minnesota	1,344	1,073	79.8	167	127	76.0	345	260	75.4	125	85	68.0	39	20	51.3
Mississippi	2,334	1,903	81.5	438	378	86.3	588	495	84.2	113	98	86.7	29	23	79.3
Missouri	2,135	1,626	76.2	363	293	80.7	721	578	80.2	272	211	77.6	21	18	85.7
Montana	170	130	76.5	40	30	75.0	56	42	75.0	23	20	87.0	15	11	73.3
Nebraska	397	274	69.0	135	98	72.6	190	125	65.8	71	55	77.5	6	5	83.3
Nevada	1,050	782	74.5	312	255	81.7	418	322	77.0	142	103	72.5	4	3	75.0
New Hampshire	268	206	76.9	77	52	67.5	186	135	72.6	142	88	62.0	69	55	79.7
New Jersey	5,130	4,217	82.2	1,057	897	84.9	1,409	1,185	84.1	556	442	79.5	297	240	80.8
New Mexico	558	508	91.0	175	162	92.6	369	340	92.1	221	202	91.4	61	55	90.2
New York	19,965	16,958	84.9	2,698	2,258	83.7	4,306	3,745	87.0	1,818	1,532	84.3	1,057	912	86.3
North Carolina	7,204	5,944	82.5	1,866	1,590	85.2	2,616	2,224	85.0	688	568	82.6	178	151	84.8
North Dakota	25	17	68.0	12	10	83.3	36	32	88.9	34	30	88.2	0	—	—
Ohio	3,772	2,783	73.8	832	620	74.5	1,344	946	70.4	655	458	69.9	331	261	78.9
Oklahoma	1,176	770	65.5	302	227	75.2	513	363	70.8	191	139	72.8	41	32	78.0
Oregon	606	503	83.0	127	107	84.3	224	188	83.9	136	104	76.5	51	41	80.4
Pennsylvania	11,526	9,741	84.5	1,929	1,669	86.5	2,941	2,529	86.0	1,298	1,093	84.2	963	795	82.6
Rhode Island	1,003	827	82.5	156	127	81.4	255	203	79.6	109	91	83.5	88	69	78.4
South Carolina	5,410	4,534	83.8	1,114	968	86.9	1,886	1,647	87.3	891	768	86.2	311	269	86.5
South Dakota	125	93	74.4	40	35	87.5	83	59	71.1	45	38	84.4	11	8	72.7
Tennessee	4,647	3,851	82.9	831	706	85.0	1,471	1,235	84.0	1,140	973	85.4	217	176	81.1
Texas	19,409	14,675	75.6	3,535	2,707	76.6	4,805	3,641	75.8	1,287	919	71.4	304	217	71.4

Table 31a. Retention in care among Ryan White HIV/AIDS Program clients (non-ADAP), by federal poverty level and state, 2017—United States and 3 territories (cont.)

	0–100% FPL			101–138% FPL			139–250% FPL			251–400% FPL			>400% FPL		
	Total No.	Retained		Total No.	Retained		Total No.	Retained		Total No.	Retained		Total No.	Retained	
States															
Utah	545	480	88.1	151	125	82.8	289	249	86.2	86	70	81.4	38	30	78.9
Vermont	136	114	83.8	74	55	74.3	86	73	84.9	69	54	78.3	57	48	84.2
Virginia	3,499	2,519	72.0	989	772	78.1	1,519	1,169	77.0	782	586	74.9	192	168	87.5
Washington	1,635	1,361	83.2	338	285	84.3	563	464	82.4	366	298	81.4	259	201	77.6
West Virginia	295	190	64.4	121	87	71.9	129	92	71.3	46	28	60.9	17	10	58.8
Wisconsin	1,683	1,325	78.7	263	219	83.3	332	280	84.3	127	107	84.3	91	72	79.1
Wyoming	30	7	23.3	16	4	25.0	20	7	35.0	11	4	36.4	4	0	0.0
Subtotal	196,942	158,765	80.6	36,452	30,013	82.3	51,594	42,115	81.6	20,157	16,138	80.1	9,593	7,664	79.9
Territories															
Guam	15	11	73.3	1	1	100.0	12	10	83.3	1	1	100.0	0	—	—
Puerto Rico	7,892	6,961	88.2	491	463	94.3	592	562	94.9	169	162	95.9	82	72	87.8
U.S. Virgin Islands	78	50	64.1	88	78	88.6	34	24	70.6	6	5	83.3	3	1	33.3
Subtotal	7,985	7,022	87.9	580	542	93.4	638	596	93.4	176	168	95.5	85	73	85.9
Total	204,927	165,787	80.9	37,032	30,555	82.5	52,232	42,711	81.8	20,333	16,306	80.2	9,678	7,737	79.9

Abbreviation: FPL, federal poverty level.

Retention in care was based on data for PLWH who had at least 1 outpatient ambulatory health services visit by September 1 of the measurement year with a second visit at least 90 days after.

Note. Data are based on provider location. Clients receiving services in multiple states were not included in state-specific totals or column subtotals and totals.

Table 31b. Retention in care among Ryan White HIV/AIDS Program clients (non-ADAP), by federal poverty level and eligible metropolitan area and transitional grant area, 2017—United States and 3 territories

State/Territory	EMA/TGA	0–100% FPL			101–138% FPL			139–250% FPL			251–400% FPL			>400% FPL		
		Total No.	Retained No.	%	Total No.	Retained No.	%	Total No.	Retained No.	%	Total No.	Retained No.	%	Total No.	Retained No.	%
Arizona	Phoenix	1,456	884	60.7	238	152	63.9	313	194	62.0	85	42	49.4	28	18	64.3
California	Los Angeles	10,616	8,692	81.9	1,704	1,456	85.4	1,963	1,628	82.9	578	465	80.4	139	113	81.3
	Oakland	1,004	653	65.0	126	87	69.0	188	133	70.7	62	34	54.8	13	6	46.2
	Orange County	366	314	85.8	109	97	89.0	230	208	90.4	70	55	78.6	7	4	57.1
	Riverside–San Bernardino	799	620	77.6	179	111	62.0	138	101	73.2	15	11	73.3	9	7	77.8
	Sacramento	1,684	1,587	94.2	242	239	98.8	310	308	99.4	81	75	92.6	66	64	97.0
	San Francisco	1,123	798	71.1	174	123	70.7	210	158	75.2	37	19	51.4	19	12	63.2
	San Diego	3,767	3,231	85.8	397	341	85.9	456	394	86.4	129	104	80.6	30	26	86.7
	San Jose	662	553	83.5	148	133	89.9	210	182	86.7	104	86	82.7	19	13	68.4
Colorado	Denver	1,943	1,639	84.4	316	280	88.6	449	371	82.6	168	139	82.7	53	44	83.0
Connecticut	Hartford	859	727	84.6	155	128	82.6	205	172	83.9	57	42	73.7	11	10	90.9
	New Haven	599	492	82.1	102	71	69.6	119	89	74.8	35	22	62.9	7	5	71.4
District of Columbia	Washington ^a	5,591	4,055	72.5	928	700	75.4	1,580	1,170	74.1	641	461	71.9	154	110	71.4
Florida	Ft. Lauderdale	4,009	3,000	74.8	377	268	71.1	417	312	74.8	89	55	61.8	9	5	55.6
	Jacksonville	1,130	847	75.0	140	118	84.3	152	115	75.7	42	35	83.3	3	3	100.0
	Miami	4,339	3,530	81.4	1,060	856	80.8	1,458	1,124	77.1	370	259	70.0	10	7	70.0
	Orlando	1,604	1,359	84.7	294	258	87.8	341	287	84.2	73	59	80.8	0	—	—
	Tampa–St. Petersburg	2,635	2,273	86.3	480	424	88.3	733	640	87.3	300	266	88.7	23	21	91.3
	West Palm Beach	1,228	1,079	87.9	282	255	90.4	335	297	88.7	105	80	76.2	6	4	66.7
Georgia	Atlanta	8,222	6,767	82.3	1,692	1,477	87.3	2,523	2,168	85.9	713	592	83.0	255	209	82.0
Illinois	Chicago	10,319	8,195	79.4	1,406	1,062	75.5	1,195	913	76.4	493	346	70.2	1,885	1,405	74.5
Indiana	Indianapolis	1,124	874	77.8	225	175	77.8	421	329	78.1	77	61	79.2	4	2	50.0
Louisiana	Baton Rouge	980	730	74.5	148	113	76.4	240	188	78.3	79	63	79.7	7	7	100.0
	New Orleans	2,687	2,192	81.6	532	437	82.1	795	674	84.8	284	233	82.0	48	41	85.4
Maryland	Baltimore	5,622	4,649	82.7	1,006	895	89.0	814	714	87.7	302	267	88.4	200	169	84.5
Massachusetts	Boston ^a	2,755	2,232	81.0	733	587	80.1	656	509	77.6	371	295	79.5	476	361	75.8
Michigan	Detroit	2,665	1,883	70.7	417	302	72.4	651	448	68.8	279	211	75.6	77	58	75.3
Minnesota	Minneapolis–St. Paul ^a	1,447	1,150	79.5	173	131	75.7	352	265	75.3	128	86	67.2	40	20	50.0
Missouri	Kansas City ^a	497	336	67.6	84	62	73.8	191	146	76.4	87	58	66.7	5	4	80.0
	St. Louis ^a	2,452	1,910	77.9	423	351	83.0	755	627	83.0	284	245	86.3	23	22	95.7
Nevada	Las Vegas ^a	981	669	68.2	230	172	74.8	325	232	71.4	112	71	63.4	5	3	60.0
New Jersey	Bergen–Passaic	767	669	87.2	148	137	92.6	186	160	86.0	66	59	89.4	24	21	87.5
	Jersey City	955	865	90.6	175	159	90.9	220	201	91.4	100	83	83.0	36	30	83.3
	Middlesex	514	449	87.4	138	114	82.6	138	122	88.4	57	42	73.7	22	15	68.2
	Newark	1,401	1,020	72.8	242	179	74.0	377	284	75.3	115	80	69.6	40	30	75.0
New York	Nassau–Suffolk	329	255	77.5	114	88	77.2	147	103	70.1	67	36	53.7	17	8	47.1
	New York	18,762	16,052	85.6	1,995	1,686	84.5	3,766	3,319	88.1	1,440	1,245	86.5	956	835	87.3
North Carolina	Charlotte ^a	1,397	1,144	81.9	386	335	86.8	804	687	85.4	235	193	82.1	36	31	86.1
Ohio	Cleveland	1,408	1,053	74.8	238	192	80.7	308	231	75.0	205	146	71.2	135	114	84.4
	Columbus	1,461	1,049	71.8	438	314	71.7	806	534	66.3	288	181	62.8	12	10	83.3
Oregon	Portland ^a	680	559	82.2	135	113	83.7	237	196	82.7	140	107	76.4	51	41	80.4
Pennsylvania	Philadelphia ^a	9,305	7,857	84.4	1,363	1,183	86.8	1,929	1,658	86.0	816	677	83.0	575	475	82.6
Puerto Rico	San Juan	6,857	6,044	88.1	302	286	94.7	353	338	95.8	77	75	97.4	21	20	95.2

Table 31b. Retention in care among Ryan White HIV/AIDS Program clients (non-ADAP), by federal poverty level and eligible metropolitan area and transitional grant area, 2017—United States and 3 territories (cont.)

State/Territory	EMA/TGA	0–100% FPL			101–138% FPL			139–250% FPL			251–400% FPL			>400% FPL		
		Total No.	Retained No.	%	Total No.	Retained No.	%	Total No.	Retained No.	%	Total No.	Retained No.	%	Total No.	Retained No.	%
Tennessee	Memphis ^a	2,470	2,119	85.8	338	301	89.1	488	428	87.7	229	210	91.7	45	40	88.9
	Nashville	1,900	1,547	81.4	342	285	83.3	776	638	82.2	791	664	83.9	164	129	78.7
Texas	Austin	3,546	2,910	82.1	616	518	84.1	1,039	889	85.6	322	263	81.7	88	73	83.0
	Dallas	4,733	3,888	82.1	779	671	86.1	972	817	84.1	190	151	79.5	27	19	70.4
	Ft. Worth	1,270	737	58.0	277	139	50.2	349	191	54.7	105	46	43.8	13	3	23.1
	Houston	7,413	5,478	73.9	1,177	887	75.4	1,468	1,063	72.4	342	219	64.0	58	40	69.0
	San Antonio	1,051	773	73.5	174	122	70.1	285	192	67.4	86	61	70.9	15	11	73.3
Virginia	Norfolk ^a	1,436	872	60.7	317	203	64.0	474	289	61.0	185	111	60.0	2	2	100.0
	Seattle	1,480	1,232	83.2	282	237	84.0	476	393	82.6	344	277	80.5	250	194	77.6

Abbreviations: EMA, eligible metropolitan area; FPL, federal poverty level; TGA, transitional grant area.

Retention in care was based on data for PLWH who had at least 1 outpatient ambulatory health services visit by September 1 of the measurement year, with a second visit at least 90 days after.

Notes. EMAs/TGAs are listed according to the primary state in which the jurisdiction resides. EMA/TGA delineations are based on provider location.

Data shown for individual EMAs and TGAs are not mutually exclusive; clients may have received services from providers in multiple EMAs and/or TGAs.

^a The EMA/TGA service area crosses state boundaries. See Technical Notes for more information.

Table 32a. Viral suppression among Ryan White HIV/AIDS Program clients (non-ADAP), by federal poverty level and state, 2017—United States and 3 territories

	0–100% FPL			101–138% FPL			139–250% FPL			251–400% FPL			>400% FPL		
	Total No.	Viral suppression		Total No.	Viral suppression		Total No.	Viral suppression		Total No.	Viral suppression		Total No.	Viral suppression	
		No.	%		No.	%		No.	%		No.	%		No.	%
States															
Alabama	5,331	4,483	84.1	449	396	88.2	759	689	90.8	462	384	83.1	81	70	86.4
Alaska	271	233	86.0	33	32	97.0	44	42	95.5	13	11	84.6	9	8	88.9
Arizona	2,173	1,914	88.1	508	459	90.4	701	647	92.3	301	286	95.0	143	137	95.8
Arkansas	412	291	70.6	80	61	76.3	79	64	81.0	23	20	87.0	45	36	80.0
California	22,098	18,806	85.1	3,618	3,323	91.8	4,355	4,031	92.6	1,249	1,177	94.2	452	422	93.4
Colorado	1,948	1,679	86.2	382	338	88.5	513	476	92.8	252	230	91.3	64	63	98.4
Connecticut	1,908	1,666	87.3	361	332	92.0	499	449	90.0	132	120	90.9	26	26	100.0
Delaware	771	646	83.8	181	164	90.6	307	278	90.6	186	173	93.0	97	93	95.9
District of Columbia	3,941	3,204	81.3	436	388	89.0	872	766	87.8	219	185	84.5	71	65	91.5
Florida	20,491	16,844	82.2	3,906	3,482	89.1	5,456	4,953	90.8	1,769	1,604	90.7	156	146	93.6
Georgia	12,030	9,652	80.2	2,478	2,153	86.9	3,475	3,009	86.6	975	838	85.9	336	309	92.0
Hawaii	304	259	85.2	65	60	92.3	99	94	94.9	25	23	92.0	10	9	90.0
Idaho	277	257	92.8	88	80	90.9	181	177	97.8	85	83	97.6	75	73	97.3
Illinois	10,680	8,975	84.0	1,597	1,434	89.8	1,423	1,290	90.7	597	555	93.0	2,197	1,982	90.2
Indiana	1,125	940	83.6	225	202	89.8	417	385	92.3	75	70	93.3	5	5	100.0
Iowa	606	528	87.1	166	152	91.6	404	384	95.0	237	230	97.0	67	62	92.5
Kansas	192	164	85.4	38	34	89.5	81	72	88.9	67	61	91.0	24	23	95.8
Kentucky	2,120	1,801	85.0	474	441	93.0	750	688	91.7	427	406	95.1	159	154	96.9
Louisiana	4,208	3,407	81.0	901	781	86.7	1,275	1,138	89.3	417	385	92.3	140	122	87.1
Maine	213	194	91.1	67	64	95.5	81	79	97.5	32	30	93.8	3	3	100.0
Maryland	6,263	5,401	86.2	1,242	1,074	86.5	1,071	955	89.2	427	390	91.3	255	235	92.2
Massachusetts	3,661	3,319	90.7	852	791	92.8	840	801	95.4	462	439	95.0	553	536	96.9
Michigan	3,715	3,145	84.7	775	699	90.2	1,195	1,104	92.4	586	557	95.1	334	322	96.4
Minnesota	1,196	1,054	88.1	163	153	93.9	314	296	94.3	85	78	91.8	8	8	100.0
Mississippi	2,500	2,012	80.5	464	402	86.6	633	550	86.9	119	113	95.0	33	31	93.9
Missouri	2,390	1,967	82.3	385	340	88.3	766	691	90.2	283	259	91.5	21	21	100.0
Montana	187	164	87.7	41	39	95.1	58	55	94.8	26	26	100.0	15	13	86.7
Nebraska	416	363	87.3	141	132	93.6	207	191	92.3	77	76	98.7	8	8	100.0
Nevada	1,183	975	82.4	335	300	89.6	459	402	87.6	166	146	88.0	8	6	75.0
New Hampshire	295	251	85.1	79	71	89.9	188	172	91.5	147	144	98.0	72	71	98.6
New Jersey	5,475	4,534	82.8	1,114	983	88.2	1,490	1,320	88.6	589	539	91.5	305	285	93.4
New Mexico	590	492	83.4	182	163	89.6	380	353	92.9	225	210	93.3	68	64	94.1
New York	20,624	17,455	84.6	2,765	2,443	88.4	4,368	3,973	91.0	1,845	1,714	92.9	1,064	1,004	94.4
North Carolina	7,665	6,382	83.3	1,956	1,756	89.8	2,759	2,509	90.9	718	664	92.5	185	175	94.6
North Dakota	23	22	95.7	13	13	100.0	36	35	97.2	35	34	97.1	0	—	—
Ohio	4,048	3,353	82.8	881	788	89.4	1,392	1,274	91.5	711	676	95.1	362	351	97.0
Oklahoma	1,246	990	79.5	314	284	90.4	525	496	94.5	201	189	94.0	43	42	97.7
Oregon	630	528	83.8	135	123	91.1	229	217	94.8	145	138	95.2	55	53	96.4
Pennsylvania	11,940	10,331	86.5	1,993	1,824	91.5	3,034	2,809	92.6	1,349	1,270	94.1	1,014	977	96.4
Rhode Island	1,052	956	90.9	161	146	90.7	261	240	92.0	109	105	96.3	92	90	97.8
South Carolina	5,725	4,725	82.5	1,147	1,005	87.6	1,977	1,768	89.4	938	864	92.1	330	313	94.8
South Dakota	124	111	89.5	35	32	91.4	88	78	88.6	46	45	97.8	13	12	92.3
Tennessee	4,921	3,895	79.2	866	746	86.1	1,553	1,374	88.5	1,213	1,121	92.4	236	219	92.8
Texas	20,865	16,312	78.2	3,748	3,182	84.9	5,170	4,365	84.4	1,396	1,232	88.3	323	287	88.9

Table 32a. Viral suppression among Ryan White HIV/AIDS Program clients (non-ADAP), by federal poverty level and state, 2017—United States and 3 territories (cont.)

	0–100% FPL			101–138% FPL			139–250% FPL			251–400% FPL			>400% FPL		
	Total No.	Viral suppression No.	%	Total No.	Viral suppression No.	%	Total No.	Viral suppression No.	%	Total No.	Viral suppression No.	%	Total No.	Viral suppression No.	%
States															
Utah	527	450	85.4	141	131	92.9	246	228	92.7	81	74	91.4	42	40	95.2
Vermont	140	129	92.1	77	72	93.5	88	82	93.2	72	70	97.2	61	59	96.7
Virginia	3,792	3,123	82.4	1,030	914	88.7	1,587	1,403	88.4	815	728	89.3	200	193	96.5
Washington	1,696	1,462	86.2	339	319	94.1	590	550	93.2	381	366	96.1	271	256	94.5
West Virginia	311	276	88.7	125	114	91.2	134	128	95.5	51	47	92.2	18	17	94.4
Wisconsin	1,782	1,553	87.1	287	257	89.5	355	331	93.2	139	133	95.7	102	98	96.1
Wyoming	29	28	96.6	16	16	100.0	22	21	95.5	11	10	90.9	6	6	100.0
Subtotal	206,110	171,701	83.3	37,855	33,688	89.0	53,786	48,482	90.1	20,991	19,328	92.1	10,257	9,600	93.6
Territories															
Guam	16	9	56.3	1	1	100.0	13	10	76.9	1	1	100.0	0	—	—
Puerto Rico	7,831	6,786	86.7	491	454	92.5	598	565	94.5	172	165	95.9	85	81	95.3
U.S. Virgin Islands	80	72	90.0	82	69	84.1	33	28	84.8	7	6	85.7	4	4	100.0
Subtotal	7,927	6,867	86.6	574	524	91.3	644	603	93.6	180	172	95.6	89	85	95.5
Total	214,037	178,568	83.4	38,429	34,212	89.0	54,430	49,085	90.2	21,171	19,500	92.1	10,346	9,685	93.6

Abbreviation: FPL, federal poverty level.

Viral suppression was based on data for PLWH who had at least 1 outpatient ambulatory health services visit during the measurement year and whose most recent viral load test result was <200 copies/mL.

Note. Data are based on provider location. Clients receiving services in multiple states were not included in state-specific totals or column subtotals and totals.

Table 32b. Viral suppression among Ryan White HIV/AIDS Program clients (non-ADAP), by federal poverty level and eligible metropolitan area and transitional grant area, 2017—United States and 3 territories

State/Territory	EMA/TGA	0–100% FPL			101–138% FPL			139–250% FPL			251–400% FPL			>400% FPL		
		Total No.	Viral suppression		Total No.	Viral suppression		Total No.	Viral suppression		Total No.	Viral suppression		Total No.	Viral suppression	
			No.	%		No.	%		No.	%		No.	%		No.	%
Arizona	Phoenix	1,507	1,314	87.2	250	221	88.4	334	306	91.6	95	85	89.5	29	27	93.1
California	Los Angeles	10,632	8,890	83.6	1,727	1,574	91.1	2,041	1,885	92.4	601	571	95.0	146	135	92.5
	Oakland	1,052	912	86.7	138	127	92.0	204	191	93.6	64	58	90.6	18	16	88.9
	Orange County	393	339	86.3	117	111	94.9	241	226	93.8	72	68	94.4	13	11	84.6
	Riverside–San Bernardino	863	721	83.5	191	176	92.1	153	140	91.5	21	17	81.0	9	8	88.9
	Sacramento	1,495	1,252	83.7	227	201	88.5	291	267	91.8	63	59	93.7	62	60	96.8
	San Francisco	1,276	1,054	82.6	190	171	90.0	223	208	93.3	45	41	91.1	21	19	90.5
	San Diego	3,787	3,362	88.8	394	366	92.9	454	422	93.0	125	117	93.6	32	31	96.9
	San Jose	687	598	87.0	154	147	95.5	215	200	93.0	107	102	95.3	18	18	100.0
Colorado	Denver	2,000	1,714	85.7	327	288	88.1	454	418	92.1	172	157	91.3	54	53	98.1
Connecticut	Hartford	869	746	85.8	161	153	95.0	208	188	90.4	60	53	88.3	12	12	100.0
	New Haven	614	539	87.8	103	96	93.2	123	111	90.2	39	37	94.9	7	7	100.0
District of Columbia	Washington ^a	5,748	4,666	81.2	954	820	86.0	1,652	1,431	86.6	672	567	84.4	169	154	91.1
Florida	Ft. Lauderdale	4,259	3,549	83.3	394	339	86.0	450	420	93.3	110	91	82.7	7	6	85.7
	Jacksonville	1,189	926	77.9	146	128	87.7	154	138	89.6	41	39	95.1	3	3	100.0
	Miami	4,560	3,770	82.7	1,095	961	87.8	1,547	1,385	89.5	394	355	90.1	13	11	84.6
	Orlando	1,733	1,434	82.7	298	267	89.6	352	313	88.9	75	68	90.7	0	—	—
	Tampa–St. Petersburg	2,825	2,294	81.2	498	448	90.0	769	693	90.1	309	285	92.2	23	22	95.7
	West Palm Beach	1,246	1,041	83.5	280	256	91.4	334	309	92.5	103	89	86.4	5	5	100.0
Georgia	Atlanta	8,655	6,905	79.8	1,739	1,490	85.7	2,604	2,217	85.1	732	619	84.6	255	233	91.4
Illinois	Chicago	10,618	8,965	84.4	1,507	1,348	89.4	1,276	1,150	90.1	512	472	92.2	2,195	1,976	90.0
Indiana	Indianapolis	1,199	994	82.9	233	209	89.7	422	388	91.9	75	70	93.3	5	5	100.0
Louisiana	Baton Rouge	1,021	786	77.0	153	130	85.0	248	213	85.9	80	71	88.8	7	6	85.7
	New Orleans	2,826	2,348	83.1	555	497	89.5	829	748	90.2	297	277	93.3	54	45	83.3
Maryland	Baltimore	5,688	4,935	86.8	1,051	921	87.6	829	741	89.4	300	272	90.7	217	201	92.6
Massachusetts	Boston ^a	2,833	2,563	90.5	764	710	92.9	659	627	95.1	380	362	95.3	484	468	96.7
Michigan	Detroit	2,955	2,448	82.8	454	401	88.3	707	635	89.8	296	273	92.2	85	80	94.1
Minnesota	Minneapolis–St. Paul ^a	1,300	1,135	87.3	169	158	93.5	321	303	94.4	90	80	88.9	9	9	100.0
Missouri	Kansas City ^a	592	498	84.1	91	76	83.5	217	194	89.4	89	83	93.3	5	5	100.0
	St. Louis ^a	2,728	2,197	80.5	445	393	88.3	802	724	90.3	298	274	91.9	23	22	95.7
Nevada	Las Vegas ^a	1,144	946	82.7	257	231	89.9	367	322	87.7	136	119	87.5	9	7	77.8
New Jersey	Bergen–Passaic	799	678	84.9	157	144	91.7	197	171	86.8	69	65	94.2	26	26	100.0
	Jersey City	993	838	84.4	183	168	91.8	225	204	90.7	105	94	89.5	37	33	89.2
	Middlesex	533	453	85.0	146	128	87.7	148	140	94.6	63	59	93.7	22	19	86.4
	Newark	1,649	1,302	79.0	284	251	88.4	428	360	84.1	129	111	86.0	43	40	93.0
New York	Nassau–Suffolk	346	286	82.7	121	103	85.1	149	136	91.3	76	63	82.9	17	15	88.2
	New York	19,542	16,507	84.5	2,078	1,851	89.1	3,864	3,504	90.7	1,472	1,375	93.4	969	914	94.3
North Carolina	Charlotte ^a	1,511	1,217	80.5	406	353	86.9	862	770	89.3	243	222	91.4	39	37	94.9
Ohio	Cleveland	1,563	1,308	83.7	266	235	88.3	337	312	92.6	243	229	94.2	153	149	97.4
	Columbus	1,508	1,246	82.6	445	408	91.7	804	733	91.2	300	281	93.7	13	13	100.0
Oregon	Portland ^a	708	592	83.6	143	130	90.9	242	230	95.0	150	143	95.3	55	53	96.4
Pennsylvania	Philadelphia ^a	9,647	8,266	85.7	1,404	1,253	89.2	1,985	1,820	91.7	852	793	93.1	602	579	96.2
Puerto Rico	San Juan	6,802	5,914	86.9	303	275	90.8	351	329	93.7	79	74	93.7	21	21	100.0

Table 32b. Viral suppression among Ryan White HIV/AIDS Program clients (non-ADAP), by federal poverty level and eligible metropolitan area and transitional grant area, 2017—United States and 3 territories (cont.)

State/Territory	EMA/TGA	0–100% FPL			101–138% FPL			139–250% FPL			251–400% FPL			>400% FPL		
		Total No.	Viral suppression		Total No.	Viral suppression		Total No.	Viral suppression		Total No.	Viral suppression		Total No.	Viral suppression	
			No.	%		No.	%		No.	%		No.	%		No.	%
Tennessee	Memphis ^a	2,602	1,924	73.9	351	281	80.1	499	423	84.8	235	205	87.2	47	42	89.4
	Nashville	2,007	1,663	82.9	353	311	88.1	825	738	89.5	849	790	93.1	178	169	94.9
Texas	Austin	3,756	3,117	83.0	648	576	88.9	1,104	978	88.6	345	315	91.3	91	86	94.5
	Dallas	5,003	3,970	79.4	803	686	85.4	1,019	840	82.4	199	174	87.4	26	22	84.6
	Ft. Worth	1,362	1,098	80.6	288	237	82.3	370	326	88.1	114	98	86.0	13	10	76.9
	Houston	8,036	6,123	76.2	1,262	1,070	84.8	1,607	1,330	82.8	375	322	85.9	65	58	89.2
	San Antonio	1,167	835	71.6	204	164	80.4	336	272	81.0	92	81	88.0	16	12	75.0
Virginia	Norfolk ^a	1,562	1,235	79.1	340	303	89.1	496	440	88.7	198	181	91.4	2	2	100.0
	Seattle	1,527	1,317	86.2	280	265	94.6	500	469	93.8	357	342	95.8	262	247	94.3

Abbreviations: EMA, eligible metropolitan area; FPL, federal poverty level; TGA, transitional grant area.

Viral suppression was based on data for PLWH who had at least 1 outpatient ambulatory health services visit during the measurement year and whose most recent viral load test result was <200 copies/mL.

Notes. EMAs/TGAs are listed according to the primary state in which the jurisdiction resides. EMA/TGA delineations are based on provider location.

Data shown for individual EMAs and TGAs are not mutually exclusive; clients may have received services from providers in multiple EMAs and/or TGAs.

^a The EMA/TGA service area crosses state boundaries. See Technical Notes for more information.

Table 33a. Retention in care among Ryan White HIV/AIDS Program clients (non-ADAP), by housing status and state, 2017—United States and 3 territories

	Stable			Temporary			Unstable		
	Total No.	Retained No.	%	Total No.	Retained No.	%	Total No.	Retained No.	%
States									
Alabama	6,250	5,456	87.3	277	219	79.1	593	516	87.0
Alaska	289	209	72.3	23	17	73.9	34	27	79.4
Arizona	3,517	2,517	71.6	112	78	69.6	92	41	44.6
Arkansas	582	484	83.2	18	12	66.7	21	15	71.4
California	26,867	22,553	83.9	2,749	2,059	74.9	2,121	1,566	73.8
Colorado	2,608	2,198	84.3	400	331	82.8	81	59	72.8
Connecticut	2,855	2,296	80.4	186	138	74.2	111	72	64.9
Delaware	1,456	1,261	86.6	24	20	83.3	34	27	79.4
District of Columbia	4,343	3,069	70.7	416	291	70.0	542	370	68.3
Florida	26,949	22,230	82.5	2,152	1,565	72.7	1,021	730	71.5
Georgia	17,689	14,920	84.3	214	163	76.2	517	359	69.4
Hawaii	395	296	74.9	22	17	77.3	26	23	88.5
Idaho	647	535	82.7	22	17	77.3	26	14	53.8
Illinois	14,232	11,069	77.8	1,136	825	72.6	434	311	71.7
Indiana	1,613	1,273	78.9	94	68	72.3	61	37	60.7
Iowa	1,275	1,055	82.7	41	29	70.7	39	29	74.4
Kansas	375	297	79.2	6	4	66.7	7	7	100.0
Kentucky	3,610	2,856	79.1	114	79	69.3	85	49	57.6
Louisiana	6,630	5,368	81.0	357	265	74.2	205	143	69.8
Maine	366	231	63.1	13	1	7.7	9	4	44.4
Maryland	8,430	6,987	82.9	352	310	88.1	221	159	71.9
Massachusetts	5,983	4,863	81.3	382	314	82.2	177	145	81.9
Michigan	5,883	4,401	74.8	96	73	76.0	116	79	68.1
Minnesota	1,569	1,218	77.6	338	266	78.7	113	81	71.7
Mississippi	3,278	2,744	83.7	98	73	74.5	46	35	76.1
Missouri	3,167	2,504	79.1	278	214	77.0	253	172	68.0
Montana	282	220	78.0	7	6	85.7	20	11	55.0
Nebraska	731	521	71.3	15	9	60.0	53	27	50.9
Nevada	1,699	1,314	77.3	81	43	53.1	328	275	83.8
New Hampshire	729	530	72.7	23	16	69.6	7	6	85.7
New Jersey	7,780	6,547	84.2	621	421	67.8	167	114	68.3
New Mexico	1,576	1,424	90.4	51	45	88.2	23	18	78.3
New York	25,671	22,076	86.0	2,941	2,423	82.4	1,355	1,072	79.1
North Carolina	12,187	10,184	83.6	415	317	76.4	281	212	75.4
North Dakota	105	89	84.8	2	0	0.0	0	—	—
Ohio	6,233	4,637	74.4	440	267	60.7	318	211	66.4
Oklahoma	2,134	1,479	69.3	32	18	56.3	58	35	60.3
Oregon	1,038	856	82.5	49	40	81.6	62	50	80.6
Pennsylvania	16,479	14,074	85.4	1,240	980	79.0	948	779	82.2
Rhode Island	1,361	1,123	82.5	200	160	80.0	57	40	70.2
South Carolina	9,271	7,928	85.5	256	193	75.4	89	68	76.4
South Dakota	288	224	77.8	9	6	66.7	7	3	42.9
Tennessee	7,532	6,328	84.0	537	433	80.6	236	180	76.3
Texas	23,900	18,101	75.7	4,683	3,568	76.2	1,042	666	63.9
Utah	949	833	87.8	108	85	78.7	51	37	72.5
Vermont	400	325	81.3	18	15	83.3	4	4	100.0
Virginia	6,917	5,169	74.7	102	74	72.5	91	67	73.6
Washington	2,607	2,168	83.2	214	163	76.2	406	336	82.8
West Virginia	621	415	66.8	10	6	60.0	6	0	0.0
Wisconsin	2,160	1,738	80.5	128	107	83.6	252	186	73.8
Wyoming	58	15	25.9	15	6	40.0	8	1	12.5
Subtotal	283,566	231,208	81.5	22,117	16,849	76.2	12,854	9,468	73.7
Territories									
Guam	27	23	85.2	2	0	0.0	0	—	—
Puerto Rico	8,999	8,041	89.4	184	149	81.0	44	32	72.7
U.S. Virgin Islands	204	155	76.0	3	1	33.3	2	2	100.0
Subtotal	9,230	8,219	89.0	189	150	79.4	46	34	73.9
Total	292,796	239,427	81.8	22,306	16,999	76.2	12,900	9,502	73.7

Retention in care was based on data for PLWH who had at least 1 outpatient ambulatory health services visit by September 1 of the measurement year, with a second visit at least 90 days after.

Note. Data are based on provider location. Clients receiving services in multiple states were not included in state-specific totals or column subtotals and totals.

Table 33b. Retention in care among Ryan White HIV/AIDS Program clients (non-ADAP), by housing status and eligible metropolitan area and transitional grant area, 2017—United States and 3 territories

State/Territory	EMA/TGA	Stable			Temporary			Unstable		
		Total No.	Retained No.	%	Total No.	Retained No.	%	Total No.	Retained No.	%
Arizona	Phoenix	1,983	1,223	61.7	27	16	59.3	103	47	45.6
California	Los Angeles	13,598	11,428	84.0	543	398	73.3	1,122	813	72.5
	Oakland	1,102	717	65.1	163	107	65.6	136	94	69.1
	Orange County	725	646	89.1	31	15	48.4	25	16	64.0
	Riverside–San Bernardino	936	705	75.3	145	109	75.2	59	36	61.0
	Sacramento	2,032	1,960	96.5	132	128	97.0	221	187	84.6
	San Francisco	959	722	75.3	487	306	62.8	118	83	70.3
	San Diego	3,888	3,374	86.8	817	655	80.2	310	247	79.7
	San Jose	808	692	85.6	265	224	84.5	79	59	74.7
Colorado	Denver	2,408	2,032	84.4	436	355	81.4	114	85	74.6
Connecticut	Hartford	1,147	984	85.8	115	77	67.0	54	37	68.5
	New Haven	1,021	675	66.1	73	54	74.0	63	36	57.1
District of Columbia	Washington ^a	7,584	5,566	73.4	511	356	69.7	636	439	69.0
Florida	Ft. Lauderdale	3,455	2,586	74.8	1,354	990	73.1	89	60	67.4
	Jacksonville	1,383	1,062	76.8	44	30	68.2	44	26	59.1
	Miami	6,428	5,159	80.3	148	110	74.3	458	331	72.3
	Orlando	1,954	1,683	86.1	246	195	79.3	111	84	75.7
	Tampa–St. Petersburg	3,786	3,337	88.1	236	169	71.6	154	119	77.3
	West Palm Beach	1,740	1,544	88.7	119	94	79.0	92	74	80.4
Georgia	Atlanta	12,333	10,410	84.4	241	194	80.5	592	413	69.8
Illinois	Chicago	13,831	10,795	78.0	1,195	871	72.9	436	321	73.6
Indiana	Indianapolis	1,659	1,309	78.9	110	80	72.7	82	52	63.4
Louisiana	Baton Rouge	1,876	1,457	77.7	50	31	62.0	38	26	68.4
	New Orleans	3,856	3,206	83.1	338	267	79.0	153	106	69.3
Maryland	Baltimore	7,383	6,237	84.5	340	307	90.3	219	156	71.2
Massachusetts	Boston ^a	4,721	3,758	79.6	407	332	81.6	175	141	80.6
Michigan	Detroit	3,942	2,804	71.1	77	54	70.1	72	46	63.9
Minnesota	Minneapolis–St. Paul ^a	1,633	1,268	77.6	364	281	77.2	143	103	72.0
Missouri	Kansas City ^a	717	514	71.7	79	57	72.2	50	24	48.0
	St. Louis ^a	3,535	2,883	81.6	290	228	78.6	316	219	69.3
Nevada	Las Vegas ^a	1,386	994	71.7	113	64	56.6	153	89	58.2
New Jersey	Bergen–Passaic	1,133	1,005	88.7	26	20	76.9	43	26	60.5
	Jersey City	1,409	1,277	90.6	44	37	84.1	33	24	72.7
	Middlesex	805	692	86.0	26	19	73.1	38	31	81.6
	Newark	1,561	1,188	76.1	532	353	66.4	84	54	64.3
New York	Nassau–Suffolk	625	460	73.6	39	23	59.0	9	6	66.7
	New York	23,082	19,980	86.6	2,743	2,292	83.6	1,475	1,171	79.4
North Carolina	Charlotte ^a	2,680	2,256	84.2	93	74	79.6	85	60	70.6
Ohio	Cleveland	2,066	1,589	76.9	94	61	64.9	134	86	64.2
	Columbus	2,643	1,859	70.3	235	154	65.5	152	104	68.4
Oregon	Portland ^a	1,084	887	81.8	69	56	81.2	95	76	80.0
Pennsylvania	Philadelphia ^a	12,071	10,304	85.4	989	784	79.3	923	761	82.4
Puerto Rico	San Juan	7,346	6,547	89.1	212	178	84.0	53	40	75.5
Tennessee	Memphis ^a	3,188	2,782	87.3	186	160	86.0	194	155	79.9
	Nashville	3,525	2,911	82.6	390	313	80.3	58	39	67.2
Texas	Austin	4,821	4,022	83.4	483	406	84.1	307	225	73.3
	Dallas	4,091	3,414	83.5	2,425	1,991	82.1	429	297	69.2
	Ft. Worth	1,753	943	53.8	230	153	66.5	71	40	56.3
	Houston	8,181	6,088	74.4	1,885	1,354	71.8	392	245	62.5
	San Antonio	1,456	1,050	72.1	70	49	70.0	86	60	69.8
Virginia	Norfolk ^a	2,295	1,391	60.6	57	39	68.4	61	46	75.4
	Seattle	2,209	1,825	82.6	190	148	77.9	429	357	83.2

Retention in care was based on data for PLWH who had at least 1 outpatient ambulatory health services visit by September 1 of the measurement year, with a second visit at least 90 days after.

Abbreviations: EMA, eligible metropolitan area; TGA, transitional grant area.

Notes. EMAs/TGAs are listed according to the primary state in which the jurisdiction resides. EMA/TGA delineations are based on provider location.

Data shown for individual EMAs and TGAs are not mutually exclusive; clients may have received services from providers in multiple EMAs and/or TGAs.

^a The EMA/TGA service area crosses state boundaries. See Technical Notes for more information.

Table 34a. Viral suppression among Ryan White HIV/AIDS Program clients (non-ADAP), by housing status and state, 2017—United States and 3 territories

	Stable			Temporary			Unstable		
	Total No.	Viral suppression No.	%	Total No.	Viral suppression No.	%	Total No.	Viral suppression No.	%
States									
Alabama	6,542	5,596	85.5	306	221	72.2	629	514	81.7
Alaska	313	284	90.7	25	20	80.0	36	26	72.2
Arizona	3,644	3,319	91.1	112	88	78.6	104	71	68.3
Arkansas	613	450	73.4	19	12	63.2	21	15	71.4
California	27,121	24,192	89.2	2,895	2,394	82.7	2,186	1,565	71.6
Colorado	2,656	2,379	89.6	408	320	78.4	86	52	60.5
Connecticut	2,865	2,565	89.5	209	176	84.2	119	92	77.3
Delaware	1,503	1,323	88.0	26	21	80.8	39	29	74.4
District of Columbia	4,391	3,695	84.1	418	324	77.5	544	410	75.4
Florida	28,345	24,515	86.5	2,379	1,826	76.8	1,137	753	66.2
Georgia	18,440	15,332	83.1	228	169	74.1	561	394	70.2
Hawaii	446	399	89.5	25	20	80.0	32	26	81.3
Idaho	679	647	95.3	25	22	88.0	34	33	97.1
Illinois	14,974	13,119	87.6	1,231	958	77.8	489	334	68.3
Indiana	1,664	1,467	88.2	110	84	76.4	73	51	69.9
Iowa	1,385	1,280	92.4	52	40	76.9	43	36	83.7
Kansas	386	343	88.9	6	5	83.3	9	5	55.6
Kentucky	3,756	3,379	90.0	135	102	75.6	100	60	60.0
Louisiana	6,894	5,853	84.9	397	312	78.6	213	142	66.7
Maine	374	350	93.6	15	14	93.3	8	7	87.5
Maryland	8,672	7,604	87.7	363	296	81.5	217	148	68.2
Massachusetts	6,070	5,664	93.3	414	356	86.0	195	159	81.5
Michigan	6,377	5,653	88.6	116	95	81.9	126	92	73.0
Minnesota	1,376	1,267	92.1	293	258	88.1	97	64	66.0
Mississippi	3,444	2,876	83.5	110	82	74.5	55	36	65.5
Missouri	3,437	3,004	87.4	311	258	83.0	300	203	67.7
Montana	302	278	92.1	8	7	87.5	21	15	71.4
Nebraska	774	711	91.9	15	11	73.3	60	48	80.0
Nevada	1,859	1,619	87.1	107	83	77.6	332	261	78.6
New Hampshire	765	704	92.0	27	19	70.4	8	7	87.5
New Jersey	8,171	7,071	86.5	728	560	76.9	189	132	69.8
New Mexico	1,640	1,480	90.2	57	45	78.9	24	12	50.0
New York	26,392	23,300	88.3	3,117	2,533	81.3	1,426	965	67.7
North Carolina	12,855	11,256	87.6	480	340	70.8	295	207	70.2
North Dakota	105	102	97.1	2	2	100.0	0	—	—
Ohio	6,623	5,872	88.7	475	368	77.5	353	250	70.8
Oklahoma	2,234	1,944	87.0	39	24	61.5	60	37	61.7
Oregon	1,076	975	90.6	54	40	74.1	66	43	65.2
Pennsylvania	17,014	15,350	90.2	1,326	1,078	81.3	996	786	78.9
Rhode Island	1,412	1,308	92.6	215	191	88.8	56	45	80.4
South Carolina	9,739	8,399	86.2	275	210	76.4	105	68	64.8
South Dakota	293	268	91.5	7	6	85.7	6	4	66.7
Tennessee	7,954	6,722	84.5	582	450	77.3	255	184	72.2
Texas	25,642	21,047	82.1	5,050	3,840	76.0	1,155	730	63.2
Utah	879	807	91.8	109	93	85.3	55	30	54.5
Vermont	412	391	94.9	21	18	85.7	5	3	60.0
Virginia	7,332	6,301	85.9	116	95	81.9	107	79	73.8
Washington	2,695	2,494	92.5	220	187	85.0	418	320	76.6
West Virginia	656	600	91.5	13	9	69.2	6	2	33.3
Wisconsin	2,306	2,073	89.9	136	109	80.1	271	236	87.1
Wyoming	61	60	98.4	14	13	92.9	8	7	87.5
Subtotal	295,558	257,687	87.2	23,821	18,804	78.9	13,730	9,788	71.3
Territories									
Guam	29	20	69.0	2	1	50.0	0	—	—
Puerto Rico	8,954	7,894	88.2	183	132	72.1	42	27	64.3
U.S. Virgin Islands	202	176	87.1	2	1	50.0	2	2	100.0
Subtotal	9,185	8,090	88.1	187	134	71.7	44	29	65.9
Total	304,743	265,777	87.2	24,008	18,938	78.9	13,774	9,817	71.3

Viral suppression was based on data for PLWH who had at least 1 outpatient ambulatory health services visit during the measurement year and whose most recent viral load test result was <200 copies/mL.

Note. Data are based on provider location. Clients receiving services in multiple states were not included in state-specific totals or column subtotals and totals.

Table 34b. Viral suppression among Ryan White HIV/AIDS Program clients (non-ADAP), by housing status and eligible metropolitan area and transitional grant area, 2017—United States and 3 territories

State/Territory	EMA/TGA	Stable			Temporary			Unstable		
		Total No.	Viral suppression No.	%	Total No.	Viral suppression No.	%	Total No.	Viral suppression No.	%
Arizona	Phoenix	2,061	1,839	89.2	31	24	77.4	116	85	73.3
California	Los Angeles	13,673	12,052	88.1	550	422	76.7	1,192	839	70.4
	Oakland	1,170	1,058	90.4	176	148	84.1	139	107	77.0
	Orange County	772	701	90.8	35	29	82.9	28	24	85.7
	Riverside–San Bernardino	1,013	900	88.8	153	118	77.1	71	44	62.0
	Sacramento	1,829	1,594	87.2	129	111	86.0	181	135	74.6
	San Francisco	1,085	983	90.6	542	424	78.2	130	87	66.9
	San Diego	3,853	3,522	91.4	835	723	86.6	324	244	75.3
	San Jose	830	763	91.9	286	255	89.2	82	61	74.4
Colorado	Denver	2,431	2,169	89.2	444	350	78.8	122	75	61.5
Connecticut	Hartford	1,145	1,024	89.4	131	107	81.7	60	45	75.0
	New Haven	986	890	90.3	81	69	85.2	67	54	80.6
District of Columbia	Washington ^a	7,883	6,608	83.8	521	405	77.7	643	481	74.8
Florida	Ft. Lauderdale	3,663	3,156	86.2	1,475	1,187	80.5	95	64	67.4
	Jacksonville	1,434	1,177	82.1	50	33	66.0	50	26	52.0
	Miami	6,841	5,914	86.4	170	124	72.9	504	355	70.4
	Orlando	2,071	1,794	86.6	261	208	79.7	125	79	63.2
	Tampa–St. Petersburg	3,965	3,446	86.9	285	190	66.7	178	109	61.2
	West Palm Beach	1,747	1,532	87.7	120	95	79.2	96	68	70.8
Georgia	Atlanta	12,870	10,620	82.5	258	201	77.9	635	452	71.2
Illinois	Chicago	14,523	12,731	87.7	1,294	1,020	78.8	490	335	68.4
Indiana	Indianapolis	1,716	1,505	87.7	125	98	78.4	93	63	67.7
Louisiana	Baton Rouge	1,936	1,570	81.1	50	38	76.0	34	27	79.4
	New Orleans	4,023	3,502	87.0	376	304	80.9	163	111	68.1
Maryland	Baltimore	7,515	6,623	88.1	349	291	83.4	215	150	69.8
Massachusetts	Boston ^a	4,802	4,490	93.5	439	380	86.6	191	154	80.6
Michigan	Detroit	4,322	3,712	85.9	92	68	73.9	85	59	69.4
Minnesota	Minneapolis–St. Paul ^a	1,440	1,319	91.6	318	280	88.1	131	86	65.6
Missouri	Kansas City ^a	812	712	87.7	93	81	87.1	71	45	63.4
	St. Louis ^a	3,814	3,295	86.4	335	275	82.1	368	245	66.6
Nevada	Las Vegas ^a	1,598	1,385	86.7	144	113	78.5	170	125	73.5
New Jersey	Bergen–Passaic	1,188	1,038	87.4	28	21	75.0	45	35	77.8
	Jersey City	1,461	1,273	87.1	45	36	80.0	37	28	75.7
	Middlesex	837	747	89.2	30	22	73.3	45	30	66.7
	Newark	1,804	1,510	83.7	633	490	77.4	98	66	67.3
New York	Nassau–Suffolk	657	559	85.1	41	33	80.5	10	9	90.0
	New York	23,848	21,051	88.3	2,917	2,371	81.3	1,550	1,041	67.2
North Carolina	Charlotte ^a	2,859	2,455	85.9	105	79	75.2	97	65	67.0
Ohio	Cleveland	2,315	2,047	88.4	105	83	79.0	142	103	72.5
	Columbus	2,690	2,377	88.4	245	201	82.0	160	122	76.3
Oregon	Portland ^a	1,125	1,020	90.7	77	60	77.9	98	67	68.4
Pennsylvania	Philadelphia ^a	12,476	11,108	89.0	1,049	842	80.3	960	751	78.2
Puerto Rico	San Juan	7,293	6,416	88.0	215	162	75.3	50	37	74.0
Tennessee	Memphis ^a	3,340	2,596	77.7	194	142	73.2	201	137	68.2
	Nashville	3,722	3,283	88.2	423	337	79.7	67	51	76.1
Texas	Austin	5,099	4,432	86.9	516	423	82.0	329	217	66.0
	Dallas	4,288	3,596	83.9	2,600	2,008	77.2	457	292	63.9
	Ft. Worth	1,867	1,543	82.6	257	215	83.7	73	45	61.6
	Houston	8,877	7,112	80.1	2,026	1,501	74.1	442	290	65.6
	San Antonio	1,635	1,243	76.0	80	60	75.0	101	62	61.4
Virginia	Norfolk ^a	2,470	2,064	83.6	58	43	74.1	69	53	76.8
Washington	Seattle	2,280	2,116	92.8	194	170	87.6	440	345	78.4

Abbreviations: EMA, eligible metropolitan area; TGA, transitional grant area.

Viral suppression was based on data for PLWH who had at least 1 outpatient ambulatory health services visit during the measurement year and whose most recent viral load test result was <200 copies/mL.

Notes. EMAs/TGAs are listed according to the primary state in which the jurisdiction resides. EMA/TGA delineations are based on provider location.

Data shown for individual EMAs and TGAs are not mutually exclusive; clients may have received services from providers in multiple EMAs and/or TGAs.

^a The EMA/TGA service area crosses state boundaries. See Technical Notes for more information.